

# Liftcrane Jib Capacities

Jib No. 134 on  
 Boom No. B10:82A  
 67 860 kg Crane Counterweight  
 0 kg Carbody Counterweight  
 Crawler Machine on a Barge  
 0 Degree thru 3 Degree Static Machine List  
 No Travel - 360 Degree Rating

## MLC250 SERIES 1



**LIFTING CAPACITIES:** Chart supplements Boom Capacity chart **No. 9894-AM**. Lifting capacities are for a crawler machine when operating on a barge. Machine shall be positively secured to prevent shifting. Lifting capacities for various boom lengths, jib lengths, and jib operating radii are for freely suspended loads and may be based on percent of static tipping or strength of structural components. Capacities must be reduced by applicable deducts.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and jib point sheaves is considered part of load. Boom and jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

**OPERATING CONDITIONS:** Machine to operate on a firm and uniformly supporting surface with gantry up and machine list not to exceed degrees noted. Refer to Boom Rigging **No. 80137888**, Jib Rigging **No. 80117860**, Wire Rope Specifications chart **No. 9916-A**, Counterweight Arrangements chart **No. 9893-A**, and Wind Conditions chart **No. 9917-A**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to the Operator Manual for operating guidelines.



**OPERATING RADIUS:** Operating radius is horizontal distance from axis of rotation at barge deck to center of vertical hoist line or load block.



**BOOM ANGLE:** Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



**JIB POINT ELEVATION:** Jib point elevation is vertical distance from barge deck to centerline of jib point shaft.

**MACHINE EQUIPMENT:** Machine equipped with 8 585 mm crawlers, 1 200 mm or 1 524 mm treads, 3 124 mm retractable gantry, 9 144 mm live mast, 20 part boom hoist reeving, and boom support straps.

Refer to Tables 1 and 2 for raising ability with the maximum weight of all load blocks, hooks, weight ball, slings, and hoist lines beneath boom and jib point sheaves. For block weights shown with #, load blocks, hooks, weight ball, and slings must remain on barge deck until combined weights are within rated capacity of chart. Raising is not permitted in shaded areas of table.

**Caution:** Combined weight beneath boom and jib point sheaves must not exceed block weight shown. Total weight beneath jib point must not exceed 1 360 kg.

**Table 1**









Over End or Side of Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
27,4 - 33,5	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 750	4 875	4 700
36,6	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 525	5 525	5 075	4 850	4 625
39,6	8	5 875	5 875	5 875	5 600	5 875	5 425	5 075	4 625	4 650	4 250	4 200	3 850
42,7	8	5 700	5 150	5 575	5 025	5 075	4 525	4 575	4 075	3 900	3 525	3 525	3 175
45,7	8	4 625	4 150	4 525	4 025	4 125	3 625	3 650	3 200	3 125	2 700	2 750	2 400
48,8	8	3 975	3 575	3 625	3 200	3 250	2 850	2 900	2 525	2 425	2 075	2 125	1 750
51,8	8	2 800	2 475	2 475	2 125	2 125	1 750	1 700	1 400	1 400	#	#	#
54,9	8	1 800	1 475	1 450	#	#	#	#	#	#	#	#	#
57,9	8	#	#	#	#	#	#	#	#	#	#	#	#
61,0	8	#	#	#	#	#	#	#	#	#	#	#	#
64,0	8	Raising Not Permitted											
67,1	8	Raising Not Permitted											

**Table 2**


Over End of Blocked Crawlers													
Boom Length (m)	Maximum Number of Lower Boom Point Sheaves	Jib No. 134											
		9,1 m		12,2 m		15,2 m		18,3 m		21,3 m		24,4 m	
		Block Weight (kg)											
		0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°	0°	1° - 3°
27,4 - 33,5	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 750	4 875	4 700
36,6	8	5 875	5 875	5 875	5 875	5 875	5 875	5 875	5 525	5 525	5 075	4 850	4 625
39,6	8	5 875	5 875	5 875	5 600	5 875	5 425	5 075	4 625	4 650	4 250	4 200	3 850
42,7	8	5 700	5 150	5 575	5 025	5 075	4 525	4 575	4 075	3 900	3 525	3 525	3 175
45,7	8	4 625	4 150	4 525	4 025	4 125	3 625	3 650	3 200	3 125	2 700	2 750	2 400
48,8	8	4 125	3 575	3 700	3 200	3 300	2 850	2 925	2 525	2 425	2 075	2 125	1 800
51,8	8	3 200	2 750	2 900	2 425	2 525	2 125	2 200	1 800	1 975	1 800	1 900	1 800
54,9	8	2 425	1 975	2 125	1 850	1 850	1 800	1 800	1 800	1 800	1 800	1 800	1 675
57,9	8	1 800	1 850	1 800	1 800	1 800	1 575	1 525	#	#	#	#	#
61,0	8	1 575	#	#	#	#	#	#	#	#	#	#	#
64,0	8	#	#	#	#	#	#	#	#	#	#	#	#
67,1	8	#	#	#	#	#	#	#	#	#	#	#	#
Raising Not Permitted													

**Warning:** Crane must remain in-line with crawlers when raising over end of blocked crawlers until operating radius is within 360 degree chart. Crane tipping or structural damage can occur.



## Explanation of Symbols



# MLC250 S-1




67 860 kg  
+  
0 kg





		5°						15°							
		0°				1°		0°				1°			
		kg				kg		kg				kg			
		m		°		m		°		m		°		m	
9,1	79,2	38,3	26 700	26 000											9,1
10,0	77,8	38,1	26 700	25 700											10,0
10,7	76,7	37,9	26 700	25 400	22 400	20 200	79,3	37,7	26 700	24 000					10,7
12,0	74,6	37,5	26 700	24 900	22 100	19 900	77,1	37,3	26 700	23 600					12,0
12,2	74,2	37,5	26 700	24 800	22 000	19 800	76,7	37,2	26 700	23 600	21 100	19 100			12,2
13,7	71,8	37,0	26 700	24 300	21 600	19 500	74,2	36,7	26 300	23 200	20 800	18 800			13,7
14,0	71,3	36,9	26 700	24 200	21 500	19 400	73,7	36,6	26 200	23 100	20 700	18 800			14,0
16,0	67,9	36,1	26 700	23 600	21 100	19 000	70,4	35,8	25 600	22 700	20 400	18 500			16,0
18,0	64,4	35,2	26 200	23 000	20 600	18 700	66,9	34,9	25 000	22 300	20 100	18 300			18,0
20,0	60,9	34,1	25 500	22 500	20 200	18 400	63,3	33,8	24 500	21 900	19 800	18 100			20,0
22,0	57,2	32,8	24 900	22 100	19 900	18 100	59,5	32,5	23 900	21 600	19 600	17 900			22,0
24,0	53,3	31,4	23 100	21 700	19 600	17 900	55,6	31,1	22 500	21 400	19 400	17 800			24,0
26,0	49,2	29,7	20 500	19 800	19 100	17 600	51,5	29,4	20 800	20 000	19 200	17 700			26,0
28,0	44,8	27,7	18 400	17 800	17 200	16 700	47,1	27,4	18 600	18 000	17 400	16 900			28,0
30,0	40,1	25,5	16 600	16 100	15 600	15 100	42,3	25,1	16 800	16 300	15 800	15 300			30,0
30,5	38,8	24,8	16 200	15 700	15 300	14 800	41,0	24,4	16 400	15 900	15 400	15 000			30,5
32,0	34,8	22,7	15 000	14 600	14 200	13 800	36,9	22,3	15 100	14 700	14 300	13 900			32,0
33,5	29,8	19,9	14 000	13 600	13 300	12 900	32,1	19,7	14 000	13 700	13 300	13 000			33,5
35,1	24,8	17,1	12 900	12 600	12 400	12 100									35,1

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		9,1 m					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
9,1							9,1
10,0							10,0
10,7							10,7
12,0							12,0
12,2	79,3	36,7	22 100	21 600			12,2
13,7	76,7	36,2	20 900	20 500	20 000	18 300	13,7
14,0	76,2	36,1	20 700	20 300	19 900	18 200	14,0
16,0	72,8	35,3	19 400	19 000	18 700	18 100	16,0
18,0	69,2	34,3	18 200	17 900	17 600	17 400	18,0
20,0	65,6	33,2	17 200	17 000	16 700	16 500	20,0
22,0	61,8	31,9	16 300	16 100	16 000	15 800	22,0
24,0	57,8	30,4	15 600	15 400	15 300	15 100	24,0
26,0	53,5	28,7	14 900	14 800	14 700	14 600	26,0
28,0	49,0	26,7	14 400	14 300	14 200	14 100	28,0
30,0	44,0	24,3	13 900	13 800	13 800	13 700	30,0
30,5	42,7	23,7	13 800	13 800	13 700	13 600	30,5
32,0							32,0
33,5							33,5
35,1							35,1

# MLC250 S-1







67 860 kg  
+  
0 kg




			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,1	80,0	41,4	26 700										9,1
10,0	78,8	41,2	26 700										10,0
10,7	77,7	41,0	26 700	25 500	22 600	20 200	80,1	40,8	26 700				10,7
12,0	75,8	40,7	26 700	25 100	22 200	19 900	78,1	40,5	26 700				12,0
12,2	75,5	40,6	26 700	25 000	22 100	19 900	77,8	40,4	26 700	23 700	21 100	19 100	12,2
13,7	73,2	40,2	26 700	24 600	21 800	19 600	75,5	40,0	26 400	23 300	20 900	18 900	13,7
14,0	72,8	40,1	26 700	24 500	21 700	19 600	75,1	39,9	26 400	23 300	20 800	18 900	14,0
16,0	69,7	39,4	26 700	23 900	21 200	19 200	72,0	39,1	25 800	22 800	20 500	18 600	16,0
18,0	66,6	38,5	26 500	23 300	20 800	18 800	68,8	38,3	25 300	22 500	20 200	18 400	18,0
20,0	63,3	37,5	25 900	22 800	20 400	18 500	65,6	37,3	24 800	22 100	20 000	18 200	20,0
22,0	60,0	36,4	25 000	22 400	20 100	18 200	62,2	36,2	24 400	21 800	19 700	18 000	22,0
24,0	56,6	35,1	22 800	21 500	19 800	18 000	58,7	34,9	23 000	21 500	19 500	17 900	24,0
26,0	53,0	33,7	20 200	19 400	18 700	17 700	55,1	33,4	20 500	19 700	18 900	17 700	26,0
28,0	49,2	32,0	18 100	17 500	16 800	16 200	51,3	31,7	18 400	17 700	17 000	16 400	28,0
30,0	45,2	30,0	16 300	15 700	15 200	14 700	47,2	29,7	16 500	16 000	15 400	14 900	30,0
32,0	40,8	27,8	14 700	14 200	13 800	13 400	42,8	27,5	14 900	14 400	14 000	13 500	32,0
36,0	30,7	22,0	12 100	11 800	11 500	11 200	32,5	21,6	12 200	11 900	11 600	11 300	36,0
36,6	28,7	20,8	11 800	11 500	11 200	10 900	30,7	20,5	11 900	11 600	11 300	11 000	36,6
38,1	23,7	17,7	11 000	10 700	10 500	10 200							38,1

# MLC250 S-1





		25°					
		9,1 m					
		0°					
		1°					
		2°					
		3°					
		kg					
m	°	m	kg	kg	kg	kg	m
9,1							9,1
10,0							10,0
10,7							10,7
12,0							12,0
12,2	80,2	39,9	22 600				12,2
13,7	77,8	39,4	21 400	20 900	20 100	18 300	13,7
14,0	77,4	39,3	21 200	20 800	20 000	18 200	14,0
16,0	74,2	38,6	19 900	19 500	19 200	18 100	16,0
18,0	71,0	37,7	18 800	18 400	18 100	17 800	18,0
20,0	67,7	36,7	17 800	17 500	17 200	17 000	20,0
22,0	64,3	35,6	16 900	16 700	16 500	16 200	22,0
24,0	60,8	34,2	16 100	15 900	15 800	15 600	24,0
26,0	57,1	32,7	15 500	15 300	15 200	15 000	26,0
28,0	53,2	31,0	14 900	14 800	14 600	14 500	28,0
30,0	49,0	29,0	14 400	14 300	14 200	14 100	30,0
32,0	44,5	26,7	14 000	13 900	13 800	13 700	32,0
36,0							36,0
36,6							36,6
38,1							38,1

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
9,1	80,8	44,5	26 700										9,1
10,0	79,6	44,3	26 700										10,0
10,7	78,6	44,2	26 700	25 700	22 600		80,8	43,9	26 700				10,7
12,0	76,8	43,9	26 700	25 200	22 300		79,0	43,6	26 700				12,0
12,2	76,6	43,8	26 700	25 200	22 200	20 000	78,7	43,6	26 700	23 700	21 200		12,2
13,7	74,5	43,4	26 700	24 700	21 900	19 700	76,6	43,1	26 600	23 400	20 900	18 900	13,7
14,0	74,0	43,3	26 700	24 600	21 800	19 600	76,2	43,1	26 500	23 300	20 900	18 900	14,0
15,2	72,3	42,9	26 700	24 300	21 600	19 400	74,5	42,7	26 200	23 100	20 700	18 700	15,2
16,0	71,2	42,6	26 700	24 000	21 400	19 300	73,3	42,4	26 000	22 900	20 600	18 600	16,0
18,0	68,3	41,9	26 700	23 500	21 000	19 000	70,4	41,6	25 500	22 600	20 300	18 400	18,0
20,0	65,4	41,0	26 200	23 000	20 600	18 600	67,5	40,7	25 000	22 200	20 000	18 200	20,0
22,0	62,4	39,9	25 100	22 600	20 300	18 400	64,4	39,7	24 600	21 900	19 800	18 100	22,0
24,0	59,3	38,8	22 600	21 300	19 900	18 100	61,3	38,5	22 900	21 400	19 600	17 900	24,0
26,0	56,0	37,4	20 000	19 100	18 300	17 500	58,0	37,2	20 300	19 400	18 600	17 700	26,0
28,0	52,7	36,0	17 900	17 100	16 400	15 800	54,7	35,7	18 200	17 400	16 700	16 000	28,0
30,0	49,2	34,3	16 100	15 400	14 800	14 300	51,1	34,0	16 300	15 700	15 100	14 500	30,0
32,0	45,5	32,4	14 500	13 900	13 400	12 900	47,4	32,0	14 700	14 100	13 600	13 100	32,0
35,1	39,1	28,8	12 500	12 100	11 700	11 300	40,9	28,4	12 700	12 200	11 800	11 400	35,1
36,0	37,1	27,6	11 900	11 500	11 100	10 800	38,9	27,2	12 000	11 700	11 300	10 900	36,0
38,1	31,6	24,1	10 800	10 500	10 200	9 900	33,7	24,0	10 900	10 500	10 200	9 900	38,1
40,0	26,7	20,9	9 800	9 600	9 300	9 100							40,0
41,2	22,8	18,3	9 300	9 100	8 800	8 600							41,2



# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
9,1							9,1
10,0							10,0
10,7							10,7
12,0							12,0
12,2	80,9	43,0	23 000				12,2
13,7	78,7	42,6	21 900	21 400	20 100		13,7
14,0	78,3	42,5	21 700	21 200	20 000		14,0
15,2	76,6	42,1	20 900	20 500	19 700	18 100	15,2
16,0	75,4	41,8	20 400	20 000	19 600	18 100	16,0
18,0	72,5	41,0	19 300	18 900	18 600	18 000	18,0
20,0	69,5	40,1	18 300	18 000	17 700	17 400	20,0
22,0	66,4	39,1	17 400	17 200	16 900	16 700	22,0
24,0	63,2	37,9	16 700	16 400	16 200	16 000	24,0
26,0	59,9	36,5	16 000	15 800	15 600	15 400	26,0
28,0	56,5	35,0	15 400	15 200	15 100	14 900	28,0
30,0	52,8	33,3	14 900	14 700	14 600	14 500	30,0
32,0	49,0	31,3	14 400	14 300	13 800	13 300	32,0
35,1	42,5	27,7	12 700	12 300	11 900	11 500	35,1
36,0							36,0
38,1							38,1
40,0							40,0
41,2							41,2

# MLC250 S-1






67 860 kg  
+  
0 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	79,4	47,3	26 700	25 700									10,7
12,0	77,7	47,0	26 700	25 300									12,0
12,2	77,5	46,9	26 700	25 300	22 300	20 000	79,5	46,7	26 700	23 800			12,2
13,7	75,5	46,5	26 700	24 800	21 900	19 700	77,5	46,3	26 700	23 500	20 900	18 900	13,7
14,0	75,1	46,5	26 700	24 700	21 900	19 700	77,1	46,2	26 600	23 400	20 900	18 900	14,0
15,2	73,6	46,1	26 700	24 400	21 600	19 500	75,5	45,9	26 300	23 200	20 700	18 800	15,2
16,0	72,5	45,9	26 700	24 200	21 500	19 300	74,5	45,6	26 100	23 000	20 600	18 700	16,0
18,0	69,8	45,1	26 700	23 700	21 100	19 000	71,8	44,9	25 600	22 700	20 300	18 500	18,0
20,0	67,1	44,3	26 500	23 200	20 700	18 800	69,1	44,1	25 200	22 400	20 100	18 300	20,0
22,0	64,4	43,4	25 200	22 800	20 400	18 500	66,3	43,1	24 700	22 100	19 900	18 100	22,0
24,0	61,5	42,3	22 400	21 200	19 900	18 200	63,4	42,0	22 800	21 300	19 700	18 000	24,0
26,0	58,6	41,1	19 900	18 900	18 000	17 200	60,5	40,8	20 200	19 200	18 300	17 500	26,0
28,0	55,6	39,8	17 700	16 900	16 200	15 500	57,4	39,5	18 000	17 200	16 500	15 700	28,0
30,0	52,4	38,3	15 900	15 200	14 600	14 000	54,3	38,0	16 200	15 500	14 800	14 200	30,0
32,0	49,2	36,6	14 300	13 800	13 200	12 700	51,0	36,3	14 600	14 000	13 400	12 900	32,0
36,0	42,0	32,5	11 800	11 300	10 900	10 500	43,8	32,2	11 900	11 500	11 100	10 700	36,0
36,6	40,8	31,7	11 500	11 100	10 700	10 300	42,5	31,4	11 600	11 200	10 800	10 400	36,6
40,0	33,7	27,2	9 700	9 400	9 100	8 800	35,3	26,8	9 800	9 500	9 200	8 900	40,0
41,2	30,5	25,0	9 200	9 000	8 700	8 400	32,5	24,8	9 300	9 000	8 700	8 500	41,2
44,0	22,7	19,4	8 000	7 800	7 600	7 400							44,0
44,2	22,0	18,9	8 000	7 800	7 600	7 400							44,2

# MLC250 S-1





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
10,7							10,7
12,0							12,0
12,2							12,2
13,7	79,5	45,8	22 200	21 700			13,7
14,0	79,1	45,7	22 100	21 600			14,0
15,2	77,5	45,3	21 300	20 900	19 900	18 100	15,2
16,0	76,5	45,1	20 800	20 400	19 700	18 100	16,0
18,0	73,7	44,3	19 700	19 300	19 000	18 000	18,0
20,0	71,0	43,5	18 700	18 400	18 100	17 800	20,0
22,0	68,2	42,5	17 900	17 600	17 400	17 100	22,0
24,0	65,3	41,4	17 100	16 900	16 700	16 400	24,0
26,0	62,3	40,2	16 400	16 200	16 000	15 900	26,0
28,0	59,2	38,8	15 800	15 700	15 500	15 300	28,0
30,0	55,9	37,3	15 300	15 100	14 900	14 400	30,0
32,0	52,6	35,5	14 800	14 200	13 600	13 100	32,0
36,0	45,2	31,3	12 100	11 600	11 200	10 800	36,0
36,6	44,0	30,6	11 700	11 300	10 900	10 500	36,6
40,0							40,0
41,2							41,2
44,0							44,0
44,2							44,2

# MLC250 S-1







67 860 kg  
+  
0 kg




			5°				15°						
 m	 °	 m	 kg	 kg	 kg	 kg	 °	 m	 kg	 kg	 kg	 kg	 m
10,7	80,1	50,4	26 700										10,7
12,0	78,5	50,1	26 700										12,0
12,2	78,3	50,1	26 700	25 300	22 300		80,2	49,8	26 700				12,2
13,7	76,4	49,7	26 700	24 900	22 000	19 700	78,3	49,5	26 700	23 500	21 000		13,7
14,0	76,1	49,6	26 700	24 800	21 900	19 700	78,0	49,4	26 700	23 400	20 900		14,0
15,2	74,6	49,3	26 700	24 500	21 700	19 500	76,5	49,0	26 400	23 200	20 800	18 800	15,2
16,0	73,6	49,1	26 700	24 300	21 500	19 400	75,5	48,8	26 300	23 100	20 600	18 700	16,0
16,8	72,6	48,8	26 700	24 100	21 400	19 300	74,5	48,5	26 100	23 000	20 500	18 600	16,8
18,0	71,2	48,4	26 700	23 800	21 200	19 100	73,0	48,1	25 800	22 800	20 400	18 500	18,0
20,0	68,6	47,6	26 700	23 400	20 800	18 800	70,5	47,4	25 300	22 500	20 200	18 300	20,0
22,0	66,1	46,8	25 300	22 800	20 500	18 600	67,9	46,5	24 800	22 200	20 000	18 200	22,0
24,0	63,5	45,8	22 200	21 000	19 600	18 300	65,3	45,5	22 600	21 200	19 800	18 000	24,0
26,0	60,8	44,7	19 700	18 700	17 700	16 800	62,6	44,4	20 000	19 000	18 000	17 100	26,0
28,0	58,0	43,4	17 600	16 700	15 900	15 100	59,8	43,2	17 900	17 000	16 200	15 400	28,0
30,0	55,2	42,1	15 700	15 000	14 300	13 600	56,9	41,8	16 000	15 300	14 600	13 900	30,0
32,0	52,2	40,6	14 100	13 500	12 900	12 400	54,0	40,3	14 400	13 800	13 200	12 600	32,0
36,0	45,9	37,0	11 600	11 100	10 700	10 200	47,6	36,6	11 800	11 300	10 800	10 400	36,0
39,6	39,5	32,9	9 700	9 400	9 000	8 700	41,1	32,5	9 900	9 500	9 200	8 800	39,6
40,0	38,8	32,5	9 500	9 200	8 900	8 500	40,4	32,1	9 700	9 300	9 000	8 700	40,0
44,0	30,3	26,5	7 900	7 600	7 400	7 100	31,8	26,0	8 000	7 700	7 500	7 200	44,0
44,2	29,8	26,0	7 800	7 600	7 300	7 100	31,3	25,6	7 900	7 600	7 400	7 100	44,2
47,2	21,3	19,5	6 700	6 500	6 400	6 200							47,2

# MLC250 S-1



		25°					
			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	m
10,7							10,7
12,0							12,0
12,2							12,2
13,7	80,2	48,9	22 600				13,7
14,0	79,8	48,8	22 400				14,0
15,2	78,3	48,5	21 700	21 200	19 900		15,2
16,0	77,4	48,3	21 200	20 800	19 800		16,0
16,8	76,3	48,0	20 800	20 400	19 600	18 000	16,8
18,0	74,8	47,6	20 100	19 700	19 300	18 000	18,0
20,0	72,3	46,8	19 200	18 800	18 500	17 900	20,0
22,0	69,7	45,9	18 300	18 000	17 800	17 500	22,0
24,0	67,0	44,9	17 600	17 300	17 100	16 800	24,0
26,0	64,3	43,8	16 900	16 700	16 400	16 200	26,0
28,0	61,4	42,5	16 300	16 100	15 900	15 500	28,0
30,0	58,5	41,1	15 700	15 300	14 800	14 200	30,0
32,0	55,5	39,6	14 600	14 000	13 400	12 800	32,0
36,0	49,0	35,9	11 900	11 500	11 000	10 600	36,0
39,6	42,4	31,7	10 000	9 600	9 300	8 900	39,6
40,0							40,0
44,0							44,0
44,2							44,2
47,2							47,2


# MLC250 S-1




67 860 kg  
+  
0 kg



360°



42,7 m




9,1 m



			5°				15°						
 m	 °	 m	 kg	 kg	 kg	 kg	 °	 m	 kg	 kg	 kg	 kg	 m
10,7	80,7	53,5	26 700										10,7
12,0	79,2	53,2	26 700										12,0
12,2	79,0	53,2	26 700	25 300	22 300		80,8	52,9	26 700				12,2
13,7	77,3	52,8	26 700	24 900	22 000	19 700	79,0	52,6	26 700	23 500			13,7
14,0	76,9	52,8	26 700	24 900	21 900	19 700	78,7	52,5	26 700	23 500			14,0
15,2	75,5	52,5	26 700	24 600	21 700	19 500	77,3	52,2	26 500	23 300	20 700	18 700	15,2
16,0	74,6	52,2	26 700	24 400	21 600	19 400	76,4	52,0	26 300	23 100	20 600	18 700	16,0
16,8	73,7	52,0	26 700	24 200	21 400	19 300	75,4	51,7	26 100	23 000	20 500	18 600	16,8
18,0	72,3	51,6	26 700	23 900	21 200	19 100	74,1	51,4	25 900	22 800	20 400	18 500	18,0
20,0	70,0	50,9	26 700	23 500	20 900	18 800	71,7	50,6	25 500	22 500	20 200	18 300	20,0
22,0	67,6	50,1	25 200	22 800	20 600	18 600	69,3	49,8	24 800	22 200	20 000	18 200	22,0
24,0	65,2	49,2	22 100	20 800	19 400	18 100	66,9	48,9	22 500	21 000	19 600	18 000	24,0
26,0	62,7	48,2	19 500	18 400	17 400	16 500	64,4	47,9	19 900	18 800	17 800	16 800	26,0
28,0	60,1	47,0	17 400	16 500	15 600	14 800	61,8	46,8	17 700	16 800	15 900	15 100	28,0
30,0	57,5	45,8	15 600	14 800	14 100	13 400	59,2	45,5	15 900	15 100	14 300	13 600	30,0
32,0	54,8	44,4	14 000	13 300	12 700	12 100	56,5	44,1	14 300	13 600	12 900	12 300	32,0
36,0	49,1	41,2	11 400	10 900	10 400	10 000	50,7	40,9	11 600	11 100	10 600	10 200	36,0
40,0	42,9	37,2	9 400	9 000	8 600	8 300	44,4	36,8	9 600	9 200	8 800	8 400	40,0
41,2	40,9	35,7	8 900	8 600	8 200	7 900	42,4	35,4	9 100	8 700	8 400	8 000	41,2
44,0	35,8	32,2	7 800	7 500	7 200	6 900	37,2	31,7	7 900	7 600	7 300	7 000	44,0
45,7	32,0	29,3	7 200	6 900	6 600	6 400	33,7	29,1	7 200	7 000	6 700	6 500	45,7
48,0	27,1	25,4	6 400	6 200	6 000	5 700							48,0
50,3	20,6	20,0	5 700	5 500	5 300	5 200							50,3



# MLC250 S-1






67 860 kg  
+  
0 kg



		5°						15°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,6	56,3	26 700	25 300				79,6	55,7	26 700	23 500			12,2
13,7	78,0	56,0	26 700	24 900				79,3	55,7	26 700	23 400			13,7
14,0	77,7	55,9	26 700	24 900	21 900	19 600		78,0	55,4	26 500	23 200	20 700	18 700	14,0
15,2	76,4	55,6	26 700	24 600	21 700	19 500		77,2	55,2	26 400	23 100	20 600	18 600	15,2
16,0	75,5	55,4	26 700	24 400	21 600	19 400								16,0
16,8	74,6	55,2	26 700	24 200	21 400	19 300	76,3	54,9	26 200	23 000	20 500	18 600	16,8	
18,0	73,3	54,8	26 700	24 000	21 200	19 100	75,0	54,6	26 000	22 800	20 400	18 500	18,0	
20,0	71,1	54,2	26 600	23 600	20 900	18 900	72,8	53,9	25 500	22 500	20 200	18 300	20,0	
22,0	68,9	53,4	24 900	22 700	20 600	18 600	70,5	53,1	24 700	22 300	20 000	18 200	22,0	
24,0	66,6	52,5	21 800	20 400	19 200	17 800	68,2	52,3	22 300	20 800	19 300	18 000	24,0	
26,0	64,3	51,6	19 300	18 100	17 000	16 000	65,9	51,3	19 700	18 500	17 400	16 400	26,0	
28,0	62,0	50,5	17 100	16 200	15 300	14 400	63,5	50,3	17 500	16 500	15 600	14 700	28,0	
30,0	59,5	49,4	15 300	14 500	13 700	13 000	61,1	49,1	15 600	14 800	14 000	13 200	30,0	
32,0	57,1	48,1	13 700	13 000	12 300	11 700	58,6	47,8	14 000	13 300	12 600	12 000	32,0	
36,0	51,9	45,2	11 200	10 600	10 100	9 600	53,4	44,9	11 400	10 800	10 300	9 800	36,0	
40,0	46,3	41,6	9 100	8 700	8 300	7 900	47,8	41,3	9 300	8 900	8 500	8 100	40,0	
44,0	40,1	37,2	7 500	7 200	6 800	6 500	41,5	36,8	7 600	7 300	7 000	6 700	44,0	
44,2	39,7	36,9	7 400	7 100	6 800	6 500	41,1	36,5	7 600	7 200	6 900	6 600	44,2	
48,0	32,9	31,6	6 100	5 900	5 600	5 400	34,2	31,2	6 200	6 000	5 700	5 500	48,0	
48,8	31,2	30,2	5 900	5 700	5 400	5 200	32,7	29,9	6 000	5 700	5 500	5 300	48,8	
52,0	23,9	24,0	5 000	4 800	4 600	4 400							52,0	
53,3	20,0	20,5	4 600	4 400	4 300	4 100							53,3	




# MLC250 S-1





















		25°					
		67 860 kg + 0 kg					
m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2	79,7	54,8	22 300	21 800			15,2
16,0	78,8	54,6	21 900	21 400			16,0
16,8	77,9	54,4	21 500	21 000	19 700	18 000	16,8
18,0	76,6	54,0	20 900	20 400	19 600	17 900	18,0
20,0	74,4	53,3	20 000	19 600	19 200	17 800	20,0
22,0	72,1	52,5	19 100	18 800	18 500	17 800	22,0
24,0	69,8	51,7	18 400	18 100	17 800	17 500	24,0
26,0	67,4	50,7	17 700	17 400	17 100	16 800	26,0
28,0	65,0	49,6	17 100	16 600	15 900	15 000	28,0
30,0	62,6	48,5	15 900	15 100	14 300	13 500	30,0
32,0	60,1	47,2	14 300	13 600	12 900	12 200	32,0
36,0	54,7	44,1	11 600	11 000	10 500	10 000	36,0
40,0	49,0	40,5	9 500	9 000	8 600	8 200	40,0
44,0	42,6	36,0	7 700	7 400	7 100	6 800	44,0
44,2	42,2	35,7	7 700	7 300	7 000	6 700	44,2
48,0							48,0
48,8							48,8
52,0							52,0
53,3							53,3

# MLC250 S-1



67 860 kg  
+  
0 kg





			5°				15°						
													
													
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,2	59,4	26 700										12,2
13,7	78,6	59,1	26 700	24 900	21 900		80,2	58,9	26 700				13,7
14,0	78,3	59,0	26 700	24 900	21 900		79,9	58,8	26 700				14,0
15,2	77,1	58,8	26 700	24 600	21 700	19 400	78,7	58,5	26 500	23 200	20 600		15,2
16,0	76,3	58,6	26 700	24 400	21 500	19 300	77,9	58,3	26 400	23 100	20 600		16,0
16,8	75,5	58,3	26 700	24 300	21 400	19 200	77,0	58,1	26 200	23 000	20 500	18 500	16,8
18,0	74,2	58,0	26 700	24 000	21 200	19 100	75,8	57,8	26 000	22 800	20 400	18 400	18,0
18,3	73,9	57,9	26 700	24 000	21 200	19 000	75,5	57,7	25 900	22 800	20 300	18 400	18,3
20,0	72,2	57,4	26 600	23 600	20 900	18 900	73,7	57,1	25 600	22 500	20 200	18 300	20,0
22,0	70,1	56,7	24 800	22 600	20 500	18 600	71,6	56,4	24 700	22 300	20 000	18 100	22,0
24,0	67,9	55,9	21 700	20 200	18 900	17 500	69,5	55,6	22 100	20 700	19 100	17 700	24,0
26,0	65,8	55,0	19 100	17 900	16 800	15 700	67,3	54,7	19 500	18 300	17 100	16 100	26,0
28,0	63,6	54,0	17 000	15 900	15 000	14 100	65,1	53,7	17 400	16 300	15 300	14 400	28,0
30,0	61,3	52,9	15 200	14 300	13 400	12 700	62,8	52,6	15 500	14 600	13 800	13 000	30,0
32,0	59,0	51,7	13 600	12 800	12 100	11 400	60,5	51,4	13 900	13 100	12 400	11 700	32,0
36,0	54,2	49,0	11 000	10 400	9 900	9 300	55,7	48,7	11 200	10 700	10 100	9 600	36,0
40,0	49,1	45,8	9 000	8 500	8 100	7 700	50,5	45,4	9 200	8 700	8 300	7 800	40,0
44,0	43,6	41,9	7 300	7 000	6 600	6 300	45,0	41,5	7 500	7 100	6 800	6 400	44,0
45,7	40,9	39,8	6 700	6 400	6 100	5 800	42,3	39,4	6 900	6 600	6 200	5 900	45,7
48,0	37,4	37,0	6 000	5 700	5 400	5 200	38,7	36,6	6 100	5 800	5 500	5 300	48,0
51,8	30,4	31,2	4 900	4 600	4 400	4 200	31,7	30,7	4 900	4 700	4 500	4 300	51,8
52,0	30,1	30,9	4 800	4 600	4 400	4 200							52,0
54,9	23,7	25,0	4 100	3 900	3 700	3 600							54,9

# MLC250 S-1




67 860 kg  
+  
0 kg













		25°					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,2	57,9	22 600				15,2
16,0	79,4	57,7	22 200				16,0
16,8	78,6	57,5	21 800	21 300	19 600		16,8
18,0	77,4	57,2	21 200	20 800	19 600		18,0
18,3	77,0	57,1	21 100	20 600	19 600	17 800	18,3
20,0	75,3	56,5	20 300	19 900	19 500	17 800	20,0
22,0	73,1	55,8	19 500	19 100	18 800	17 700	22,0
24,0	71,0	55,0	18 700	18 400	18 100	17 700	24,0
26,0	68,8	54,1	18 100	17 800	17 400	16 500	26,0
28,0	66,5	53,1	17 300	16 700	15 700	14 800	28,0
30,0	64,2	52,0	15 800	14 900	14 100	13 300	30,0
32,0	61,9	50,8	14 200	13 400	12 600	11 900	32,0
36,0	57,0	48,0	11 500	10 900	10 300	9 800	36,0
40,0	51,8	44,7	9 300	8 900	8 400	8 000	40,0
44,0	46,1	40,7	7 600	7 200	6 900	6 600	44,0
45,7	43,4	38,7	7 000	6 600	6 300	6 000	45,7
48,0							48,0
51,8							51,8
52,0							52,0
54,9							54,9

# MLC250 S-1




67 860 kg  
+  
0 kg





			5°				15°							
														
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
12,2	80,7	62,5	26 700	24 900				80,7	62,0	26 700			12,2	
13,7	79,2	62,2	26 700	24 800				80,4	61,9	26 700			13,7	
14,0	78,9	62,2	26 700	24 800				79,3	61,6	26 500	23 100		14,0	
15,2	77,8	61,9	26 700	24 600	21 600	19 300		78,5	61,5	26 400	23 100		15,2	
16,0	77,0	61,7	26 700	24 400	21 500	19 300							16,0	
16,8	76,2	61,5	26 700	24 200	21 400	19 200		77,7	61,2	26 300	23 000	20 400	18 400	16,8
18,0	75,0	61,2	26 700	24 000	21 200	19 000		76,5	60,9	26 000	22 800	20 300	18 400	18,0
18,3	74,7	61,1	26 700	23 900	21 100	19 000		76,2	60,8	26 000	22 800	20 300	18 300	18,3
20,0	73,1	60,6	26 600	23 600	20 900	18 800		74,6	60,3	25 700	22 500	20 100	18 200	20,0
22,0	71,1	59,9	24 600	22 500	20 400	18 600		72,6	59,6	24 700	22 200	20 000	18 100	22,0
24,0	69,1	59,2	21 500	19 900	18 500	17 200		70,6	58,9	22 000	20 400	18 900	17 500	24,0
26,0	67,1	58,3	18 900	17 600	16 400	15 300		68,5	58,1	19 300	18 000	16 800	15 700	26,0
28,0	65,0	57,4	16 800	15 700	14 700	13 700		66,4	57,1	17 200	16 100	15 000	14 100	28,0
30,0	62,9	56,4	14 900	14 000	13 100	12 300		64,3	56,1	15 300	14 400	13 500	12 600	30,0
32,0	60,7	55,3	13 400	12 600	11 800	11 100		62,2	55,0	13 700	12 900	12 100	11 400	32,0
36,0	56,3	52,8	10 800	10 200	9 600	9 000		57,7	52,5	11 100	10 400	9 800	9 300	36,0
40,0	51,6	49,8	8 800	8 300	7 800	7 400		53,0	49,5	9 000	8 500	8 000	7 600	40,0
44,0	46,6	46,2	7 100	6 700	6 400	6 000		47,9	45,9	7 300	6 900	6 500	6 200	44,0
48,0	41,1	41,9	5 800	5 500	5 200	4 900		42,3	41,6	5 900	5 600	5 300	5 000	48,0
48,8	39,9	40,9	5 500	5 200	5 000	4 700		41,1	40,5	5 700	5 400	5 100	4 800	48,8
52,0	34,8	36,7	4 600	4 400	4 100	3 900		36,0	36,2	4 700	4 500	4 200	4 000	52,0
54,9	29,5	31,8	3 900	3 700	3 500	3 300		30,8	31,5	4 000	3 800	3 600	3 400	54,9
56,0	27,4	29,8	3 600	3 400	3 300	3 100								56,0
57,9	23,1	25,7	3 200	3 000	2 900	2 700								57,9

# MLC250 S-1




67 860 kg  
+  
0 kg





				25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
m	°	m		kg	kg	kg	kg	m	
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2	80,7	61,1	22 900					15,2	
16,0	80,0	60,9	22 500					16,0	
16,8	79,2	60,7	22 100	21 600				16,8	
18,0	78,0	60,3	21 500	21 100				18,0	
18,3	77,7	60,2	21 400	20 900	19 500	17 800		18,3	
20,0	76,0	59,7	20 600	20 200	19 400	17 700		20,0	
22,0	74,0	59,1	19 800	19 400	19 100	17 700		22,0	
24,0	72,0	58,3	19 100	18 700	18 400	17 600		24,0	
26,0	69,9	57,4	18 400	18 100	17 200	16 100		26,0	
28,0	67,8	56,5	17 400	16 400	15 400	14 400		28,0	
30,0	65,7	55,5	15 700	14 700	13 800	13 000		30,0	
32,0	63,5	54,4	14 000	13 200	12 400	11 700		32,0	
36,0	58,9	51,8	11 300	10 700	10 100	9 500		36,0	
40,0	54,2	48,7	9 200	8 700	8 200	7 800		40,0	
44,0	49,0	45,1	7 400	7 000	6 700	6 300		44,0	
48,0	43,3	40,7	6 000	5 700	5 400	5 100		48,0	
48,8	42,2	39,7	5 800	5 500	5 200	4 900		48,8	
52,0								52,0	
54,9								54,9	
56,0								56,0	
57,9								57,9	

# MLC250 S-1







67 860 kg  
+  
0 kg




			5°				15°						
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7	79,7	65,3	26 700	24 800									13,7
14,0	79,5	65,3	26 700	24 700									14,0
15,2	78,4	65,0	26 700	24 500	21 500		79,8	64,8	26 500	23 100			15,2
16,0	77,6	64,8	26 700	24 300	21 400		79,1	64,6	26 400	23 000			16,0
16,8	76,9	64,6	26 700	24 200	21 300	19 100	78,3	64,4	26 200	22 900	20 400		16,8
18,0	75,8	64,3	26 700	24 000	21 100	19 000	77,2	64,1	26 000	22 700	20 200		18,0
18,3	75,5	64,3	26 700	23 900	21 100	18 900	76,9	64,0	26 000	22 700	20 200	18 300	18,3
19,8	74,1	63,8	26 600	23 600	20 900	18 800	75,5	63,6	25 700	22 500	20 100	18 100	19,8
20,0	73,9	63,8	26 600	23 600	20 900	18 700	75,3	63,5	25 700	22 500	20 100	18 100	20,0
22,0	72,0	63,1	24 400	22 400	20 200	18 400	73,4	62,9	24 600	22 100	19 900	18 000	22,0
24,0	70,1	62,4	21 300	19 700	18 200	16 900	71,5	62,2	21 800	20 200	18 600	17 200	24,0
26,0	68,2	61,6	18 700	17 400	16 100	15 000	69,6	61,4	19 200	17 800	16 600	15 400	26,0
28,0	66,3	60,8	16 600	15 500	14 400	13 400	67,6	60,5	17 000	15 900	14 800	13 800	28,0
30,0	64,3	59,8	14 800	13 800	12 900	12 000	65,6	59,5	15 100	14 100	13 200	12 400	30,0
32,0	62,3	58,8	13 200	12 300	11 500	10 800	63,6	58,5	13 500	12 700	11 900	11 100	32,0
36,0	58,1	56,4	10 600	10 000	9 300	8 800	59,4	56,1	10 900	10 200	9 600	9 000	36,0
40,0	53,7	53,6	8 600	8 100	7 600	7 100	55,1	53,3	8 800	8 300	7 800	7 300	40,0
44,0	49,1	50,4	6 900	6 500	6 100	5 800	50,4	50,0	7 100	6 700	6 300	5 900	44,0
48,0	44,1	46,5	5 600	5 300	4 900	4 600	45,4	46,1	5 700	5 400	5 100	4 800	48,0
50,3	41,0	43,8	4 900	4 600	4 400	4 100	42,2	43,4	5 100	4 800	4 500	4 200	50,3
52,0	38,6	41,9	4 400	4 200	3 900	3 700	39,8	41,4	4 600	4 300	4 000	3 800	52,0
56,0	32,4	36,1	3 500	3 300	3 100	2 900	33,5	35,6	3 600	3 300	3 100	2 900	56,0
56,4	31,6	35,4	3 400	3 200	3 000	2 800	32,8	35,0	3 500	3 300	3 100	2 900	56,4
60,0	24,7	28,5	2 600	2 500	2 300	2 100							60,0
61,0	22,5	26,2	2 400	2 300	2 100	2 000							61,0

# MLC250 S-1





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
	79,8	63,8	22 400	21 700			
18,0	78,6	63,5	21 800	21 300			18,0
18,3	78,3	63,4	21 700	21 200			18,3
19,8	76,9	63,0	21 000	20 600	19 400	17 600	19,8
20,0	76,7	62,9	20 900	20 500	19 400	17 600	20,0
22,0	74,8	62,3	20 100	19 700	19 200	17 600	22,0
24,0	72,9	61,6	19 400	19 000	18 700	17 400	24,0
26,0	70,9	60,8	18 700	18 300	17 000	15 800	26,0
28,0	69,0	59,9	17 400	16 200	15 200	14 200	28,0
30,0	66,9	58,9	15 500	14 500	13 600	12 700	30,0
32,0	64,9	57,9	13 800	13 000	12 200	11 400	32,0
36,0	60,7	55,5	11 100	10 500	9 800	9 300	36,0
40,0	56,2	52,6	9 000	8 500	8 000	7 500	40,0
44,0	51,5	49,3	7 300	6 900	6 500	6 100	44,0
48,0	46,4	45,3	5 900	5 500	5 200	4 900	48,0
50,3	43,2	42,7	5 100	4 900	4 600	4 300	50,3
52,0							52,0
56,0							56,0
56,4							56,4
60,0							60,0
61,0							61,0

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°				0°						
			1°				1°						
			2°				2°						
			3°				3°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,2	68,4	26 700										13,7
14,0	79,9	68,4	26 700										14,0
15,2	78,9	68,1	26 700	24 400	21 400		80,2	67,9	26 500				15,2
16,0	78,2	68,0	26 700	24 200	21 300		79,6	67,7	26 300				16,0
16,8	77,5	67,8	26 700	24 100	21 200	19 000	78,8	67,5	26 200	22 800	20 300		16,8
18,0	76,4	67,5	26 700	23 900	21 000	18 900	77,8	67,2	26 000	22 600	20 100		18,0
18,3	76,2	67,4	26 700	23 800	21 000	18 800	77,5	67,1	25 900	22 600	20 100	18 200	18,3
19,8	74,8	67,0	26 600	23 600	20 800	18 700	76,2	66,7	25 700	22 500	20 000	18 100	19,8
20,0	74,7	67,0	26 500	23 500	20 800	18 700	76,0	66,7	25 700	22 400	20 000	18 100	20,0
22,0	72,9	66,3	24 200	22 100	20 000	18 100	74,2	66,1	24 500	21 900	19 800	17 900	22,0
24,0	71,1	65,7	21 100	19 400	17 900	16 500	72,4	65,4	21 600	19 900	18 300	16 900	24,0
26,0	69,3	64,9	18 500	17 100	15 800	14 600	70,6	64,6	19 000	17 500	16 200	15 000	26,0
28,0	67,4	64,1	16 400	15 200	14 100	13 000	68,7	63,8	16 800	15 600	14 500	13 400	28,0
30,0	65,5	63,2	14 500	13 500	12 500	11 700	66,8	62,9	14 900	13 900	12 900	12 000	30,0
32,0	63,6	62,2	12 900	12 000	11 200	10 400	64,9	61,9	13 300	12 400	11 500	10 700	32,0
36,0	59,7	60,0	10 400	9 700	9 000	8 400	61,0	59,7	10 600	10 000	9 300	8 700	36,0
40,0	55,6	57,4	8 300	7 800	7 300	6 800	56,9	57,1	8 600	8 000	7 500	7 000	40,0
44,0	51,4	54,4	6 700	6 200	5 800	5 400	52,6	54,1	6 900	6 400	6 000	5 600	44,0
48,0	46,8	50,8	5 300	5 000	4 600	4 300	48,0	50,5	5 500	5 100	4 800	4 500	48,0
52,0	41,8	46,6	4 200	3 900	3 600	3 400	43,0	46,2	4 300	4 000	3 800	3 500	52,0
53,3	40,0	44,9	3 900	3 600	3 300	3 100	41,1	44,5	4 000	3 700	3 400	3 200	53,3
56,0	36,3	41,6	3 200	3 000	2 800	2 500	37,4	41,2	3 300	3 100	2 900	2 600	56,0
59,4	30,9	36,2	2 500	2 300	2 100	1 900	32,0	35,8	2 600	2 400	2 200	2 000	59,4
60,0	30,0	35,3	2 400	2 200	2 000								60,0
61,0	28,1	33,4	2 200	2 000	1 800								61,0
62,5	25,3	30,4	1 900										62,5



# MLC250 S-1






67 860 kg  
+  
0 kg



		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
	80,3	66,9	22 600				
18,0	79,2	66,6	22 100				18,0
18,3	78,9	66,6	21 900	21 500	19 300		18,3
19,8	77,5	66,1	21 300	20 800	19 300	17 500	19,8
20,0	77,4	66,1	21 200	20 800	19 300	17 500	20,0
22,0	75,6	65,5	20 400	20 000	19 200	17 500	22,0
24,0	73,7	64,8	19 700	19 300	18 600	17 100	24,0
26,0	71,9	64,0	19 000	18 000	16 700	15 500	26,0
28,0	70,0	63,2	17 200	16 000	14 800	13 800	28,0
30,0	68,1	62,3	15 300	14 200	13 300	12 300	30,0
32,0	66,2	61,3	13 600	12 700	11 900	11 100	32,0
36,0	62,2	59,0	10 900	10 200	9 600	8 900	36,0
40,0	58,0	56,4	8 800	8 200	7 700	7 200	40,0
44,0	53,7	53,3	7 100	6 600	6 200	5 800	44,0
48,0	49,0	49,7	5 600	5 300	4 900	4 600	48,0
52,0	43,9	45,4	4 400	4 100	3 900	3 600	52,0
53,3	42,1	43,7	4 100	3 800	3 500	3 300	53,3
56,0							56,0
59,4							59,4
60,0							60,0
61,0							61,0
62,5							62,5


# MLC250 S-1





		5°						15°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
13,7	80,6	71,5	26 700										13,7		
14,0	80,4	71,5	26 700										14,0		
15,2	79,4	71,2	26 700	24 300			80,7	71,0	26 400				15,2		
16,0	78,7	71,1	26 700	24 100			80,0	70,8	26 300				16,0		
16,8	78,0	70,9	26 700	24 000	21 100		79,3	70,6	26 100	22 700			16,8		
18,0	77,0	70,6	26 700	23 800	20 900		78,3	70,4	25 900	22 600			18,0		
18,3	76,8	70,6	26 700	23 700	20 900	18 700	78,1	70,3	25 900	22 500	20 000		18,3		
19,8	75,5	70,2	26 500	23 500	20 700	18 600	76,8	69,9	25 700	22 400	19 900	18 000	19,8		
20,0	75,4	70,1	26 500	23 400	20 700	18 500	76,6	69,9	25 600	22 300	19 900	17 900	20,0		
21,3	74,2	69,7	24 900	22 400	20 100	18 100	75,5	69,5	24 800	21 900	19 700	17 900	21,3		
22,0	73,7	69,5	24 000	21 900	19 800	17 900	74,9	69,3	24 400	21 700	19 600	17 800	22,0		
24,0	71,9	68,9	20 900	19 100	17 500	16 100	73,2	68,6	21 500	19 700	18 000	16 600	24,0		
26,0	70,2	68,2	18 300	16 800	15 500	14 300	71,5	67,9	18 800	17 300	15 900	14 700	26,0		
28,0	68,4	67,4	16 200	14 900	13 800	12 700	69,7	67,1	16 600	15 300	14 200	13 100	28,0		
30,0	66,7	66,6	14 300	13 300	12 300	11 300	67,9	66,3	14 700	13 600	12 600	11 700	30,0		
32,0	64,9	65,6	12 700	11 800	10 900	10 100	66,1	65,3	13 100	12 200	11 300	10 500	32,0		
36,0	61,2	63,5	10 200	9 400	8 800	8 100	62,4	63,2	10 500	9 700	9 100	8 400	36,0		
40,0	57,3	61,1	8 100	7 600	7 000	6 500	58,6	60,8	8 400	7 800	7 300	6 700	40,0		
44,0	53,3	58,3	6 500	6 000	5 600	5 200	54,5	57,9	6 700	6 200	5 800	5 400	44,0		
48,0	49,1	55,0	5 100	4 800	4 400	4 100	50,3	54,6	5 300	4 900	4 600	4 200	48,0		
52,0	44,6	51,1	4 000	3 700	3 400	3 100	45,7	50,8	4 100	3 800	3 500	3 200	52,0		
54,9	41,0	47,9	3 300	3 000	2 800	2 500	42,1	47,5	3 400	3 200	2 900	2 600	54,9		
56,0	39,6	46,6	3 000	2 800	2 500	2 300	40,7	46,2	3 100	2 900	2 600	2 400	56,0		
57,9	37,0	44,0	2 600	2 400	2 200	1 900	38,1	43,6	2 700	2 500	2 300	2 100	57,9		
59,4	34,9	41,9	2 300	2 100	1 900		35,9	41,5	2 400	2 200	2 000	1 800	59,4		
60,0	34,1	41,2	2 200	2 000			35,1	40,7	2 300	2 100			60,0		
61,0	32,7	39,7	2 000	1 800			33,6	39,1	2 100	1 900			61,0		
62,5							31,2	36,6	1 800				62,5		



# MLC250 S-1






67 860 kg  
+  
0 kg







		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	81,0	74,6	26 700										13,7	
14,0	80,8	74,6	26 700										14,0	
15,2	79,8	74,3	26 700	24 100									15,2	
16,0	79,2	74,2	26 700	24 000									16,0	
16,8	78,6	74,0	26 700	23 900	20 900		79,8	73,8	26 000	22 600			16,8	
18,0	77,6	73,8	26 700	23 700	20 800		78,8	73,5	25 800	22 400			18,0	
18,3	77,3	73,7	26 700	23 600	20 800	18 600	78,6	73,4	25 800	22 400	19 900		18,3	
19,8	76,1	73,3	26 500	23 300	20 600	18 500	77,4	73,1	25 600	22 300	19 800	17 800	19,8	
20,0	76,0	73,3	26 500	23 300	20 600	18 400	77,2	73,0	25 500	22 200	19 800	17 800	20,0	
21,3	74,9	72,9	24 800	22 200	19 900	17 900	76,2	72,6	24 700	21 800	19 500	17 700	21,3	
22,0	74,4	72,7	23 800	21 600	19 600	17 700	75,6	72,5	24 300	21 600	19 400	17 600	22,0	
24,0	72,7	72,1	20 700	18 900	17 200	15 700	73,9	71,8	21 300	19 400	17 700	16 200	24,0	
26,0	71,1	71,4	18 100	16 600	15 200	13 900	72,3	71,2	18 600	17 100	15 600	14 400	26,0	
28,0	69,4	70,7	16 000	14 700	13 500	12 400	70,6	70,4	16 400	15 100	13 900	12 800	28,0	
30,0	67,7	69,9	14 100	13 000	12 000	11 000	68,9	69,6	14 600	13 400	12 400	11 400	30,0	
32,0	66,0	69,0	12 500	11 600	10 600	9 800	67,2	68,7	12 900	11 900	11 000	10 200	32,0	
36,0	62,5	67,0	9 900	9 200	8 500	7 800	63,7	66,7	10 300	9 500	8 800	8 100	36,0	
40,0	58,9	64,7	7 900	7 300	6 700	6 200	60,0	64,4	8 200	7 600	7 000	6 500	40,0	
44,0	55,1	62,0	6 300	5 800	5 300	4 900	56,3	61,7	6 500	6 000	5 500	5 100	44,0	
48,0	51,2	59,0	4 900	4 500	4 100	3 800	52,3	58,6	5 100	4 700	4 300	4 000	48,0	
52,0	47,0	55,4	3 800	3 400	3 100	2 800	48,1	55,1	3 900	3 600	3 300	3 000	52,0	
56,0	42,5	51,3	2 800	2 500	2 300	2 000	43,5	50,9	2 900	2 700	2 400	2 200	56,0	
56,4	42,0	50,8	2 700	2 500	2 200	2 000	43,0	50,4	2 900	2 600	2 300	2 100	56,4	
57,9	40,1	49,0	2 400	2 200	1 900		41,2	48,6	2 500	2 300	2 000	1 800	57,9	
59,4	38,2	47,1	2 100	1 800			39,2	46,7	2 200	2 000			59,4	
60,0	37,5	46,4	2 000				38,6	46,0	2 100				60,0	
61,0	36,3	45,1	1 800				37,3	44,7	1 900				61,0	

# MLC250 S-1






		25°						
	m	°	m	0° 	1° 	2° 	3° 	m
13,7								13,7
14,0								14,0
15,2								15,2
16,0								16,0
16,8								16,8
18,0								18,0
18,3	79,9	72,8	22 400	21 300				18,3
19,8	78,6	72,5	21 800	21 200	19 000			19,8
20,0	78,5	72,4	21 700	21 200	19 000			20,0
21,3	77,4	72,0	21 200	20 700	19 000	17 300		21,3
22,0	76,8	71,9	21 000	20 500	19 000	17 300		22,0
24,0	75,2	71,2	20 300	19 600	18 100	16 500		24,0
26,0	73,5	70,5	19 100	17 600	16 100	14 800		26,0
28,0	71,8	69,8	16 900	15 500	14 300	13 200		28,0
30,0	70,1	69,0	15 000	13 800	12 700	11 800		30,0
32,0	68,3	68,1	13 300	12 300	11 400	10 500		32,0
36,0	64,8	66,1	10 600	9 800	9 100	8 400		36,0
40,0	61,1	63,7	8 400	7 800	7 200	6 700		40,0
44,0	57,3	61,0	6 700	6 200	5 700	5 300		44,0
48,0	53,3	57,9	5 300	4 900	4 500	4 100		48,0
52,0	49,0	54,3	4 100	3 700	3 400	3 100		52,0
56,0	44,4	50,1	3 000	2 800	2 500	2 200		56,0
56,4	43,9	49,6	3 000	2 700	2 400	2 200		56,4
57,9	42,0	47,8	2 600	2 300	2 100	1 900		57,9
59,4								59,4
60,0								60,0
61,0								61,0

# MLC250 S-1




	5°			15°			
	m	°	m	kg	°	m	
15,2	80,2	77,4	26 700				15,2
16,0	79,6	77,3	26 700				16,0
16,8	79,0	77,1	26 700	80,3	76,9	25 900	16,8
18,0	78,1	76,9	26 700	79,3	76,6	25 700	18,0
18,3	77,9	76,8	26 700	79,1	76,5	25 700	18,3
20,0	76,6	76,4	26 500	77,7	76,2	25 400	20,0
22,0	75,0	75,9	23 600	76,2	75,6	24 200	22,0
24,0	73,4	75,3	20 500	74,6	75,0	21 100	24,0
26,0	71,8	74,7	17 900	73,0	74,4	18 500	26,0
28,0	70,3	73,9	15 800	71,4	73,7	16 300	28,0
30,0	68,6	73,2	13 900	69,8	72,9	14 400	30,0
32,0	67,0	72,3	12 300	68,2	72,0	12 700	32,0
36,0	63,7	70,4	9 700	64,8	70,2	10 100	36,0
40,0	60,3	68,3	7 700	61,4	68,0	8 000	40,0
44,0	56,7	65,8	6 100	57,8	65,4	6 300	44,0
48,0	53,0	62,9	4 700	54,1	62,6	4 900	48,0
52,0	49,1	59,6	3 600	50,2	59,2	3 800	52,0
56,0	44,9	55,8	2 600	46,0	55,4	2 800	56,0
59,4	41,1	52,0	1 900	42,1	51,6	2 000	59,4

# MLC250 S-1





25°				
0°				
m	°	m	kg	m
15,2				15,2
16,0				16,0
16,8				16,8
18,0				18,0
18,3	80,3	76,0	22 600	18,3
20,0	78,9	75,6	22 000	20,0
22,0	77,4	75,0	21 200	22,0
24,0	75,8	74,4	20 500	24,0
26,0	74,2	73,8	19 000	26,0
28,0	72,6	73,1	16 700	28,0
30,0	70,9	72,3	14 800	30,0
32,0	69,3	71,4	13 100	32,0
36,0	65,9	69,5	10 400	36,0
40,0	62,4	67,3	8 300	40,0
44,0	58,8	64,7	6 500	44,0
48,0	55,1	61,8	5 100	48,0
52,0	51,1	58,5	3 900	52,0
56,0	46,8	54,6	2 900	56,0
59,4	42,9	50,7	2 100	59,4

# MLC250 S-1





67 860 kg  
+  
0 kg



		5°					15°										
		0°				1°				2°				3°			
		kg				kg				kg				kg			
		m				m				m				m			
		°				°				°				°			
9,1	80,7	41,4	25 000														9,1
10,0	79,5	41,2	24 600														10,0
10,7	78,4	41,0	24 300	20 600	17 900												10,7
12,0	76,5	40,7	23 700	20 100	17 500												12,0
12,2	76,2	40,6	23 600	20 100	17 500	15 500	79,3	40,3	21 800	18 800							12,2
13,7	73,9	40,2	23 000	19 600	17 100	15 300	77,0	39,9	21 400	18 500	16 300	14 500					13,7
14,0	73,5	40,1	22 900	19 500	17 100	15 200	76,5	39,8	21 300	18 400	16 200	14 500					14,0
15,2	71,6	39,6	22 500	19 200	16 800	15 000	74,7	39,3	21 000	18 200	16 000	14 400					15,2
16,0	70,4	39,4	22 200	19 000	16 700	14 900	73,4	39,0	20 800	18 000	15 900	14 300					16,0
18,0	67,2	38,5	21 500	18 500	16 300	14 500	70,2	38,2	20 300	17 700	15 700	14 100					18,0
20,0	64,0	37,5	20 800	18 000	15 900	14 300	67,0	37,2	19 900	17 400	15 400	13 900					20,0
22,0	60,7	36,4	20 300	17 600	15 600	14 000	63,6	36,0	18 500	17 100	15 200	13 700					22,0
24,0	57,2	35,1	19 800	17 200	15 300	13 800	60,1	34,7	17 300	16 900	15 000	13 600					24,0
26,0	53,6	33,6	19 300	16 900	15 000	13 500	56,5	33,2	16 200	16 200	14 900	13 500					26,0
28,0	49,9	31,9	18 200	16 600	14 800	13 400	52,7	31,5	15 400	15 300	14 800	13 400					28,0
30,0	45,8	30,0	16 900	16 200	14 600	13 200	48,6	29,6	14 500	14 500	14 400	13 300					30,0
32,0	41,5	27,8	15 400	14 900	14 400	13 000	44,2	27,3	13 800	13 800	13 800	13 200					32,0
36,0	31,3	22,0	12 800	12 500	12 100	11 800	33,7	21,4	12 700	12 500	12 300	12 000					36,0
36,6	29,4	20,8	12 500	12 200	11 900	11 600	31,9	20,3	12 600	12 300	12 000	11 700					36,6
38,1	24,4	17,7	11 600	11 400	11 100	10 900											38,1




# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
9,1							9,1
10,0							10,0
10,7							10,7
12,0							12,0
12,2							12,2
13,7	80,1	39,2	17 900				13,7
14,0	79,6	39,1	17 700				14,0
15,2	77,7	38,6	17 000	16 600	15 300	13 800	15,2
16,0	76,5	38,4	16 500	16 200	15 300	13 700	16,0
18,0	73,2	37,5	15 500	15 200	14 900	13 600	18,0
20,0	69,9	36,5	14 700	14 400	14 200	13 600	20,0
22,0	66,5	35,3	13 900	13 700	13 500	13 300	22,0
24,0	62,9	34,0	13 200	13 100	12 900	12 800	24,0
26,0	59,2	32,4	12 600	12 500	12 400	12 300	26,0
28,0	55,2	30,7	12 100	12 000	11 900	11 800	28,0
30,0	51,0	28,7	11 700	11 600	11 500	11 400	30,0
32,0	46,4	26,3	11 300	11 300	11 200	11 100	32,0
36,0							36,0
36,6							36,6
38,1							38,1

# MLC250 S-1







67 860 kg  
+  
0 kg




			5°				15°							
			0°	1°	2°	3°				0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
10,7	79,3	44,2	24 500	20 600									10,7	
12,0	77,5	43,8	23 900	20 300									12,0	
12,2	77,2	43,8	23 900	20 200	17 600	15 600	80,1	43,5	22 000				12,2	
13,7	75,1	43,4	23 300	19 800	17 300	15 300	77,9	43,0	21 500	18 600	16 300	14 600	13,7	
14,0	74,7	43,3	23 200	19 700	17 200	15 300	77,5	43,0	21 500	18 500	16 300	14 500	14,0	
15,2	73,0	42,9	22 700	19 400	17 000	15 100	75,8	42,5	21 200	18 300	16 100	14 400	15,2	
16,0	71,8	42,6	22 500	19 200	16 800	15 000	74,7	42,3	21 000	18 100	16 000	14 300	16,0	
16,8	70,7	42,3	22 200	19 000	16 700	14 900	73,5	42,0	20 800	18 000	15 900	14 300	16,8	
18,0	69,0	41,8	21 800	18 700	16 400	14 700	71,8	41,5	20 600	17 800	15 800	14 200	18,0	
20,0	66,0	40,9	21 200	18 300	16 100	14 400	68,8	40,6	20 100	17 500	15 500	14 000	20,0	
22,0	63,0	39,9	20 600	17 800	15 800	14 100	65,7	39,6	19 400	17 300	15 300	13 800	22,0	
24,0	59,9	38,7	20 100	17 500	15 500	13 900	62,6	38,4	18 100	17 000	15 100	13 700	24,0	
26,0	56,7	37,4	19 700	17 100	15 200	13 700	59,3	37,0	17 100	16 800	15 000	13 500	26,0	
28,0	53,3	35,9	18 500	16 800	15 000	13 500	56,0	35,5	16 100	16 100	14 800	13 400	28,0	
30,0	49,8	34,2	16 700	16 000	14 700	13 300	52,4	33,8	15 300	15 300	14 700	13 300	30,0	
32,0	46,1	32,3	15 100	14 600	14 100	13 200	48,6	31,9	14 600	14 500	14 300	13 300	32,0	
35,1	39,7	28,7	13 100	12 700	12 300	11 800	42,2	28,2	13 100	12 800	12 500	12 000	35,1	
36,0	37,8	27,6	12 500	12 100	11 800	11 400	40,1	27,1	12 700	12 300	11 900	11 600	36,0	
38,1	32,2	24,1	11 400	11 100	10 800	10 500	34,9	23,8	11 500	11 200	10 900	10 600	38,1	
40,0	27,3	20,9	10 400	10 200	9 900	9 700							40,0	
41,2	23,4	18,3	9 900	9 700	9 400	9 200							41,2	

# MLC250 S-1





				 25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
 m		 °		 m				 m	
10,7									10,7
12,0									12,0
12,2									12,2
13,7	80,8	42,4		18 200					13,7
14,0	80,4	42,3		18 000					14,0
15,2	78,7	41,9		17 300	16 900	15 300			15,2
16,0	77,5	41,6		16 900	16 500	15 300			16,0
16,8	76,3	41,3		16 500	16 200	15 200	13 700		16,8
18,0	74,5	40,8		15 900	15 600	15 200	13 700		18,0
20,0	71,5	39,9		15 100	14 800	14 600	13 600		20,0
22,0	68,4	38,8		14 300	14 100	13 900	13 500		22,0
24,0	65,2	37,6		13 600	13 500	13 300	13 100		24,0
26,0	61,9	36,2		13 100	12 900	12 800	12 600		26,0
28,0	58,4	34,7		12 500	12 400	12 300	12 200		28,0
30,0	54,7	32,9		12 100	12 000	11 900	11 800		30,0
32,0	50,8	30,9		11 700	11 600	11 500	11 400		32,0
35,1	44,3	27,3		11 200	11 100	11 100	11 000		35,1
36,0									36,0
38,1									38,1
40,0									40,0
41,2									41,2

# MLC250 S-1







67 860 kg  
+  
0 kg




		5°						15°											
		0°				1°				2°				3°					
		kg				kg				kg				kg				m	
m		°		m		kg		kg		kg		kg		kg		°		m	
10,7	80,0	47,3	24 700															10,7	
12,0	78,3	47,0	24 100															12,0	
12,2	78,1	46,9	24 000	20 300	17 600			80,8	46,6	22 000								12,2	
13,7	76,1	46,5	23 500	19 900	17 400	15 400		78,8	46,2	21 700	18 600	16 300						13,7	
14,0	75,7	46,5	23 400	19 800	17 300	15 300		78,4	46,1	21 600	18 500	16 300						14,0	
15,2	74,2	46,1	23 000	19 500	17 100	15 200		76,8	45,7	21 300	18 400	16 200	14 500					15,2	
16,0	73,1	45,8	22 700	19 300	16 900	15 000		75,7	45,5	21 100	18 200	16 100	14 400	16,0				16,0	
16,8	72,0	45,5	22 400	19 100	16 800	14 900		74,7	45,2	21 000	18 100	16 000	14 300	16,8				16,8	
18,0	70,4	45,1	22 100	18 900	16 500	14 800		73,1	44,8	20 700	17 900	15 800	14 200	18,0				18,0	
20,0	67,7	44,3	21 500	18 400	16 200	14 500		70,3	43,9	20 300	17 600	15 600	14 000	20,0				20,0	
22,0	65,0	43,3	21 000	18 100	15 900	14 300		67,5	43,0	19 900	17 400	15 400	13 900	22,0				22,0	
24,0	62,1	42,3	20 500	17 700	15 700	14 000		64,7	41,9	18 900	17 200	15 200	13 700	24,0				24,0	
26,0	59,2	41,1	19 900	17 400	15 400	13 800		61,7	40,7	17 800	16 900	15 100	13 600	26,0				26,0	
28,0	56,2	39,7	18 300	16 900	15 100	13 600		58,7	39,4	16 900	16 700	14 900	13 500	28,0				28,0	
30,0	53,0	38,2	16 400	15 700	14 800	13 500		55,5	37,8	16 000	15 900	14 800	13 400	30,0				30,0	
32,0	49,7	36,5	14 800	14 200	13 700	13 200		52,2	36,1	15 100	14 500	14 000	13 300	32,0				32,0	
36,0	42,6	32,5	12 200	11 800	11 400	11 000		44,9	32,0	12 500	12 000	11 600	11 200	36,0				36,0	
36,6	41,4	31,7	11 900	11 500	11 100	10 800		43,7	31,2	12 200	11 700	11 300	10 900	36,6				36,6	
40,0	34,2	27,2	10 200	9 900	9 600	9 300		36,4	26,6	10 300	10 000	9 700	9 400	40,0				40,0	
41,2	31,1	24,9	9 700	9 400	9 100	8 900		33,5	24,6	9 800	9 500	9 200	9 000	41,2				41,2	
44,0	23,2	19,3	8 500	8 300	8 100	7 900								44,0				44,0	
44,2	22,5	18,8	8 400	8 200	8 000	7 800								44,2				44,2	

# MLC250 S-1





		25°					
		0°					
		1°					
		2°					
		3°					
		m					
		kg					
		kg					
		kg					
		kg					
		m					
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2	79,4	45,0	17 600	17 200			15,2
16,0	78,4	44,8	17 200	16 900			16,0
16,8	77,3	44,5	16 800	16 500	15 300	13 700	16,8
18,0	75,7	44,1	16 300	16 000	15 200	13 700	18,0
20,0	72,9	43,2	15 400	15 200	14 900	13 600	20,0
22,0	70,0	42,2	14 700	14 500	14 200	13 500	22,0
24,0	67,1	41,1	14 000	13 800	13 600	13 400	24,0
26,0	64,1	39,9	13 400	13 300	13 100	12 900	26,0
28,0	61,0	38,5	12 900	12 800	12 600	12 500	28,0
30,0	57,7	37,0	12 500	12 300	12 200	12 100	30,0
32,0	54,3	35,2	12 000	11 900	11 800	11 700	32,0
36,0	46,8	31,0	11 400	11 300	11 200	11 200	36,0
36,6	45,7	30,2	11 300	11 200	11 100	11 100	36,6
40,0							40,0
41,2							41,2
44,0							44,0
44,2							44,2

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	80,7	50,4	24 700										10,7
12,0	79,1	50,1	24 200										12,0
12,2	78,8	50,1	24 200	20 400	17 700								12,2
13,7	77,0	49,7	23 700	20 000	17 400	15 400	79,5	49,4	21 700	18 600			13,7
14,0	76,7	49,6	23 600	19 900	17 300	15 400	79,1	49,3	21 700	18 600			14,0
15,2	75,2	49,3	23 100	19 600	17 100	15 200	77,7	48,9	21 400	18 400	16 200	14 500	15,2
16,0	74,2	49,0	22 900	19 500	17 000	15 100	76,7	48,7	21 200	18 300	16 100	14 400	16,0
16,8	73,2	48,8	22 600	19 300	16 900	15 000	75,7	48,4	21 100	18 200	16 000	14 300	16,8
18,0	71,7	48,4	22 300	19 000	16 700	14 800	74,2	48,0	20 800	18 000	15 900	14 200	18,0
18,3	71,3	48,3	22 200	18 900	16 600	14 800	73,8	47,9	20 800	17 900	15 900	14 200	18,3
20,0	69,2	47,6	21 700	18 600	16 300	14 600	71,6	47,3	20 500	17 700	15 700	14 100	20,0
22,0	66,6	46,7	21 200	18 200	16 100	14 400	69,1	46,4	20 100	17 500	15 500	13 900	22,0
24,0	64,0	45,7	20 700	17 900	15 800	14 100	66,4	45,4	19 600	17 300	15 300	13 800	24,0
26,0	61,3	44,6	20 200	17 600	15 500	13 900	63,7	44,3	18 500	17 000	15 200	13 700	26,0
28,0	58,6	43,4	18 100	17 000	15 300	13 700	60,9	43,0	17 600	16 900	15 000	13 600	28,0
30,0	55,7	42,1	16 300	15 500	14 700	13 600	58,1	41,7	16 500	15 900	14 900	13 500	30,0
32,0	52,8	40,5	14 700	14 100	13 500	12 900	55,1	40,1	15 000	14 400	13 800	13 200	32,0
36,0	46,5	37,0	12 100	11 600	11 200	10 700	48,7	36,5	12 300	11 900	11 400	11 000	36,0
39,6	40,0	32,9	10 300	9 900	9 500	9 200	42,1	32,3	10 400	10 100	9 700	9 400	39,6
40,0	39,4	32,4	10 100	9 700	9 400	9 000	41,5	31,9	10 200	9 900	9 500	9 200	40,0
44,0	30,9	26,4	8 400	8 100	7 900	7 600	32,8	25,7	8 500	8 200	8 000	7 700	44,0
44,2	30,3	26,0	8 300	8 100	7 800	7 600	32,3	25,4	8 400	8 200	7 900	7 700	44,2
47,2	21,8	19,4	7 200	7 000	6 900	6 700							47,2

# MLC250 S-1




67 860 kg  
+  
0 kg



		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,1	48,2	17 900				15,2
16,0	79,2	48,0	17 500				16,0
16,8	78,2	47,7	17 100	16 800	15 300		16,8
18,0	76,6	47,3	16 600	16 300	15 200		18,0
18,3	76,2	47,2	16 500	16 100	15 200	13 700	18,3
20,0	74,1	46,5	15 800	15 500	15 100	13 600	20,0
22,0	71,4	45,6	15 000	14 800	14 500	13 600	22,0
24,0	68,7	44,6	14 400	14 200	14 000	13 500	24,0
26,0	66,0	43,5	13 800	13 600	13 400	13 200	26,0
28,0	63,1	42,2	13 300	13 100	12 900	12 800	28,0
30,0	60,2	40,8	12 800	12 700	12 500	12 400	30,0
32,0	57,1	39,2	12 400	12 200	12 100	12 000	32,0
36,0	50,6	35,5	11 700	11 600	11 400	11 100	36,0
39,6	43,9	31,2	10 600	10 200	9 800	9 500	39,6
40,0							40,0
44,0							44,0
44,2							44,2
47,2							47,2


# MLC250 S-1




67 860 kg  
+  
0 kg



360°



39,6 m





12,2 m

			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,5	53,2	24 300	20 400									12,2
13,7	77,8	52,8	23 800	20 100			80,1	52,5	21 800				13,7
14,0	77,5	52,8	23 700	20 000	17 400	15 400	79,8	52,4	21 700				14,0
15,2	76,1	52,4	23 300	19 700	17 200	15 200	78,4	52,1	21 500	18 500	16 200		15,2
16,0	75,2	52,2	23 100	19 500	17 000	15 100	77,5	51,9	21 300	18 400	16 100		16,0
16,8	74,2	52,0	22 800	19 400	16 900	15 000	76,6	51,6	21 200	18 200	16 100	14 400	16,8
18,0	72,8	51,6	22 500	19 100	16 700	14 900	75,2	51,2	21 000	18 100	15 900	14 200	18,0
18,3	72,5	51,5	22 400	19 100	16 700	14 800	74,8	51,1	20 900	18 000	15 900	14 200	18,3
20,0	70,5	50,9	21 900	18 700	16 400	14 700	72,8	50,5	20 600	17 800	15 700	14 100	20,0
22,0	68,1	50,1	21 400	18 400	16 200	14 400	70,4	49,7	20 300	17 600	15 600	14 000	22,0
24,0	65,7	49,2	21 000	18 000	15 900	14 200	67,9	48,8	20 000	17 400	15 400	13 800	24,0
26,0	63,2	48,1	20 000	17 700	15 600	14 000	65,4	47,8	19 200	17 200	15 300	13 700	26,0
28,0	60,6	47,0	17 900	17 000	15 400	13 800	62,9	46,6	18 100	16 800	15 100	13 600	28,0
30,0	58,0	45,8	16 100	15 300	14 500	13 600	60,2	45,4	16 500	15 700	14 700	13 500	30,0
32,0	55,3	44,4	14 500	13 800	13 200	12 600	57,5	44,0	14 800	14 100	13 500	12 900	32,0
36,0	49,7	41,1	11 900	11 400	10 900	10 400	51,8	40,7	12 200	11 700	11 200	10 700	36,0
40,0	43,4	37,2	9 900	9 500	9 100	8 700	45,4	36,7	10 100	9 700	9 300	8 900	40,0
41,2	41,4	35,7	9 400	9 000	8 700	8 300	43,4	35,2	9 600	9 200	8 900	8 500	41,2
44,0	36,3	32,1	8 200	7 900	7 600	7 300	38,2	31,5	8 400	8 100	7 800	7 500	44,0
45,7	32,5	29,2	7 600	7 400	7 100	6 800	34,6	28,9	7 700	7 400	7 200	6 900	45,7
48,0	27,6	25,4	6 800	6 600	6 400	6 200							48,0
50,3	21,1	19,9	6 100	5 900	5 800	5 600							50,3




# MLC250 S-1



		25°						
		67 860 kg + 0 kg						
	m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2								12,2
13,7								13,7
14,0								14,0
15,2	80,7		51,4	18 200				15,2
16,0	79,8		51,1	17 800				16,0
16,8	78,9		50,9	17 400	17 000	15 300		16,8
18,0	77,5		50,5	16 900	16 500	15 200		18,0
18,3	77,1		50,4	16 800	16 400	15 200	13 700	18,3
20,0	75,1		49,8	16 100	15 800	15 100	13 600	20,0
22,0	72,6		48,9	15 400	15 100	14 800	13 600	22,0
24,0	70,1		48,0	14 700	14 500	14 200	13 600	24,0
26,0	67,6		47,0	14 100	13 900	13 700	13 500	26,0
28,0	65,0		45,8	13 600	13 400	13 200	13 100	28,0
30,0	62,3		44,5	13 100	13 000	12 800	12 700	30,0
32,0	59,5		43,1	12 700	12 600	12 400	12 300	32,0
36,0	53,6		39,7	12 000	11 700	11 400	10 900	36,0
40,0	47,1		35,6	10 200	9 900	9 500	9 100	40,0
41,2	45,1		34,2	9 700	9 300	9 000	8 600	41,2
44,0								44,0
45,7								45,7
48,0								48,0
50,3								50,3


# MLC250 S-1




67 860 kg  
+  
0 kg



360°





42,7 m



12,2 m


		5°						15°							
				0°	1°	2°	3°			0°	1°	2°	3°		
		m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,1	56,3	24 300						80,7	55,6	21 800				12,2
13,7	78,5	56,0	23 900	20 100	17 400				80,4	55,6	21 800				13,7
14,0	78,2	55,9	23 800	20 000	17 400				79,1	55,2	21 600	18 500			14,0
15,2	76,9	55,6	23 400	19 800	17 200	15 200			78,2	55,0	21 400	18 400			15,2
16,0	76,0	55,4	23 200	19 600	17 100	15 100									16,0
16,8	75,1	55,1	23 000	19 500	17 000	15 000			77,3	54,8	21 300	18 300	16 100	14 300	16,8
18,0	73,8	54,8	22 600	19 200	16 800	14 900			76,0	54,4	21 100	18 100	15 900	14 200	18,0
18,3	73,5	54,7	22 500	19 200	16 700	14 900			75,7	54,3	21 000	18 100	15 900	14 200	18,3
20,0	71,6	54,1	22 100	18 900	16 500	14 700			73,8	53,8	20 700	17 900	15 800	14 100	20,0
22,0	69,4	53,4	21 600	18 500	16 200	14 500			71,6	53,0	20 400	17 700	15 600	14 000	22,0
24,0	67,1	52,5	21 200	18 200	16 000	14 300			69,3	52,1	20 100	17 400	15 400	13 900	24,0
26,0	64,8	51,6	19 900	17 800	15 700	14 100			66,9	51,2	19 800	17 300	15 300	13 700	26,0
28,0	62,4	50,5	17 800	16 800	15 400	13 900			64,6	50,1	18 200	16 800	15 200	13 600	28,0
30,0	60,0	49,4	15 900	15 100	14 300	13 400			62,1	49,0	16 300	15 500	14 600	13 500	30,0
32,0	57,6	48,1	14 300	13 600	12 900	12 300			59,6	47,7	14 700	14 000	13 300	12 600	32,0
36,0	52,4	45,1	11 700	11 200	10 700	10 200			54,4	44,7	12 000	11 500	11 000	10 400	36,0
40,0	46,8	41,6	9 700	9 300	8 900	8 500			48,7	41,1	9 900	9 500	9 100	8 700	40,0
44,0	40,6	37,2	8 100	7 700	7 400	7 100			42,4	36,6	8 200	7 900	7 600	7 300	44,0
44,2	40,2	36,9	8 000	7 700	7 400	7 000			42,0	36,4	8 200	7 800	7 500	7 200	44,2
48,0	33,4	31,6	6 700	6 400	6 200	6 000			35,1	31,0	6 800	6 600	6 300	6 100	48,0
48,8	31,6	30,1	6 500	6 200	6 000	5 800			33,5	29,7	6 600	6 300	6 100	5 900	48,8
51,8	24,8	24,4	5 600	5 400	5 200	5 000									51,8

# MLC250 S-1





		25°					
		0° 1° 2° 3°					
		kg					
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	79,6	54,1	17 700	17 200			16,8
18,0	78,2	53,7	17 100	16 800			18,0
18,3	77,9	53,6	17 000	16 700	15 200	13 700	18,3
20,0	76,0	53,0	16 400	16 000	15 100	13 600	20,0
22,0	73,7	52,2	15 700	15 400	15 000	13 600	22,0
24,0	71,4	51,4	15 000	14 800	14 500	13 500	24,0
26,0	69,0	50,4	14 400	14 200	14 000	13 500	26,0
28,0	66,6	49,3	13 900	13 700	13 500	13 300	28,0
30,0	64,1	48,1	13 400	13 300	13 100	12 900	30,0
32,0	61,5	46,8	13 000	12 900	12 700	12 600	32,0
36,0	56,2	43,8	12 100	11 700	11 200	10 700	36,0
40,0	50,4	40,1	10 100	9 700	9 300	8 900	40,0
44,0	43,9	35,5	8 400	8 000	7 700	7 400	44,0
44,2	43,6	35,2	8 300	8 000	7 600	7 300	44,2
48,0							48,0
48,8							48,8
51,8							51,8

# MLC250 S-1




67 860 kg  
+  
0 kg




		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
12,2	80,6	59,4	24 300	20 100									12,2	
13,7	79,1	59,1	23 900	20 000									13,7	
14,0	78,8	59,0	23 800	20 000									14,0	
15,2	77,6	58,7	23 500	19 800	17 200	15 200	79,6	58,4	21 600	18 400			15,2	
16,0	76,8	58,5	23 300	19 600	17 100	15 200	78,9	58,2	21 400	18 400			16,0	
16,8	75,9	58,3	23 100	19 500	17 000	15 100	78,0	58,0	21 300	18 300	16 000		16,8	
18,0	74,7	58,0	22 700	19 300	16 800	14 900	76,8	57,6	21 100	18 100	15 900		18,0	
18,3	74,4	57,9	22 700	19 200	16 700	14 900	76,5	57,5	21 100	18 100	15 900	14 200	18,3	
19,8	72,8	57,4	22 300	18 900	16 600	14 700	74,9	57,1	20 800	17 900	15 800	14 100	19,8	
20,0	72,6	57,4	22 200	18 900	16 500	14 700	74,7	57,0	20 800	17 900	15 800	14 100	20,0	
22,0	70,5	56,6	21 800	18 600	16 300	14 500	72,6	56,3	20 500	17 700	15 600	14 000	22,0	
24,0	68,4	55,8	21 300	18 300	16 000	14 300	70,4	55,5	20 200	17 500	15 500	13 900	24,0	
26,0	66,2	55,0	19 600	17 900	15 800	14 100	68,3	54,6	19 900	17 300	15 300	13 800	26,0	
28,0	64,0	54,0	17 500	16 500	15 300	14 000	66,0	53,6	18 000	16 800	15 200	13 700	28,0	
30,0	61,8	52,9	15 700	14 800	13 900	13 200	63,8	52,5	16 100	15 200	14 300	13 300	30,0	
32,0	59,5	51,7	14 100	13 300	12 600	11 900	61,4	51,3	14 400	13 700	12 900	12 200	32,0	
36,0	54,7	49,0	11 500	10 900	10 300	9 800	56,6	48,6	11 800	11 200	10 600	10 100	36,0	
40,0	49,6	45,7	9 400	9 000	8 500	8 100	51,5	45,3	9 700	9 200	8 800	8 400	40,0	
44,0	44,0	41,8	7 800	7 400	7 100	6 800	45,9	41,3	8 000	7 600	7 300	6 900	44,0	
45,7	41,4	39,7	7 200	6 900	6 600	6 300	43,1	39,2	7 400	7 100	6 700	6 400	45,7	
48,0	37,8	37,0	6 400	6 100	5 900	5 600	39,6	36,4	6 600	6 300	6 000	5 700	48,0	
51,8	30,9	31,1	5 300	5 100	4 900	4 700	32,5	30,5	5 400	5 200	5 000	4 800	51,8	
52,0	30,6	30,8	5 300	5 000	4 800	4 600							52,0	
54,9	24,1	25,0	4 500	4 400	4 200	4 000							54,9	


# MLC250 S-1



67 860 kg  
+  
0 kg




45,7 m





12,2 m

		25°						
		67 860 kg + 0 kg						
	m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2								12,2
13,7								13,7
14,0								14,0
15,2								15,2
16,0								16,0
16,8	80,2	57,2		17 900				16,8
18,0	78,9	56,9		17 400				18,0
18,3	78,6	56,8		17 300	16 900	15 200		18,3
19,8	77,0	56,3		16 700	16 400	15 100	13 600	19,8
20,0	76,8	56,2		16 600	16 300	15 100	13 600	20,0
22,0	74,6	55,5		15 900	15 600	15 100	13 500	22,0
24,0	72,4	54,7		15 300	15 000	14 800	13 500	24,0
26,0	70,2	53,8		14 700	14 500	14 300	13 500	26,0
28,0	68,0	52,8		14 200	14 000	13 800	13 500	28,0
30,0	65,7	51,7		13 700	13 500	13 400	13 200	30,0
32,0	63,3	50,5		13 300	13 100	13 000	12 600	32,0
36,0	58,4	47,7		12 100	11 500	10 900	10 400	36,0
40,0	53,1	44,3		9 900	9 500	9 000	8 600	40,0
44,0	47,4	40,2		8 200	7 800	7 400	7 100	44,0
45,7	44,7	38,2		7 500	7 200	6 800	6 500	45,7
48,0								48,0
51,8								51,8
52,0								52,0
54,9								54,9

# MLC250 S-1






67 860 kg  
+  
0 kg




		5°						15°						
	m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	79,6	62,2	23 900	20 100										13,7
14,0	79,4	62,1	23 800	20 000										14,0
15,2	78,2	61,9	23 500	19 800	17 200		80,2	61,5	21 600					15,2
16,0	77,4	61,7	23 300	19 700	17 100		79,4	61,3	21 500					16,0
16,8	76,7	61,5	23 100	19 500	17 000	15 000	78,6	61,1	21 300	18 300	16 000			16,8
18,0	75,5	61,2	22 800	19 300	16 800	14 900	77,5	60,8	21 100	18 100	15 900			18,0
18,3	75,2	61,1	22 700	19 200	16 800	14 900	77,2	60,7	21 100	18 100	15 900	14 200		18,3
19,8	73,7	60,6	22 400	19 000	16 600	14 700	75,7	60,3	20 900	17 900	15 800	14 100		19,8
20,0	73,5	60,6	22 400	19 000	16 600	14 700	75,5	60,2	20 800	17 900	15 700	14 100		20,0
22,0	71,5	59,9	21 900	18 600	16 300	14 500	73,5	59,5	20 600	17 700	15 600	14 000		22,0
24,0	69,5	59,1	21 500	18 300	16 100	14 300	71,5	58,8	20 300	17 500	15 500	13 900		24,0
26,0	67,5	58,3	19 500	18 000	15 800	14 100	69,4	57,9	20 000	17 400	15 300	13 700		26,0
28,0	65,4	57,4	17 300	16 200	15 200	13 900	67,3	57,0	17 800	16 700	15 100	13 700		28,0
30,0	63,3	56,4	15 500	14 500	13 700	12 900	65,2	56,0	15 900	15 000	14 100	13 100		30,0
32,0	61,2	55,3	13 900	13 100	12 300	11 600	63,1	54,9	14 300	13 500	12 700	12 000		32,0
36,0	56,7	52,7	11 300	10 700	10 100	9 500	58,6	52,3	11 600	11 000	10 400	9 800		36,0
40,0	52,0	49,7	9 300	8 800	8 300	7 900	53,8	49,3	9 500	9 000	8 600	8 100		40,0
44,0	47,0	46,2	7 600	7 200	6 900	6 500	48,7	45,7	7 800	7 400	7 100	6 700		44,0
48,0	41,5	41,9	6 200	5 900	5 700	5 400	43,2	41,4	6 400	6 100	5 800	5 500		48,0
48,8	40,3	40,9	6 000	5 700	5 500	5 200	41,9	40,3	6 200	5 900	5 600	5 300		48,8
52,0	35,2	36,6	5 100	4 900	4 600	4 400	36,8	36,0	5 200	5 000	4 700	4 500		52,0
54,9	29,9	31,7	4 400	4 200	4 000	3 800	31,6	31,2	4 500	4 300	4 100	3 900		54,9
56,0	27,8	29,8	4 100	3 900	3 700	3 600								56,0
57,9	23,5	25,6	3 700	3 500	3 400	3 200								57,9

# MLC250 S-1





		0°				1°				2°				3°			
m		kg		kg		kg		kg		kg		kg		kg			
13,7															13,7		
14,0															14,0		
15,2															15,2		
16,0															16,0		
16,8															16,8		
80,7	60,4	18 100													18,0		
18,0	79,5	60,0	17 600												18,3		
18,3	79,2	59,9	17 500	17 100											19,8		
19,8	77,7	59,5	16 900	16 600	15 100	13 600									20,0		
20,0	77,5	59,4	16 900	16 500	15 100	13 600									22,0		
22,0	75,4	58,7	16 200	15 900	15 000	13 500									24,0		
24,0	73,4	58,0	15 600	15 300	14 900	13 500									26,0		
26,0	71,3	57,1	15 000	14 700	14 500	13 500									28,0		
28,0	69,2	56,2	14 500	14 300	14 000	13 500									30,0		
30,0	67,0	55,1	14 000	13 800	13 600	13 400									32,0		
32,0	64,8	54,0	13 600	13 400	13 100	12 300									36,0		
36,0	60,3	51,4	11 900	11 300	10 700	10 100									40,0		
40,0	55,4	48,3	9 800	9 300	8 800	8 400									44,0		
44,0	50,2	44,7	8 000	7 600	7 300	6 900									48,0		
48,0	44,5	40,2	6 600	6 300	6 000	5 700									48,8		
48,8	43,3	39,2	6 300	6 000	5 700	5 400									52,0		
52,0															54,9		
54,9															56,0		
56,0															57,9		
57,9																	

# MLC250 S-1






67 860 kg  
+  
0 kg



		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
	m	°	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	80,1	65,3	23 900										13,7	
14,0	79,9	65,2	23 800										14,0	
15,2	78,8	65,0	23 500	19 800	17 100		80,7	64,6	21 600				15,2	
16,0	78,0	64,8	23 300	19 600	17 000		79,9	64,5	21 500				16,0	
16,8	77,3	64,6	23 100	19 500	16 900	15 000	79,2	64,3	21 400	18 200			16,8	
18,0	76,2	64,3	22 900	19 300	16 800	14 900	78,1	64,0	21 200	18 100			18,0	
18,3	75,9	64,2	22 800	19 300	16 700	14 900	77,8	63,9	21 200	18 100	15 900	14 200	18,3	
19,8	74,5	63,8	22 500	19 000	16 600	14 700	76,4	63,4	20 900	18 000	15 800	14 100	19,8	
20,0	74,3	63,8	22 400	19 000	16 500	14 700	76,2	63,4	20 900	17 900	15 700	14 100	20,0	
21,3	73,1	63,3	22 100	18 800	16 400	14 600	75,0	63,0	20 700	17 800	15 700	14 000	21,3	
22,0	72,5	63,1	22 000	18 700	16 300	14 500	74,3	62,7	20 600	17 700	15 600	13 900	22,0	
24,0	70,6	62,4	21 400	18 400	16 100	14 300	72,4	62,0	20 400	17 600	15 500	13 900	24,0	
26,0	68,6	61,6	19 300	17 900	15 900	14 200	70,5	61,2	19 800	17 400	15 300	13 700	26,0	
28,0	66,7	60,7	17 100	16 000	14 900	13 700	68,5	60,4	17 600	16 500	15 000	13 700	28,0	
30,0	64,7	59,8	15 300	14 300	13 400	12 500	66,5	59,4	15 800	14 700	13 800	12 900	30,0	
32,0	62,7	58,8	13 700	12 800	12 000	11 300	64,5	58,4	14 100	13 200	12 400	11 700	32,0	
36,0	58,5	56,4	11 100	10 400	9 800	9 200	60,3	56,0	11 400	10 800	10 200	9 600	36,0	
40,0	54,2	53,6	9 000	8 500	8 000	7 600	55,9	53,2	9 300	8 800	8 300	7 800	40,0	
44,0	49,5	50,3	7 400	7 000	6 600	6 200	51,2	49,9	7 600	7 200	6 800	6 400	44,0	
48,0	44,5	46,5	6 000	5 700	5 400	5 100	46,2	46,0	6 200	5 900	5 600	5 300	48,0	
50,3	41,4	43,8	5 400	5 100	4 800	4 500	43,0	43,2	5 600	5 300	5 000	4 700	50,3	
52,0	39,0	41,8	4 900	4 600	4 400	4 100	40,6	41,2	5 000	4 800	4 500	4 300	52,0	
56,0	32,8	36,0	3 900	3 700	3 500	3 300	34,2	35,4	4 000	3 800	3 600	3 400	56,0	
56,4	32,0	35,3	3 800	3 600	3 400	3 200	33,5	34,7	3 900	3 700	3 500	3 300	56,4	
60,0	25,1	28,5	3 000	2 900	2 700	2 600							60,0	
61,0	22,9	26,2	2 900	2 700	2 600	2 400							61,0	




# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
		kg					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,7	63,1	17 700	17 100			18,3
19,8	78,3	62,7	17 200	16 800	15 100		19,8
20,0	78,1	62,6	17 100	16 700	15 100		20,0
21,3	76,8	62,2	16 700	16 300	15 000	13 500	21,3
22,0	76,2	62,0	16 400	16 100	15 000	13 500	22,0
24,0	74,2	61,2	15 800	15 500	15 000	13 500	24,0
26,0	72,3	60,4	15 300	15 000	14 700	13 400	26,0
28,0	70,3	59,5	14 700	14 500	14 300	13 400	28,0
30,0	68,3	58,6	14 300	14 100	13 900	13 100	30,0
32,0	66,2	57,5	13 800	13 600	12 800	12 000	32,0
36,0	61,9	55,1	11 800	11 100	10 500	9 900	36,0
40,0	57,5	52,2	9 600	9 100	8 600	8 100	40,0
44,0	52,7	48,9	7 900	7 400	7 000	6 600	44,0
48,0	47,5	44,9	6 400	6 100	5 700	5 400	48,0
50,3	44,3	42,2	5 700	5 400	5 100	4 800	50,3
52,0							52,0
56,0							56,0
56,4							56,4
60,0							60,0
61,0							61,0

# MLC250 S-1






67 860 kg  
+  
0 kg




		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	80,6	68,4	23 900										13,7	
14,0	80,3	68,4	23 800										14,0	
15,2	79,3	68,1	23 500	19 700									15,2	
16,0	78,6	67,9	23 300	19 600									16,0	
16,8	77,9	67,7	23 200	19 500	16 900	15 000	79,7	67,4	21 300	18 200			16,8	
18,0	76,8	67,5	22 900	19 300	16 700	14 800	78,7	67,1	21 200	18 100			18,0	
18,3	76,6	67,4	22 800	19 200	16 700	14 800	78,4	67,0	21 100	18 100	15 800		18,3	
19,8	75,2	67,0	22 500	19 000	16 500	14 700	77,0	66,6	20 900	17 900	15 700	14 000	19,8	
20,0	75,1	66,9	22 500	19 000	16 500	14 700	76,9	66,6	20 900	17 900	15 700	14 000	20,0	
21,3	73,9	66,5	22 200	18 800	16 400	14 500	75,7	66,2	20 700	17 800	15 600	13 900	21,3	
22,0	73,3	66,3	22 100	18 700	16 300	14 500	75,1	65,9	20 600	17 700	15 600	13 900	22,0	
24,0	71,5	65,6	21 300	18 400	16 100	14 300	73,3	65,3	20 400	17 500	15 500	13 800	24,0	
26,0	69,7	64,9	19 100	17 700	15 800	14 200	71,4	64,5	19 700	17 400	15 300	13 700	26,0	
28,0	67,8	64,1	16 900	15 700	14 600	13 600	69,6	63,7	17 500	16 300	14 900	13 500	28,0	
30,0	65,9	63,2	15 100	14 100	13 100	12 200	67,7	62,8	15 600	14 500	13 600	12 700	30,0	
32,0	64,0	62,2	13 500	12 600	11 800	11 000	65,8	61,8	13 900	13 000	12 200	11 400	32,0	
36,0	60,1	60,0	10 900	10 200	9 600	9 000	61,8	59,6	11 300	10 600	9 900	9 300	36,0	
40,0	56,0	57,4	8 900	8 300	7 800	7 300	57,7	56,9	9 200	8 600	8 100	7 600	40,0	
44,0	51,8	54,3	7 200	6 800	6 400	6 000	53,4	53,9	7 500	7 000	6 600	6 200	44,0	
48,0	47,2	50,8	5 900	5 500	5 200	4 800	48,8	50,3	6 100	5 700	5 400	5 000	48,0	
52,0	42,2	46,6	4 700	4 400	4 200	3 900	43,8	46,1	4 900	4 600	4 300	4 000	52,0	
53,3	40,4	44,9	4 400	4 100	3 900	3 600	41,9	44,3	4 500	4 300	4 000	3 800	53,3	
56,0	36,7	41,5	3 700	3 500	3 300	3 100	38,2	40,9	3 900	3 600	3 400	3 200	56,0	
59,4	31,2	36,1	3 000	2 800	2 600	2 400	32,7	35,5	3 100	2 900	2 700	2 500	59,4	
60,0	30,3	35,3	2 900	2 700	2 500	2 300							60,0	
62,5	25,4	30,0	2 400	2 300	2 100	1 900							62,5	
64,0	22,3	26,8	2 100	2 000	1 800								64,0	

# MLC250 S-1





m	25°		25°				m
	°	m	kg				
			0°	1°	2°	3°	
			kg	kg	kg	kg	
13,7						13,7	
14,0						14,0	
15,2						15,2	
16,0						16,0	
16,8						16,8	
18,0						18,0	
18,3	80,2	66,3	17 900			18,3	
19,8	78,8	65,8	17 400	17 000	15 000	19,8	
20,0	78,7	65,8	17 300	16 900	15 000	20,0	
21,3	77,5	65,4	16 900	16 500	15 000	21,3	
22,0	76,8	65,2	16 700	16 300	15 000	22,0	
24,0	75,0	64,5	16 100	15 700	14 900	24,0	
26,0	73,1	63,7	15 500	15 200	14 900	26,0	
28,0	71,3	62,9	15 000	14 700	14 500	28,0	
30,0	69,3	62,0	14 500	14 300	13 800	30,0	
32,0	67,4	61,0	14 100	13 500	12 600	32,0	
36,0	63,4	58,7	11 600	10 900	10 300	36,0	
40,0	59,2	56,0	9 500	8 900	8 400	40,0	
44,0	54,8	52,9	7 700	7 300	6 800	44,0	
48,0	50,1	49,2	6 300	5 900	5 500	48,0	
52,0	45,0	44,9	5 000	4 700	4 400	52,0	
53,3	43,1	43,3	4 600	4 400	4 100	53,3	
56,0						56,0	
59,4						59,4	
60,0						60,0	
62,5						62,5	
64,0						64,0	

# MLC250 S-1




67 860 kg  
+  
0 kg





		5°						15°							
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m		
13,7	81,0	71,5	23 800										13,7		
14,0	80,8	71,5	23 800										14,0		
15,2	79,8	71,2	23 500	19 700									15,2		
16,0	79,1	71,1	23 300	19 500									16,0		
16,8	78,4	70,9	23 200	19 400	16 800		80,2	70,5	21 300				16,8		
18,0	77,4	70,6	22 900	19 200	16 700		79,2	70,2	21 200				18,0		
18,3	77,2	70,5	22 800	19 200	16 600	14 700	78,9	70,2	21 100	18 000	15 800		18,3		
19,8	75,9	70,1	22 500	19 000	16 500	14 600	77,6	69,8	20 900	17 900	15 700	14 000	19,8		
20,0	75,7	70,1	22 500	19 000	16 500	14 600	77,5	69,7	20 900	17 900	15 700	14 000	20,0		
21,3	74,6	69,7	22 200	18 800	16 300	14 500	76,3	69,3	20 700	17 700	15 600	13 900	21,3		
22,0	74,0	69,5	22 100	18 700	16 200	14 400	75,7	69,1	20 700	17 700	15 500	13 900	22,0		
22,9	73,3	69,2	21 700	18 500	16 200	14 400	75,0	68,8	20 500	17 600	15 500	13 800	22,9		
24,0	72,3	68,9	21 100	18 400	16 100	14 300	74,0	68,5	20 400	17 500	15 400	13 800	24,0		
26,0	70,6	68,2	18 900	17 400	15 800	14 100	72,3	67,8	19 500	17 300	15 300	13 700	26,0		
28,0	68,8	67,4	16 700	15 400	14 300	13 200	70,5	67,0	17 300	16 000	14 800	13 400	28,0		
30,0	67,1	66,5	14 900	13 800	12 800	11 800	68,7	66,1	15 400	14 300	13 200	12 300	30,0		
32,0	65,2	65,6	13 200	12 300	11 400	10 600	66,9	65,2	13 700	12 800	11 900	11 000	32,0		
36,0	61,6	63,5	10 700	9 900	9 300	8 600	63,2	63,1	11 000	10 300	9 600	9 000	36,0		
40,0	57,7	61,1	8 600	8 000	7 500	7 000	59,3	60,6	8 900	8 400	7 800	7 300	40,0		
44,0	53,7	58,2	7 000	6 500	6 100	5 600	55,3	57,8	7 200	6 800	6 300	5 900	44,0		
48,0	49,5	54,9	5 600	5 200	4 900	4 500	51,0	54,5	5 800	5 400	5 100	4 700	48,0		
52,0	44,9	51,1	4 400	4 100	3 800	3 600	46,4	50,6	4 600	4 300	4 000	3 700	52,0		
54,9	41,4	47,9	3 700	3 500	3 200	3 000	42,9	47,3	3 900	3 600	3 400	3 100	54,9		
56,0	40,0	46,6	3 500	3 200	3 000	2 700	41,4	46,0	3 600	3 400	3 100	2 900	56,0		
60,0	34,5	41,1	2 600	2 400	2 200	2 000	35,8	40,5	2 700	2 500	2 300	2 100	60,0		
61,0	32,9	39,5	2 400	2 200	2 100	1 900	34,3	38,9	2 500	2 300	2 200	2 000	61,0		
62,5	30,4	36,8	2 200	2 000	1 800		31,9	36,3	2 200	2 100	1 900		62,5		
64,0	28,0	34,2	1 900										64,0		

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,7	69,4	18 100				18,3
19,8	79,3	69,0	17 600	17 000			19,8
20,0	79,2	68,9	17 500	16 900			20,0
21,3	78,0	68,5	17 100	16 700	14 900		21,3
22,0	77,4	68,3	16 900	16 500	14 900		22,0
22,9	76,7	68,0	16 600	16 300	14 900	13 400	22,9
24,0	75,7	67,7	16 300	16 000	14 900	13 400	24,0
26,0	73,9	67,0	15 700	15 400	14 800	13 300	26,0
28,0	72,1	66,2	15 200	15 000	14 700	13 300	28,0
30,0	70,3	65,3	14 800	14 500	13 700	12 700	30,0
32,0	68,5	64,4	14 200	13 200	12 300	11 500	32,0
36,0	64,7	62,2	11 400	10 700	10 000	9 300	36,0
40,0	60,8	59,7	9 200	8 700	8 100	7 600	40,0
44,0	56,7	56,8	7 500	7 000	6 600	6 100	44,0
48,0	52,3	53,4	6 000	5 600	5 300	4 900	48,0
52,0	47,7	49,5	4 800	4 500	4 200	3 900	52,0
54,9	44,1	46,2	4 000	3 800	3 500	3 200	54,9
56,0							56,0
60,0							60,0
61,0							61,0
62,5							62,5
64,0							64,0

# MLC250 S-1



67 860 kg  
+  
0 kg




		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
	m	°	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,2	74,3	23 400										15,2	
16,0	79,6	74,2	23 300										16,0	
16,8	78,9	74,0	23 100	19 300	16 700		80,6	73,6	21 300				16,8	
18,0	78,0	73,7	22 900	19 200	16 600		79,6	73,4	21 100				18,0	
18,3	77,7	73,7	22 800	19 100	16 600	14 700	79,4	73,3	21 100	17 900			18,3	
19,8	76,5	73,3	22 500	18 900	16 400	14 500	78,2	72,9	20 900	17 800	15 600		19,8	
20,0	76,3	73,2	22 500	18 900	16 400	14 500	78,0	72,9	20 900	17 800	15 600		20,0	
21,3	75,3	72,9	22 200	18 700	16 300	14 400	76,9	72,5	20 700	17 700	15 500	13 800	21,3	
22,0	74,7	72,7	22 100	18 600	16 200	14 400	76,4	72,3	20 600	17 600	15 500	13 800	22,0	
22,9	74,0	72,4	21 600	18 500	16 100	14 300	75,6	72,0	20 500	17 600	15 400	13 800	22,9	
24,0	73,1	72,1	21 000	18 400	16 000	14 200	74,7	71,7	20 400	17 500	15 400	13 700	24,0	
26,0	71,4	71,4	18 700	17 100	15 700	14 100	73,1	71,0	19 300	17 300	15 200	13 700	26,0	
28,0	69,8	70,7	16 500	15 200	14 000	12 900	71,4	70,3	17 100	15 800	14 500	13 300	28,0	
30,0	68,1	69,8	14 700	13 500	12 500	11 500	69,7	69,5	15 200	14 000	13 000	12 000	30,0	
32,0	66,4	69,0	13 100	12 100	11 200	10 300	67,9	68,6	13 500	12 500	11 600	10 800	32,0	
36,0	62,9	67,0	10 500	9 700	9 000	8 300	64,4	66,6	10 900	10 100	9 400	8 700	36,0	
40,0	59,2	64,7	8 400	7 800	7 200	6 700	60,8	64,3	8 800	8 100	7 600	7 000	40,0	
44,0	55,5	62,0	6 800	6 300	5 800	5 400	57,0	61,6	7 100	6 600	6 100	5 600	44,0	
48,0	51,5	58,9	5 400	5 000	4 600	4 300	53,0	58,5	5 600	5 200	4 900	4 500	48,0	
52,0	47,3	55,4	4 300	3 900	3 600	3 300	48,8	54,9	4 500	4 100	3 800	3 500	52,0	
56,0	42,8	51,3	3 300	3 000	2 700	2 500	44,2	50,7	3 400	3 200	2 900	2 700	56,0	
57,9	40,5	48,9	2 900	2 600	2 400	2 200	41,8	48,4	3 000	2 800	2 500	2 300	57,9	
59,4	38,6	47,1	2 500	2 300	2 100	1 900	39,9	46,5	2 700	2 500	2 200	2 000	59,4	
60,0	37,9	46,4	2 400	2 200	2 000		39,2	45,8	2 600	2 300	2 100		60,0	
61,0	36,6	45,0	2 200	2 000	1 800		37,9	44,4	2 400	2 200	1 900		61,0	
62,5	34,5	42,9	2 000				35,7	42,1	2 100	1 900			62,5	
64,0							33,5	39,8	1 800				64,0	





# MLC250 S-1



134  
+  
B10






67 860 kg  
+  
0 kg



m	°	m	kg				m
			0°	1°	2°	3°	
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	79,8	72,1	17 800	16 900			19,8
20,0	79,7	72,1	17 700	16 900			20,0
21,3	78,6	71,7	17 300	16 800	14 800		21,3
22,0	78,0	71,5	17 100	16 700	14 800		22,0
22,9	77,2	71,2	16 800	16 400	14 800	13 300	22,9
24,0	76,3	70,9	16 500	16 200	14 800	13 300	24,0
26,0	74,6	70,2	15 900	15 600	14 800	13 300	26,0
28,0	72,9	69,5	15 400	15 200	14 600	13 200	28,0
30,0	71,2	68,6	15 000	14 400	13 500	12 500	30,0
32,0	69,5	67,7	14 000	13 000	12 100	11 200	32,0
36,0	65,9	65,7	11 300	10 500	9 800	9 100	36,0
40,0	62,2	63,4	9 100	8 500	7 900	7 300	40,0
44,0	58,4	60,6	7 300	6 800	6 400	5 900	44,0
48,0	54,3	57,5	5 900	5 500	5 100	4 700	48,0
52,0	50,0	53,8	4 600	4 300	4 000	3 700	52,0
56,0	45,4	49,6	3 600	3 300	3 000	2 800	56,0
57,9	43,0	47,3	3 100	2 900	2 600	2 400	57,9
59,4							59,4
60,0							60,0
61,0							61,0
62,5							62,5
64,0							64,0





# MLC250 S-1



		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,6	77,4	23 300										15,2	
16,0	80,0	77,3	23 200										16,0	
16,8	79,4	77,1	23 000	19 200			81,0	76,8	21 200				16,8	
18,0	78,5	76,9	22 800	19 100			80,0	76,5	21 000				18,0	
18,3	78,2	76,8	22 700	19 000	16 500		79,8	76,4	21 000	17 900			18,3	
19,8	77,1	76,4	22 500	18 800	16 300	14 500	78,6	76,1	20 800	17 700	15 500		19,8	
20,0	76,9	76,4	22 400	18 800	16 300	14 500	78,5	76,0	20 800	17 700	15 500		20,0	
21,3	75,9	76,0	22 200	18 700	16 200	14 400	77,5	75,7	20 700	17 600	15 400	13 800	21,3	
22,0	75,4	75,9	22 100	18 600	16 100	14 300	76,9	75,5	20 600	17 600	15 400	13 700	22,0	
22,9	74,6	75,6	21 500	18 500	16 100	14 200	76,2	75,2	20 500	17 500	15 300	13 700	22,9	
24,0	73,8	75,3	20 900	18 300	16 000	14 200	75,4	74,9	20 400	17 400	15 300	13 700	24,0	
26,0	72,2	74,6	18 500	16 900	15 400	14 000	73,8	74,2	19 100	17 200	15 200	13 600	26,0	
28,0	70,6	73,9	16 300	14 900	13 700	12 600	72,2	73,5	16 900	15 500	14 300	13 100	28,0	
30,0	69,0	73,1	14 500	13 300	12 200	11 200	70,5	72,8	15 000	13 800	12 700	11 700	30,0	
32,0	67,4	72,3	12 800	11 800	10 900	10 000	68,9	71,9	13 400	12 300	11 400	10 500	32,0	
36,0	64,0	70,4	10 200	9 500	8 700	8 000	65,6	70,0	10 700	9 900	9 100	8 400	36,0	
40,0	60,6	68,2	8 200	7 600	7 000	6 400	62,1	67,8	8 600	7 900	7 300	6 800	40,0	
44,0	57,1	65,7	6 500	6 000	5 600	5 100	58,5	65,3	6 800	6 300	5 800	5 400	44,0	
48,0	53,3	62,8	5 200	4 800	4 400	4 000	54,8	62,4	5 400	5 000	4 600	4 200	48,0	
52,0	49,4	59,5	4 000	3 700	3 400	3 000	50,9	59,1	4 300	3 900	3 600	3 200	52,0	
56,0	45,3	55,7	3 100	2 800	2 500	2 200	46,7	55,2	3 200	3 000	2 700	2 400	56,0	
57,9	43,1	53,6	2 700	2 400	2 100	1 900	44,5	53,1	2 800	2 600	2 300	2 000	57,9	
59,4	41,4	51,9	2 300	2 100	1 800		42,8	51,4	2 500	2 200	2 000		59,4	
60,0	40,8	51,3	2 200	2 000			42,1	50,7	2 400	2 100			60,0	
61,0	39,7	50,1	2 000	1 800			40,9	49,5	2 200	1 900			61,0	
62,5							39,1	47,6	1 900				62,5	






# MLC250 S-1





				25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
								m	
m		°						m	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8	80,2	75,3	17 900					19,8	
20,0	80,1	75,2	17 900					20,0	
21,3	79,1	74,9	17 500	16 800				21,3	
22,0	78,5	74,7	17 300	16 700				22,0	
22,9	77,8	74,4	17 000	16 500	14 800	13 200		22,9	
24,0	76,9	74,1	16 700	16 300	14 700	13 200		24,0	
26,0	75,3	73,4	16 100	15 800	14 700	13 200		26,0	
28,0	73,7	72,7	15 700	15 400	14 500	13 100		28,0	
30,0	72,0	71,9	15 200	14 300	13 200	12 200		30,0	
32,0	70,4	71,1	13 900	12 800	11 800	10 900		32,0	
36,0	67,0	69,1	11 100	10 300	9 500	8 800		36,0	
40,0	63,5	66,9	8 900	8 300	7 600	7 100		40,0	
44,0	59,9	64,4	7 100	6 600	6 100	5 600		44,0	
48,0	56,1	61,4	5 700	5 300	4 800	4 500		48,0	
52,0	52,1	58,0	4 500	4 100	3 800	3 400		52,0	
56,0	47,8	54,1	3 400	3 100	2 800	2 500		56,0	
57,9	45,6	51,9	3 000	2 700	2 400	2 200		57,9	
59,4	43,8	50,2	2 600	2 400	2 100	1 900		59,4	
60,0								60,0	
61,0								61,0	
62,5								62,5	

# MLC250 S-1





	5°			15°			
	m	°	m	kg	°	m	
15,2	80,9	80,5	23 200				15,2
16,0	80,4	80,4	23 000				16,0
18,0	78,9	80,0	22 700				18,0
18,3	78,7	79,9	22 600	80,2	79,5	20 900	18,3
19,8	77,6	79,6	22 300	79,1	79,2	20 800	19,8
20,0	77,4	79,5	22 300	78,9	79,2	20 800	20,0
22,0	75,9	79,0	22 000	77,4	78,6	20 600	22,0
24,0	74,4	78,5	20 700	75,9	78,1	20 400	24,0
26,0	72,9	77,8	18 300	74,4	77,5	19 000	26,0
28,0	71,4	77,2	16 100	72,9	76,8	16 800	28,0
30,0	69,8	76,4	14 300	71,3	76,0	14 800	30,0
32,0	68,3	75,6	12 600	69,8	75,2	13 200	32,0
36,0	65,1	73,8	10 000	66,6	73,4	10 500	36,0
40,0	61,9	71,7	8 000	63,3	71,3	8 400	40,0
44,0	58,5	69,4	6 300	59,9	68,9	6 700	44,0
48,0	55,0	66,6	5 000	56,4	66,2	5 300	48,0
52,0	51,3	63,6	3 800	52,7	63,1	4 100	52,0
56,0	47,5	60,0	2 900	48,8	59,5	3 100	56,0
60,0	43,3	55,9	2 000	44,6	55,4	2 200	60,0
61,0	42,3	54,9	1 800	43,6	54,3	2 000	61,0
62,5							62,5

# MLC250 S-1




67 860 kg  
+  
0 kg





25°				
0°				
m	°	m	kg	m
15,2				15,2
16,0				16,0
18,0				18,0
18,3				18,3
19,8	80,6	78,4	18 100	19,8
20,0	80,5	78,4	18 000	20,0
22,0	79,0	77,8	17 400	22,0
24,0	77,4	77,3	16 900	24,0
26,0	75,9	76,6	16 300	26,0
28,0	74,3	75,9	15 900	28,0
30,0	72,8	75,2	15 200	30,0
32,0	71,2	74,4	13 700	32,0
36,0	68,0	72,6	10 900	36,0
40,0	64,6	70,4	8 700	40,0
44,0	61,2	68,0	7 000	44,0
48,0	57,6	65,2	5 500	48,0
52,0	53,9	62,1	4 300	52,0
56,0	49,9	58,4	3 200	56,0
60,0	45,7	54,2	2 300	60,0
61,0	44,6	53,1	2 100	61,0
62,5	42,8	51,3	1 800	62,5

# MLC250 S-1







67 860 kg  
+  
0 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	79,7	44,2	20 600	17 100									10,7
12,0	77,8	43,8	20 100	16 700									12,0
12,2	77,5	43,8	20 000	16 700	14 400	12 700							12,2
13,7	75,4	43,4	19 400	16 300	14 100	12 400	79,0	43,0	18 000	15 300			13,7
14,0	75,0	43,3	19 300	16 200	14 000	12 400	78,6	42,9	18 000	15 300			14,0
15,2	73,3	42,9	18 900	16 000	13 800	12 200	76,9	42,5	17 600	15 100	13 200	11 700	15,2
16,0	72,2	42,6	18 700	15 800	13 700	12 100	75,7	42,2	17 400	14 900	13 100	11 600	16,0
16,8	71,0	42,3	18 400	15 600	13 500	12 000	74,6	41,9	17 200	14 800	13 000	11 600	16,8
18,0	69,3	41,8	18 100	15 300	13 300	11 800	72,8	41,5	16 800	14 600	12 800	11 400	18,0
18,3	68,9	41,7	18 000	15 300	13 300	11 800	72,4	41,3	16 800	14 600	12 800	11 400	18,3
20,0	66,4	40,9	17 500	14 900	13 000	11 600	69,9	40,6	16 300	14 300	12 600	11 200	20,0
22,0	63,3	39,9	16 900	14 500	12 800	11 400	66,8	39,5	15 500	14 100	12 400	11 100	22,0
24,0	60,2	38,7	16 300	14 200	12 500	11 100	63,7	38,3	14 500	13 800	12 200	11 000	24,0
26,0	57,0	37,4	15 800	13 900	12 200	10 900	60,4	37,0	13 600	13 500	12 000	10 800	26,0
28,0	53,7	35,9	15 300	13 600	12 000	10 700	57,0	35,5	12 800	12 700	11 900	10 700	28,0
30,0	50,1	34,2	14 500	13 300	11 800	10 600	53,5	33,8	12 100	12 000	11 800	10 600	30,0
32,0	46,4	32,3	13 600	13 000	11 600	10 400	49,7	31,8	11 500	11 400	11 300	10 500	32,0
35,1	40,1	28,7	12 500	12 300	11 400	10 200	43,2	28,2	10 700	10 700	10 600	10 300	35,1
36,0	38,1	27,6	12 100	12 000	11 300	10 200	41,2	27,0	10 400	10 400	10 300	10 200	36,0
39,6	28,6	21,5	11 000	10 900	10 600	10 000	31,5	20,9	9 700	9 700	9 700	9 600	39,6
40,0	27,6	20,9	10 900	10 800	10 500	10 000							40,0
41,2	23,7	18,3	10 500	10 300	10 000	9 800							41,2

# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2	80,5	41,7	14 700				15,2
16,0	79,4	41,5	14 300				16,0
16,8	78,2	41,1	13 900	13 800	12 400		16,8
18,0	76,4	40,7	13 400	13 200	12 300		18,0
18,3	76,0	40,5	13 200	13 100	12 300	11 000	18,3
20,0	73,4	39,7	12 500	12 400	12 100	10 900	20,0
22,0	70,3	38,7	11 800	11 700	11 500	10 900	22,0
24,0	67,0	37,5	11 200	11 100	10 900	10 700	24,0
26,0	63,7	36,1	10 600	10 500	10 400	10 200	26,0
28,0	60,2	34,5	10 100	10 000	9 900	9 800	28,0
30,0	56,5	32,8	9 700	9 600	9 500	9 400	30,0
32,0	52,6	30,8	9 300	9 300	9 200	9 100	32,0
35,1	46,0	27,1	8 800	8 800	8 700	8 700	35,1
36,0							36,0
39,6							39,6
40,0							40,0
41,2							41,2


# MLC250 S-1




67 860 kg  
+  
0 kg



360°







30,5 m



15,2 m


			5°				15°							
			0°	1°	2°	3°				0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
10,7	80,4	47,3	20 700										10,7	
12,0	78,6	47,0	20 200										12,0	
12,2	78,4	46,9	20 200	16 800	14 500								12,2	
13,7	76,4	46,5	19 600	16 400	14 200	12 500	79,8	46,2	18 100	15 400			13,7	
14,0	76,1	46,5	19 500	16 400	14 100	12 400	79,4	46,1	18 100	15 300			14,0	
15,2	74,5	46,1	19 200	16 100	13 900	12 300	77,8	45,7	17 800	15 100	13 200	11 700	15,2	
16,0	73,4	45,8	18 900	15 900	13 800	12 200	76,8	45,5	17 600	15 000	13 100	11 700	16,0	
16,8	72,4	45,5	18 700	15 700	13 700	12 100	75,7	45,2	17 400	14 900	13 000	11 600	16,8	
18,0	70,8	45,1	18 300	15 500	13 500	11 900	74,1	44,7	17 000	14 700	12 900	11 500	18,0	
18,3	70,4	45,0	18 200	15 400	13 400	11 900	73,6	44,6	17 000	14 700	12 900	11 500	18,3	
20,0	68,1	44,3	17 800	15 100	13 200	11 700	71,3	43,9	16 600	14 400	12 700	11 300	20,0	
22,0	65,3	43,3	17 200	14 700	12 900	11 500	68,5	43,0	16 000	14 200	12 500	11 200	22,0	
24,0	62,4	42,3	16 700	14 400	12 600	11 300	65,7	41,9	15 100	14 000	12 300	11 000	24,0	
26,0	59,5	41,1	16 200	14 100	12 400	11 100	62,7	40,7	14 200	13 700	12 100	10 900	26,0	
28,0	56,5	39,7	15 700	13 800	12 200	10 900	59,6	39,3	13 400	13 300	12 000	10 800	28,0	
30,0	53,4	38,2	15 300	13 500	11 900	10 700	56,5	37,8	12 700	12 600	11 900	10 700	30,0	
32,0	50,1	36,5	14 500	13 300	11 800	10 600	53,1	36,1	12 000	12 000	11 800	10 600	32,0	
36,0	42,9	32,5	12 700	12 400	11 400	10 300	45,9	31,9	11 000	10 900	10 800	10 400	36,0	
38,1	38,5	29,7	11 700	11 300	10 700	10 100	41,4	29,1	10 500	10 500	10 400	10 200	38,1	
40,0	34,5	27,1	10 700	10 400	10 100	9 800	37,3	26,5	10 100	10 100	10 000	9 900	40,0	
41,2	31,4	24,9	10 300	10 000	9 700	9 400	34,5	24,5	9 900	9 900	9 800	9 500	41,2	
44,0	23,5	19,3	9 100	8 800	8 600	8 400							44,0	
44,2	22,9	18,8	9 000	8 800	8 600	8 400							44,2	

# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	79,1	44,4	14 200	14 000			16,8
18,0	77,4	43,9	13 700	13 500			18,0
18,3	77,0	43,8	13 500	13 400	12 300	11 000	18,3
20,0	74,6	43,1	12 800	12 700	12 200	11 000	20,0
22,0	71,8	42,1	12 100	12 000	11 800	10 900	22,0
24,0	68,8	41,0	11 500	11 400	11 200	10 800	24,0
26,0	65,8	39,8	11 000	10 900	10 700	10 500	26,0
28,0	62,7	38,4	10 500	10 400	10 200	10 100	28,0
30,0	59,4	36,8	10 000	9 900	9 800	9 700	30,0
32,0	56,0	35,0	9 600	9 600	9 500	9 400	32,0
36,0	48,4	30,8	9 000	8 900	8 900	8 800	36,0
38,1	44,0	28,0	8 700	8 700	8 600	8 600	38,1
40,0							40,0
41,2							41,2
44,0							44,0
44,2							44,2

# MLC250 S-1







67 860 kg  
+  
0 kg




		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	81,0	50,4	20 800										10,7
12,0	79,4	50,1	20 300										12,0
12,2	79,1	50,0	20 300	16 900									12,2
13,7	77,3	49,7	19 800	16 500	14 200	12 500	80,4	49,3	18 200				13,7
14,0	77,0	49,6	19 700	16 400	14 200	12 500	80,1	49,2	18 200				14,0
15,2	75,5	49,3	19 300	16 200	14 000	12 300	78,6	48,9	17 900	15 200	13 200		15,2
16,0	74,5	49,0	19 100	16 000	13 900	12 200	77,6	48,7	17 700	15 100	13 200		16,0
16,8	73,5	48,8	18 900	15 900	13 800	12 200	76,6	48,4	17 500	15 000	13 100	11 600	16,8
18,0	72,0	48,4	18 500	15 600	13 600	12 000	75,1	48,0	17 200	14 800	13 000	11 500	18,0
18,3	71,6	48,2	18 500	15 600	13 500	12 000	74,7	47,9	17 200	14 800	12 900	11 500	18,3
20,0	69,5	47,6	18 000	15 200	13 300	11 800	72,6	47,2	16 800	14 600	12 800	11 400	20,0
22,0	66,9	46,7	17 500	14 900	13 000	11 600	70,0	46,3	16 300	14 300	12 600	11 200	22,0
24,0	64,3	45,7	17 000	14 600	12 800	11 400	67,4	45,3	15 700	14 100	12 400	11 100	24,0
26,0	61,6	44,6	16 500	14 300	12 500	11 200	64,6	44,2	14 800	13 900	12 200	11 000	26,0
28,0	58,9	43,4	16 000	14 000	12 300	11 000	61,9	43,0	13 900	13 700	12 100	10 800	28,0
30,0	56,0	42,1	15 600	13 700	12 100	10 800	59,0	41,6	13 200	13 200	12 000	10 800	30,0
32,0	53,1	40,5	15 100	13 500	11 900	10 700	56,0	40,1	12 600	12 500	11 900	10 600	32,0
36,0	46,8	37,0	12 500	12 100	11 400	10 400	49,6	36,4	11 500	11 400	11 300	10 500	36,0
39,6	40,3	32,8	10 700	10 300	9 900	9 500	43,0	32,2	10 600	10 400	10 100	9 700	39,6
40,0	39,7	32,4	10 500	10 100	9 800	9 500	42,3	31,8	10 500	10 300	10 000	9 700	40,0
44,0	31,2	26,4	8 800	8 500	8 300	8 000	33,6	25,6	9 000	8 700	8 400	8 200	44,0
44,2	30,6	26,0	8 700	8 500	8 200	8 000	33,1	25,3	8 900	8 600	8 400	8 100	44,2
47,2	22,1	19,4	7 600	7 500	7 300	7 100							47,2




# MLC250 S-1



		25°							
									
				0°	1°	2°	3°		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
10,7								10,7	
12,0								12,0	
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8	79,8	47,6	14 500	14 200				16,8	
18,0	78,3	47,1	13 900	13 800				18,0	
18,3	77,9	47,0	13 800	13 600	12 400	11 100		18,3	
20,0	75,7	46,4	13 100	13 000	12 300	11 000		20,0	
22,0	73,0	45,5	12 400	12 300	12 000	10 900		22,0	
24,0	70,3	44,4	11 800	11 700	11 500	10 800		24,0	
26,0	67,6	43,3	11 300	11 200	11 000	10 800		26,0	
28,0	64,7	42,0	10 800	10 700	10 500	10 400		28,0	
30,0	61,8	40,6	10 300	10 200	10 100	10 000		30,0	
32,0	58,7	39,0	9 900	9 900	9 700	9 600		32,0	
36,0	52,1	35,3	9 300	9 200	9 100	9 100		36,0	
39,6	45,3	31,0	8 800	8 800	8 700	8 700		39,6	
40,0								40,0	
44,0								44,0	
44,2								44,2	
47,2								47,2	


# MLC250 S-1




67 860 kg  
+  
0 kg



360°




36,6 m





15,2 m

			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,8	53,2	20 400	16 900									12,2
13,7	78,1	52,8	19 900	16 600			81,0	52,4	18 300				13,7
14,0	77,7	52,8	19 800	16 500	14 300		80,7	52,4	18 200				14,0
15,2	76,4	52,4	19 500	16 300	14 200	12 400	79,3	52,0	18 000	15 300			15,2
16,0	75,4	52,2	19 200	16 100	14 100	12 300	78,4	51,8	17 800	15 100			16,0
16,8	74,5	52,0	19 000	16 000	13 800	12 200	77,4	51,6	17 600	15 000	13 100	11 600	16,8
18,0	73,1	51,6	18 700	15 700	13 600	12 100	76,0	51,2	17 400	14 900	13 000	11 600	18,0
18,3	72,8	51,5	18 600	15 700	13 600	12 000	75,7	51,1	17 300	14 800	13 000	11 500	18,3
19,8	71,0	50,9	18 300	15 400	13 400	11 900	73,9	50,5	17 000	14 600	12 800	11 400	19,8
20,0	70,8	50,9	18 200	15 400	13 400	11 800	73,7	50,5	16 900	14 600	12 800	11 400	20,0
22,0	68,4	50,1	17 700	15 000	13 100	11 600	71,3	49,7	16 500	14 400	12 600	11 300	22,0
24,0	66,0	49,2	17 300	14 700	12 900	11 400	68,8	48,7	16 100	14 200	12 500	11 100	24,0
26,0	63,5	48,1	16 800	14 400	12 600	11 300	66,3	47,7	15 300	14 000	12 300	11 000	26,0
28,0	60,9	47,0	16 300	14 100	12 400	11 100	63,7	46,6	14 500	13 800	12 200	10 900	28,0
30,0	58,3	45,8	15 900	13 900	12 200	10 900	61,1	45,3	13 700	13 600	12 000	10 800	30,0
32,0	55,6	44,4	15 000	13 600	12 000	10 800	58,4	43,9	13 100	13 000	11 900	10 700	32,0
36,0	49,9	41,1	12 400	11 900	11 300	10 500	52,6	40,6	11 900	11 900	11 500	10 500	36,0
40,0	43,7	37,2	10 300	9 900	9 600	9 200	46,3	36,6	10 600	10 200	9 800	9 400	40,0
42,7	38,9	33,8	9 200	8 900	8 600	8 300	41,4	33,2	9 400	9 100	8 800	8 500	42,7
44,0	36,6	32,1	8 700	8 400	8 100	7 800	39,0	31,5	8 800	8 500	8 300	8 000	44,0
47,2	29,5	26,6	7 500	7 300	7 100	6 900	32,0	26,0	7 700	7 400	7 200	7 000	47,2
48,0	27,9	25,3	7 300	7 100	6 800	6 600							48,0
50,3	21,3	19,9	6 600	6 400	6 200	6 100							50,3

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	80,5	50,7	14 700				16,8
18,0	79,0	50,3	14 200				18,0
18,3	78,6	50,2	14 000	13 900	12 400		18,3
19,8	76,8	49,7	13 500	13 300	12 300	11 000	19,8
20,0	76,6	49,6	13 400	13 300	12 300	11 000	20,0
22,0	74,1	48,8	12 700	12 600	12 200	10 900	22,0
24,0	71,6	47,8	12 100	12 000	11 800	10 900	24,0
26,0	69,1	46,8	11 500	11 400	11 300	10 800	26,0
28,0	66,5	45,6	11 100	11 000	10 800	10 600	28,0
30,0	63,8	44,3	10 600	10 500	10 400	10 200	30,0
32,0	61,0	42,9	10 200	10 100	10 000	9 900	32,0
36,0	55,1	39,5	9 600	9 500	9 400	9 300	36,0
40,0	48,5	35,4	9 000	8 900	8 900	8 800	40,0
42,7	43,6	32,0	8 700	8 700	8 600	8 600	42,7
44,0							44,0
47,2							47,2
48,0							48,0
50,3							50,3

# MLC250 S-1




67 860 kg  
+  
0 kg





		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,4	56,3	20 400										12,2
13,7	78,8	56,0	20 000	16 600	14 300								13,7
14,0	78,4	55,9	19 900	16 600	14 300								14,0
15,2	77,1	55,6	19 600	16 300	14 100	12 400	79,9	55,2	18 100	15 300			15,2
16,0	76,3	55,4	19 400	16 200	14 000	12 300	79,1	55,0	17 900	15 200			16,0
16,8	75,4	55,1	19 200	16 000	13 900	12 200	78,2	54,7	17 800	15 100	13 100		16,8
18,0	74,1	54,8	18 800	15 800	13 700	12 100	76,9	54,4	17 500	14 900	13 000		18,0
18,3	73,8	54,7	18 800	15 800	13 700	12 100	76,5	54,3	17 400	14 900	13 000	11 500	18,3
19,8	72,1	54,2	18 400	15 500	13 500	11 900	74,9	53,8	17 100	14 700	12 900	11 400	19,8
20,0	71,9	54,1	18 400	15 500	13 400	11 900	74,6	53,7	17 100	14 700	12 900	11 400	20,0
22,0	69,7	53,4	17 900	15 200	13 200	11 700	72,4	53,0	16 700	14 500	12 700	11 300	22,0
24,0	67,4	52,5	17 500	14 800	13 000	11 500	70,1	52,1	16 300	14 300	12 500	11 200	24,0
26,0	65,1	51,6	17 000	14 600	12 700	11 300	67,8	51,1	15 800	14 100	12 400	11 100	26,0
28,0	62,7	50,5	16 600	14 300	12 500	11 200	65,4	50,1	15 000	13 900	12 200	11 000	28,0
30,0	60,3	49,4	16 100	14 000	12 300	11 000	62,9	48,9	14 200	13 700	12 100	10 900	30,0
32,0	57,8	48,1	14 700	13 800	12 100	10 900	60,4	47,6	13 600	13 500	12 000	10 800	32,0
36,0	52,6	45,1	12 200	11 600	11 100	10 400	55,2	44,6	12 300	12 000	11 400	10 600	36,0
40,0	47,0	41,6	10 100	9 700	9 300	8 900	49,5	41,0	10 400	10 000	9 600	9 200	40,0
44,0	40,8	37,2	8 500	8 100	7 800	7 500	43,2	36,6	8 700	8 300	8 000	7 700	44,0
44,2	40,5	36,9	8 400	8 100	7 800	7 500	42,8	36,3	8 600	8 300	8 000	7 700	44,2
48,0	33,6	31,6	7 100	6 800	6 600	6 400	35,9	30,9	7 200	7 000	6 700	6 500	48,0
48,8	31,9	30,1	6 900	6 600	6 400	6 200	34,3	29,6	7 000	6 800	6 500	6 300	48,8
51,8	25,1	24,3	6 000	5 800	5 600	5 400							51,8

# MLC250 S-1




67 860 kg  
+  
0 kg





		 25°					
		 0°    1°    2°    3°					
		 kg					
		 m				 m	
		 °					
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,3	53,4	14 300	14 100			18,3
19,8	77,6	52,9	13 700	13 600	12 300	11 000	19,8
20,0	77,4	52,8	13 600	13 500	12 300	11 000	20,0
22,0	75,1	52,1	13 000	12 800	12 200	10 900	22,0
24,0	72,8	51,2	12 400	12 200	12 000	10 900	24,0
26,0	70,4	50,2	11 800	11 700	11 500	10 800	26,0
28,0	68,0	49,1	11 300	11 200	11 100	10 800	28,0
30,0	65,5	47,9	10 900	10 800	10 600	10 500	30,0
32,0	62,9	46,6	10 500	10 400	10 300	10 100	32,0
36,0	57,5	43,6	9 800	9 700	9 600	9 500	36,0
40,0	51,7	39,8	9 300	9 200	9 100	9 000	40,0
44,0	45,2	35,2	8 800	8 500	8 200	7 900	44,0
44,2	44,8	35,0	8 800	8 400	8 100	7 800	44,2
48,0							48,0
48,8							48,8
51,8							51,8

# MLC250 S-1




67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,9	59,4	20 500	16 700									12,2
13,7	79,4	59,1	20 100	16 600									13,7
14,0	79,1	59,0	20 000	16 600									14,0
15,2	77,8	58,7	19 700	16 400	14 100	12 400	80,4	58,3	18 100				15,2
16,0	77,0	58,5	19 500	16 200	14 000	12 300	79,6	58,1	18 000				16,0
16,8	76,2	58,3	19 300	16 100	13 900	12 200	78,8	57,9	17 800	15 100	13 100		16,8
18,0	75,0	58,0	19 000	15 900	13 700	12 100	77,6	57,6	17 600	15 000	13 000		18,0
18,3	74,6	57,9	18 900	15 800	13 700	12 100	77,3	57,5	17 500	14 900	13 000	11 500	18,3
19,8	73,1	57,4	18 500	15 600	13 500	11 900	75,7	57,0	17 200	14 800	12 900	11 400	19,8
20,0	72,9	57,3	18 500	15 600	13 500	11 900	75,5	56,9	17 200	14 700	12 900	11 400	20,0
21,3	71,5	56,9	18 200	15 400	13 300	11 800	74,1	56,5	17 000	14 600	12 800	11 400	21,3
22,0	70,8	56,6	18 100	15 300	13 300	11 700	73,4	56,2	16 800	14 500	12 700	11 300	22,0
24,0	68,7	55,8	17 700	15 000	13 000	11 600	71,2	55,4	16 500	14 300	12 600	11 200	24,0
26,0	66,5	54,9	17 300	14 700	12 800	11 400	69,0	54,5	16 100	14 200	12 400	11 100	26,0
28,0	64,3	54,0	16 800	14 400	12 600	11 200	66,8	53,5	15 500	14 000	12 300	11 000	28,0
30,0	62,0	52,9	16 000	14 200	12 400	11 100	64,5	52,4	14 700	13 800	12 200	10 900	30,0
32,0	59,7	51,7	14 600	13 800	12 200	10 900	62,2	51,2	14 000	13 600	12 100	10 800	32,0
36,0	54,9	49,0	12 000	11 400	10 900	10 300	57,4	48,5	12 400	11 800	11 200	10 500	36,0
40,0	49,8	45,7	10 000	9 500	9 100	8 600	52,2	45,2	10 200	9 800	9 300	8 900	40,0
44,0	44,3	41,8	8 300	7 900	7 600	7 300	46,6	41,2	8 500	8 200	7 800	7 500	44,0
47,2	39,3	37,9	7 200	6 900	6 600	6 300	41,5	37,3	7 400	7 100	6 800	6 500	47,2
48,0	38,1	37,0	6 900	6 700	6 400	6 100	40,3	36,3	7 100	6 800	6 600	6 300	48,0
51,8	31,1	31,1	5 800	5 600	5 400	5 200	33,2	30,4	6 000	5 700	5 500	5 300	51,8
52,0	30,8	30,8	5 800	5 600	5 300	5 100							52,0
54,9	24,3	25,0	5 000	4 900	4 700	4 500							54,9

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		0°					
		1°					
		2°					
		3°					
		kg					
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,9	56,6	14 500	14 100			18,3
19,8	78,3	56,1	13 900	13 800	12 300		19,8
20,0	78,1	56,0	13 900	13 700	12 300		20,0
21,3	76,7	55,6	13 400	13 300	12 300	10 900	21,3
22,0	76,0	55,3	13 200	13 100	12 200	10 900	22,0
24,0	73,8	54,5	12 600	12 500	12 200	10 900	24,0
26,0	71,6	53,6	12 100	12 000	11 700	10 800	26,0
28,0	69,3	52,6	11 600	11 500	11 300	10 800	28,0
30,0	67,0	51,5	11 200	11 100	10 900	10 700	30,0
32,0	64,6	50,2	10 700	10 700	10 500	10 400	32,0
36,0	59,7	47,4	10 100	10 000	9 900	9 700	36,0
40,0	54,4	44,1	9 500	9 400	9 300	9 100	40,0
44,0	48,6	40,0	8 700	8 400	8 000	7 700	44,0
47,2	43,3	35,9	7 500	7 200	6 900	6 700	47,2
48,0							48,0
51,8							51,8
52,0							52,0
54,9							54,9

# MLC250 S-1






67 860 kg  
+  
0 kg



			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	79,9	62,2	20 100	16 700									13,7
14,0	79,6	62,1	20 000	16 600									14,0
15,2	78,4	61,9	19 700	16 400	14 100		80,9	61,5	18 100				15,2
16,0	77,7	61,7	19 500	16 300	14 000		80,2	61,3	18 000				16,0
16,8	76,9	61,5	19 300	16 100	13 900	12 200	79,4	61,1	17 900	15 100			16,8
18,0	75,7	61,2	19 100	15 900	13 800	12 100	78,2	60,7	17 700	15 000			18,0
18,3	75,4	61,1	19 000	15 900	13 700	12 100	77,9	60,6	17 600	14 900	13 000	11 600	18,3
19,8	74,0	60,6	18 700	15 700	13 500	12 000	76,4	60,2	17 300	14 800	12 900	11 500	19,8
20,0	73,8	60,6	18 600	15 600	13 500	11 900	76,2	60,1	17 300	14 800	12 900	11 400	20,0
21,3	72,5	60,1	18 300	15 400	13 400	11 800	74,9	59,7	17 100	14 600	12 800	11 400	21,3
22,0	71,8	59,9	18 200	15 300	13 300	11 800	74,2	59,5	16 900	14 600	12 700	11 300	22,0
24,0	69,8	59,1	17 800	15 000	13 100	11 600	72,2	58,7	16 600	14 400	12 600	11 200	24,0
26,0	67,7	58,3	17 400	14 800	12 900	11 400	70,2	57,9	16 300	14 200	12 500	11 100	26,0
28,0	65,7	57,4	17 000	14 500	12 700	11 300	68,1	56,9	15 900	14 000	12 300	11 000	28,0
30,0	63,6	56,4	15 900	14 300	12 500	11 100	66,0	55,9	15 200	13 900	12 200	10 900	30,0
32,0	61,4	55,3	14 300	13 500	12 300	11 000	63,8	54,8	14 500	13 700	12 100	10 900	32,0
36,0	57,0	52,7	11 700	11 100	10 500	10 000	59,3	52,2	12 100	11 500	10 900	10 300	36,0
40,0	52,3	49,7	9 700	9 200	8 700	8 300	54,6	49,2	10 000	9 500	9 000	8 600	40,0
44,0	47,2	46,2	8 000	7 600	7 300	6 900	49,5	45,6	8 300	7 900	7 500	7 200	44,0
48,0	41,7	41,9	6 700	6 400	6 100	5 800	43,9	41,3	6 900	6 600	6 300	6 000	48,0
48,8	40,5	40,9	6 400	6 100	5 900	5 600	42,6	40,2	6 600	6 300	6 100	5 800	48,8
52,0	35,5	36,6	5 500	5 300	5 000	4 800	37,5	35,9	5 700	5 400	5 200	4 900	52,0
54,9	30,2	31,7	4 800	4 600	4 400	4 200	32,2	31,1	4 900	4 700	4 500	4 300	54,9
56,0	28,0	29,8	4 500	4 300	4 100	4 000							56,0
57,9	23,7	25,6	4 100	3 900	3 800	3 600							57,9




# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,5	59,8	14 700				18,3
19,8	79,0	59,3	14 100	14 000	12 300		19,8
20,0	78,8	59,2	14 100	13 900	12 300		20,0
21,3	77,4	58,8	13 600	13 500	12 300	10 900	21,3
22,0	76,7	58,5	13 400	13 300	12 200	10 900	22,0
24,0	74,7	57,8	12 800	12 700	12 200	10 900	24,0
26,0	72,6	56,9	12 300	12 200	12 000	10 800	26,0
28,0	70,4	56,0	11 800	11 700	11 500	10 800	28,0
30,0	68,3	54,9	11 400	11 300	11 100	10 800	30,0
32,0	66,1	53,8	11 000	10 900	10 700	10 600	32,0
36,0	61,5	51,2	10 300	10 200	10 100	10 000	36,0
40,0	56,6	48,1	9 700	9 600	9 300	8 900	40,0
44,0	51,4	44,4	8 500	8 100	7 800	7 400	44,0
48,0	45,6	39,9	7 100	6 700	6 400	6 100	48,0
48,8	44,4	39,0	6 800	6 500	6 200	5 900	48,8
52,0							52,0
54,9							54,9
56,0							56,0
57,9							57,9

# MLC250 S-1






67 860 kg  
+  
0 kg




		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	80,4	65,3	20 100										13,7	
14,0	80,1	65,2	20 000										14,0	
15,2	79,0	65,0	19 800	16 400	14 100								15,2	
16,0	78,3	64,8	19 600	16 300	14 000								16,0	
16,8	77,5	64,6	19 400	16 100	13 900	12 200	80,0	64,2	17 900	15 100			16,8	
18,0	76,4	64,3	19 100	16 000	13 800	12 100	78,8	63,9	17 700	15 000			18,0	
18,3	76,1	64,2	19 100	15 900	13 700	12 100	78,5	63,8	17 700	14 900	13 000		18,3	
19,8	74,7	63,8	18 700	15 700	13 600	12 000	77,1	63,4	17 400	14 800	12 900	11 400	19,8	
20,0	74,6	63,7	18 700	15 700	13 500	11 900	76,9	63,3	17 400	14 800	12 900	11 400	20,0	
21,3	73,3	63,3	18 400	15 500	13 400	11 800	75,7	62,9	17 200	14 600	12 800	11 400	21,3	
22,0	72,7	63,1	18 300	15 400	13 300	11 800	75,0	62,7	17 000	14 600	12 700	11 300	22,0	
22,9	71,8	62,8	18 100	15 300	13 200	11 700	74,2	62,4	16 900	14 500	12 700	11 300	22,9	
24,0	70,8	62,4	17 900	15 100	13 100	11 600	73,1	62,0	16 700	14 400	12 600	11 200	24,0	
26,0	68,9	61,6	17 600	14 900	12 900	11 500	71,2	61,2	16 400	14 200	12 500	11 100	26,0	
28,0	66,9	60,7	17 100	14 600	12 700	11 300	69,2	60,3	16 100	14 100	12 400	11 000	28,0	
30,0	64,9	59,8	15 700	14 400	12 600	11 200	67,2	59,3	15 600	13 900	12 300	10 900	30,0	
32,0	62,9	58,7	14 100	13 300	12 400	11 000	65,2	58,3	14 600	13 800	12 100	10 900	32,0	
36,0	58,7	56,4	11 500	10 900	10 300	9 700	61,0	55,9	12 000	11 300	10 700	10 100	36,0	
40,0	54,4	53,6	9 500	9 000	8 500	8 000	56,6	53,1	9 800	9 300	8 800	8 300	40,0	
44,0	49,8	50,3	7 800	7 400	7 000	6 700	51,9	49,8	8 100	7 700	7 300	6 900	44,0	
48,0	44,8	46,5	6 500	6 200	5 800	5 500	46,9	45,9	6 700	6 400	6 100	5 700	48,0	
51,8	39,5	42,0	5 400	5 100	4 900	4 600	41,5	41,4	5 600	5 300	5 000	4 800	51,8	
52,0	39,3	41,8	5 300	5 100	4 800	4 600	41,3	41,1	5 500	5 200	5 000	4 700	52,0	
56,0	33,0	36,0	4 300	4 100	3 900	3 700	34,9	35,3	4 500	4 300	4 100	3 900	56,0	
57,9	29,3	32,4	3 900	3 700	3 600	3 400	31,3	31,9	4 000	3 800	3 700	3 500	57,9	
60,0	25,3	28,4	3 500	3 300	3 200	3 000							60,0	
61,0	23,1	26,2	3 300	3 100	3 000	2 800							61,0	

# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,9	62,9	14 800				18,3
19,8	79,5	62,5	14 300	14 000			19,8
20,0	79,3	62,4	14 300	14 000			20,0
21,3	78,1	62,0	13 900	13 700	12 200		21,3
22,0	77,4	61,8	13 600	13 500	12 200		22,0
22,9	76,5	61,4	13 400	13 200	12 200	10 900	22,9
24,0	75,5	61,0	13 100	12 900	12 200	10 900	24,0
26,0	73,5	60,2	12 500	12 400	12 100	10 800	26,0
28,0	71,5	59,3	12 100	11 900	11 700	10 800	28,0
30,0	69,4	58,4	11 600	11 500	11 300	10 800	30,0
32,0	67,4	57,3	11 200	11 100	10 900	10 800	32,0
36,0	63,1	54,9	10 500	10 400	10 300	10 200	36,0
40,0	58,6	52,0	9 900	9 600	9 100	8 700	40,0
44,0	53,8	48,6	8 400	8 000	7 600	7 200	44,0
48,0	48,6	44,6	6 900	6 600	6 300	5 900	48,0
51,8	43,1	39,9	5 700	5 400	5 200	4 900	51,8
52,0							52,0
56,0							56,0
57,9							57,9
60,0							60,0
61,0							61,0

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,8	68,4	20 100										13,7
14,0	80,6	68,3	20 100										14,0
15,2	79,5	68,1	19 800	16 400									15,2
16,0	78,8	67,9	19 600	16 300									16,0
16,8	78,1	67,7	19 400	16 100	13 900		80,4	67,3	17 900				16,8
18,0	77,1	67,5	19 200	16 000	13 700		79,3	67,0	17 700				18,0
18,3	76,8	67,4	19 100	15 900	13 700	12 100	79,1	66,9	17 700	14 900			18,3
19,8	75,5	67,0	18 800	15 700	13 600	11 900	77,7	66,5	17 500	14 800	12 900	11 400	19,8
20,0	75,3	66,9	18 800	15 700	13 500	11 900	77,6	66,5	17 500	14 800	12 900	11 400	20,0
21,3	74,1	66,5	18 500	15 500	13 400	11 800	76,4	66,1	17 200	14 700	12 800	11 300	21,3
22,0	73,5	66,3	18 400	15 400	13 300	11 800	75,8	65,9	17 100	14 600	12 700	11 300	22,0
22,9	72,7	66,0	18 200	15 300	13 200	11 700	74,9	65,6	17 000	14 500	12 700	11 300	22,9
24,0	71,7	65,6	18 000	15 100	13 100	11 600	73,9	65,2	16 800	14 400	12 600	11 200	24,0
26,0	69,9	64,9	17 700	14 900	13 000	11 500	72,1	64,4	16 500	14 300	12 500	11 100	26,0
28,0	68,0	64,1	17 100	14 700	12 800	11 300	70,2	63,6	16 200	14 100	12 400	11 000	28,0
30,0	66,2	63,2	15 500	14 300	12 600	11 200	68,3	62,7	15 800	14 000	12 300	11 000	30,0
32,0	64,2	62,2	13 900	13 000	12 200	11 100	66,4	61,7	14 500	13 500	12 200	10 900	32,0
36,0	60,3	60,0	11 300	10 600	10 000	9 400	62,5	59,5	11 800	11 100	10 400	9 800	36,0
40,0	56,3	57,4	9 300	8 700	8 200	7 700	58,4	56,9	9 700	9 100	8 600	8 100	40,0
44,0	52,0	54,3	7 600	7 200	6 800	6 400	54,0	53,8	7 900	7 500	7 100	6 700	44,0
48,0	47,4	50,8	6 300	5 900	5 600	5 200	49,4	50,2	6 500	6 200	5 800	5 500	48,0
52,0	42,4	46,6	5 100	4 800	4 600	4 300	44,4	46,0	5 300	5 000	4 800	4 500	52,0
53,3	40,6	44,9	4 800	4 500	4 300	4 000	42,5	44,2	5 000	4 700	4 400	4 200	53,3
56,0	36,9	41,5	4 100	3 900	3 700	3 500	38,8	40,8	4 300	4 100	3 800	3 600	56,0
59,4	31,4	36,1	3 400	3 200	3 000	2 800	33,3	35,4	3 500	3 300	3 100	2 900	59,4
60,0	30,5	35,2	3 300	3 100	2 900	2 700							60,0
64,0	22,5	26,8	2 500	2 400	2 200	2 100							64,0

# MLC250 S-1







67 860 kg  
+  
0 kg




		25°					
		0°					
		1°					
		2°					
		3°					
		kg					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,0	65,6	14 500				19,8
20,0	79,8	65,6	14 400				20,0
21,3	78,6	65,2	14 000	13 900	12 200		21,3
22,0	78,0	65,0	13 800	13 700	12 200		22,0
22,9	77,2	64,6	13 600	13 400	12 200	10 900	22,9
24,0	76,2	64,3	13 300	13 100	12 200	10 900	24,0
26,0	74,3	63,5	12 700	12 600	12 100	10 800	26,0
28,0	72,4	62,7	12 300	12 200	11 900	10 800	28,0
30,0	70,5	61,7	11 800	11 700	11 500	10 800	30,0
32,0	68,5	60,7	11 400	11 300	11 200	10 800	32,0
36,0	64,5	58,5	10 700	10 600	10 500	10 100	36,0
40,0	60,3	55,8	10 000	9 400	8 900	8 400	40,0
44,0	55,9	52,7	8 200	7 800	7 300	6 900	44,0
48,0	51,2	49,0	6 800	6 400	6 000	5 700	48,0
52,0	46,0	44,6	5 500	5 200	4 900	4 600	52,0
53,3	44,1	42,9	5 100	4 800	4 600	4 300	53,3
56,0							56,0
59,4							59,4
60,0							60,0
64,0							64,0

# MLC250 S-1





		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	79,9	71,2	19 800	16 300									15,2	
16,0	79,3	71,1	19 600	16 200									16,0	
16,8	78,6	70,9	19 400	16 100	13 900		80,9	70,5	17 900				16,8	
18,0	77,6	70,6	19 200	15 900	13 700		79,8	70,2	17 700				18,0	
18,3	77,4	70,5	19 100	15 900	13 700	12 000	79,6	70,1	17 700	14 900			18,3	
19,8	76,1	70,1	18 800	15 700	13 500	11 900	78,3	69,7	17 500	14 800	12 800		19,8	
20,0	75,9	70,1	18 800	15 700	13 500	11 900	78,1	69,7	17 500	14 800	12 800		20,0	
21,3	74,8	69,7	18 600	15 500	13 400	11 800	77,0	69,3	17 300	14 700	12 800	11 300	21,3	
22,0	74,2	69,5	18 400	15 400	13 300	11 800	76,4	69,1	17 200	14 600	12 700	11 300	22,0	
22,9	73,5	69,2	18 300	15 300	13 200	11 700	75,6	68,8	17 100	14 500	12 700	11 200	22,9	
24,0	72,5	68,9	18 100	15 200	13 100	11 600	74,7	68,4	16 900	14 400	12 600	11 200	24,0	
26,0	70,8	68,2	17 700	14 900	13 000	11 500	72,9	67,7	16 600	14 300	12 500	11 100	26,0	
28,0	69,0	67,4	17 000	14 700	12 800	11 300	71,2	66,9	16 300	14 100	12 400	11 000	28,0	
30,0	67,3	66,5	15 300	14 100	12 600	11 200	69,4	66,1	15 700	14 000	12 300	11 000	30,0	
32,0	65,5	65,6	13 700	12 800	11 900	11 100	67,5	65,1	14 300	13 300	12 200	10 900	32,0	
36,0	61,8	63,5	11 100	10 400	9 700	9 100	63,8	63,0	11 600	10 900	10 200	9 500	36,0	
40,0	57,9	61,1	9 100	8 500	8 000	7 500	60,0	60,6	9 500	8 900	8 300	7 800	40,0	
44,0	53,9	58,2	7 400	7 000	6 500	6 100	55,9	57,7	7 800	7 300	6 900	6 400	44,0	
48,0	49,7	54,9	6 100	5 700	5 300	5 000	51,6	54,4	6 400	6 000	5 600	5 300	48,0	
52,0	45,2	51,1	4 900	4 600	4 300	4 000	47,1	50,5	5 200	4 800	4 500	4 300	52,0	
56,0	40,2	46,6	3 900	3 700	3 500	3 200	42,0	45,9	4 100	3 900	3 600	3 400	56,0	
56,4	39,7	46,0	3 900	3 600	3 400	3 200	41,5	45,4	4 100	3 800	3 600	3 300	56,4	
60,0	34,7	41,1	3 100	2 900	2 700	2 500	36,4	40,3	3 200	3 000	2 800	2 600	60,0	
62,5	30,6	36,8	2 600	2 500	2 300	2 100	32,4	36,2	2 700	2 600	2 400	2 200	62,5	
64,0	28,2	34,2	2 400	2 200	2 000	1 900							64,0	
65,5	25,1	30,8	2 100	1 900	1 800								65,5	
67,1	22,0	27,3	1 800										67,1	

# MLC250 S-1






67 860 kg  
+  
0 kg



		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,5	68,8	14 700				19,8
20,0	80,3	68,7	14 600				20,0
21,3	79,2	68,3	14 200	13 900			21,3
22,0	78,6	68,1	14 000	13 800			22,0
22,9	77,8	67,8	13 700	13 600	12 100	10 800	22,9
24,0	76,8	67,5	13 400	13 300	12 100	10 800	24,0
26,0	75,0	66,8	12 900	12 800	12 100	10 800	26,0
28,0	73,2	66,0	12 500	12 400	12 000	10 800	28,0
30,0	71,4	65,1	12 000	11 900	11 700	10 700	30,0
32,0	69,6	64,1	11 700	11 500	11 300	10 700	32,0
36,0	65,8	62,0	10 900	10 900	10 500	9 900	36,0
40,0	61,9	59,5	9 900	9 300	8 700	8 200	40,0
44,0	57,7	56,6	8 100	7 600	7 100	6 700	44,0
48,0	53,4	53,2	6 600	6 200	5 800	5 500	48,0
52,0	48,7	49,2	5 400	5 000	4 700	4 400	52,0
56,0	43,5	44,5	4 300	4 000	3 800	3 500	56,0
56,4	43,0	43,9	4 200	3 900	3 700	3 400	56,4
60,0							60,0
62,5							62,5
64,0							64,0
65,5							65,5
67,1							67,1


# MLC250 S-1





		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,4	74,3	19 700										15,2	
16,0	79,8	74,2	19 600										16,0	
16,8	79,1	74,0	19 400	16 100									16,8	
18,0	78,2	73,7	19 200	15 900									18,0	
18,3	77,9	73,7	19 100	15 900	13 700	12 000	80,0	73,2	17 700				18,3	
19,8	76,7	73,3	18 800	15 700	13 500	11 900	78,8	72,9	17 500	14 800	12 800		19,8	
20,0	76,6	73,2	18 800	15 700	13 500	11 900	78,6	72,8	17 500	14 700	12 800		20,0	
21,3	75,5	72,9	18 600	15 500	13 400	11 800	77,6	72,4	17 300	14 600	12 700	11 300	21,3	
22,0	74,9	72,7	18 500	15 400	13 300	11 700	77,0	72,3	17 200	14 600	12 700	11 200	22,0	
22,9	74,2	72,4	18 300	15 300	13 200	11 700	76,2	72,0	17 100	14 500	12 600	11 200	22,9	
24,0	73,3	72,1	18 100	15 200	13 100	11 600	75,3	71,6	16 900	14 400	12 600	11 200	24,0	
24,4	73,0	71,9	18 100	15 100	13 100	11 600	75,0	71,5	16 900	14 400	12 600	11 100	24,4	
26,0	71,6	71,4	17 800	15 000	13 000	11 400	73,7	70,9	16 700	14 300	12 500	11 100	26,0	
28,0	70,0	70,7	17 000	14 700	12 800	11 300	72,0	70,2	16 400	14 200	12 400	11 000	28,0	
30,0	68,3	69,8	15 100	13 900	12 600	11 200	70,3	69,4	15 600	14 000	12 300	10 900	30,0	
32,0	66,6	69,0	13 500	12 500	11 600	10 800	68,6	68,5	14 100	13 100	12 100	10 800	32,0	
36,0	63,1	67,0	10 900	10 100	9 400	8 800	65,0	66,5	11 400	10 600	9 900	9 200	36,0	
40,0	59,4	64,7	8 800	8 200	7 700	7 100	61,4	64,2	9 300	8 600	8 100	7 500	40,0	
44,0	55,7	62,0	7 200	6 700	6 200	5 800	57,6	61,5	7 500	7 000	6 600	6 100	44,0	
48,0	51,7	58,9	5 800	5 400	5 000	4 700	53,6	58,4	6 100	5 700	5 300	5 000	48,0	
52,0	47,5	55,4	4 700	4 300	4 000	3 700	49,4	54,8	4 900	4 600	4 300	4 000	52,0	
56,0	43,0	51,3	3 700	3 400	3 200	2 900	44,8	50,6	3 900	3 600	3 400	3 100	56,0	
57,9	40,7	48,9	3 300	3 000	2 800	2 600	42,4	48,3	3 500	3 200	3 000	2 700	57,9	
60,0	38,1	46,4	2 800	2 600	2 400	2 200	39,8	45,7	3 000	2 800	2 600	2 300	60,0	
62,5	34,6	42,7	2 400	2 200	2 000	1 800	36,3	41,9	2 500	2 300	2 100	1 900	62,5	
64,0	32,5	40,5	2 100	1 900			34,1	39,7	2 200	2 000	1 800		64,0	
65,5	30,1	37,8	1 800				31,7	37,0	1 900	1 800			65,5	



# MLC250 S-1





67 860 kg  
+  
0 kg





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,9	71,9	14 800				19,8
20,0	80,7	71,9	14 800				20,0
21,3	79,6	71,5	14 400	13 900			21,3
22,0	79,1	71,3	14 200	13 800			22,0
22,9	78,3	71,0	13 900	13 700	12 100		22,9
24,0	77,4	70,7	13 600	13 500	12 100		24,0
24,4	77,1	70,5	13 500	13 400	12 100	10 800	24,4
26,0	75,7	70,0	13 100	13 000	12 000	10 800	26,0
28,0	74,0	69,2	12 700	12 500	12 000	10 700	28,0
30,0	72,3	68,4	12 200	12 100	11 900	10 700	30,0
32,0	70,5	67,5	11 800	11 700	11 500	10 700	32,0
36,0	66,9	65,5	11 100	10 900	10 300	9 600	36,0
40,0	63,2	63,1	9 700	9 000	8 400	7 900	40,0
44,0	59,4	60,4	7 900	7 400	6 900	6 400	44,0
48,0	55,3	57,2	6 400	6 000	5 600	5 200	48,0
52,0	51,0	53,6	5 100	4 800	4 500	4 200	52,0
56,0	46,3	49,3	4 100	3 800	3 500	3 300	56,0
57,9	43,9	46,9	3 600	3 400	3 100	2 900	57,9
60,0							60,0
62,5							62,5
64,0							64,0
65,5							65,5

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,8	77,4	19 700										15,2
16,0	80,2	77,3	19 500										16,0
16,8	79,6	77,1	19 400	16 000									16,8
18,0	78,6	76,9	19 200	15 900									18,0
18,3	78,4	76,8	19 100	15 800	13 600		80,4	76,4	17 600				18,3
19,8	77,3	76,4	18 800	15 600	13 500	11 800	79,2	76,0	17 500	14 700			19,8
20,0	77,1	76,4	18 800	15 600	13 400	11 800	79,1	75,9	17 400	14 700			20,0
21,3	76,1	76,0	18 600	15 500	13 300	11 700	78,1	75,6	17 300	14 600	12 700		21,3
22,0	75,5	75,9	18 500	15 400	13 300	11 700	77,5	75,4	17 200	14 500	12 600		22,0
22,9	74,8	75,6	18 300	15 300	13 200	11 600	76,8	75,1	17 100	14 500	12 600	11 200	22,9
24,0	74,0	75,3	18 100	15 200	13 100	11 600	76,0	74,8	17 000	14 400	12 500	11 100	24,0
24,4	73,7	75,1	18 100	15 100	13 100	11 500	75,6	74,7	16 900	14 400	12 500	11 100	24,4
26,0	72,4	74,6	17 800	14 900	12 900	11 400	74,4	74,2	16 700	14 300	12 400	11 000	26,0
28,0	70,8	73,9	16 800	14 700	12 800	11 300	72,8	73,5	16 500	14 100	12 300	11 000	28,0
30,0	69,2	73,1	14 900	13 700	12 400	11 200	71,1	72,7	15 500	14 000	12 200	10 900	30,0
32,0	67,6	72,3	13 300	12 300	11 300	10 500	69,5	71,8	13 900	12 900	11 900	10 800	32,0
36,0	64,2	70,4	10 700	9 900	9 200	8 500	66,1	69,9	11 200	10 400	9 600	8 900	36,0
40,0	60,8	68,2	8 600	8 000	7 400	6 900	62,7	67,7	9 100	8 400	7 800	7 300	40,0
44,0	57,2	65,7	7 000	6 500	6 000	5 500	59,1	65,2	7 300	6 800	6 300	5 900	44,0
48,0	53,5	62,8	5 600	5 200	4 800	4 400	55,4	62,3	5 900	5 500	5 100	4 700	48,0
52,0	49,6	59,5	4 500	4 100	3 800	3 500	51,4	59,0	4 700	4 400	4 000	3 700	52,0
56,0	45,5	55,7	3 500	3 200	2 900	2 700	47,2	55,1	3 700	3 400	3 100	2 900	56,0
60,0	41,0	51,3	2 600	2 400	2 200	1 900	42,7	50,6	2 800	2 600	2 300	2 100	60,0
61,0	39,8	50,0	2 500	2 200	2 000	1 800	41,5	49,4	2 600	2 400	2 200	2 000	61,0
62,5	37,9	48,0	2 200	2 000			39,5	47,3	2 300	2 100	1 900		62,5
64,0	36,0	46,1	1 900				37,6	45,3	2 000	1 800			64,0
65,5							35,5	43,0	1 800				65,5

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°						
		67 860 kg + 0 kg						
	m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2								15,2
16,0								16,0
16,8								16,8
18,0								18,0
18,3								18,3
19,8								19,8
20,0								20,0
21,3	80,1	74,7		14 500				21,3
22,0	79,5	74,5		14 300				22,0
22,9	78,8	74,2		14 100	13 800	12 100		22,9
24,0	77,9	73,9		13 800	13 600	12 000		24,0
24,4	77,6	73,7		13 700	13 500	12 000	10 700	24,4
26,0	76,3	73,2		13 300	13 200	12 000	10 700	26,0
28,0	74,7	72,5		12 800	12 700	12 000	10 700	28,0
30,0	73,0	71,7		12 400	12 300	11 900	10 700	30,0
32,0	71,4	70,8		12 000	11 900	11 700	10 700	32,0
36,0	68,0	68,9		11 300	10 900	10 100	9 400	36,0
40,0	64,5	66,7		9 500	8 800	8 200	7 600	40,0
44,0	60,8	64,1		7 700	7 200	6 700	6 200	44,0
48,0	57,0	61,1		6 200	5 800	5 400	5 000	48,0
52,0	53,0	57,7		5 000	4 600	4 300	3 900	52,0
56,0	48,7	53,8		3 900	3 600	3 300	3 100	56,0
60,0	44,0	49,2		3 000	2 700	2 500	2 300	60,0
61,0	42,8	48,0		2 800	2 500	2 300	2 100	61,0
62,5								62,5
64,0								64,0
65,5								65,5

# MLC250 S-1





67 860 kg  
+  
0 kg







		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	80,0	80,2	19 300										16,8
18,0	79,1	80,0	19 100										18,0
18,3	78,9	79,9	19 100	15 700	13 500		80,8	79,5	17 600				18,3
19,8	77,7	79,6	18 800	15 600	13 400	11 800	79,7	79,1	17 400	14 700			19,8
20,0	77,6	79,5	18 800	15 600	13 400	11 800	79,5	79,1	17 400	14 600			20,0
21,3	76,6	79,2	18 600	15 400	13 300	11 700	78,5	78,7	17 300	14 500	12 600		21,3
22,0	76,1	79,0	18 400	15 300	13 200	11 600	78,0	78,6	17 200	14 500	12 600		22,0
22,9	75,4	78,8	18 300	15 200	13 100	11 600	77,3	78,3	17 100	14 400	12 600	11 100	22,9
24,0	74,6	78,5	18 100	15 100	13 100	11 500	76,5	78,0	17 000	14 400	12 500	11 100	24,0
24,4	74,3	78,3	18 100	15 100	13 000	11 500	76,2	77,9	16 900	14 300	12 500	11 100	24,4
25,9	73,2	77,9	17 800	14 900	12 900	11 400	75,1	77,4	16 800	14 200	12 400	11 000	25,9
26,0	73,1	77,8	17 800	14 900	12 900	11 400	75,0	77,4	16 700	14 200	12 400	11 000	26,0
28,0	71,6	77,2	16 600	14 600	12 800	11 300	73,5	76,7	16 500	14 100	12 300	10 900	28,0
30,0	70,0	76,4	14 700	13 500	12 200	11 100	71,9	76,0	15 400	13 800	12 200	10 900	30,0
32,0	68,5	75,6	13 100	12 000	11 000	10 100	70,3	75,1	13 700	12 600	11 600	10 700	32,0
36,0	65,3	73,8	10 500	9 600	8 900	8 200	67,1	73,3	11 000	10 200	9 400	8 600	36,0
40,0	62,0	71,7	8 400	7 800	7 100	6 600	63,9	71,2	8 900	8 200	7 600	7 000	40,0
44,0	58,7	69,4	6 700	6 200	5 700	5 200	60,5	68,8	7 100	6 600	6 100	5 600	44,0
48,0	55,2	66,6	5 400	4 900	4 500	4 100	56,9	66,1	5 700	5 300	4 900	4 500	48,0
52,0	51,5	63,5	4 200	3 900	3 500	3 200	53,2	63,0	4 500	4 200	3 800	3 500	52,0
56,0	47,6	60,0	3 300	3 000	2 700	2 400	49,3	59,4	3 500	3 200	2 900	2 600	56,0
59,4	44,1	56,5	2 500	2 300	2 000	1 800	45,7	55,9	2 700	2 500	2 200	2 000	59,4
60,0	43,5	55,9	2 400	2 200			45,2	55,3	2 600	2 400	2 100		60,0
61,0	42,4	54,8	2 200	2 000			44,1	54,1	2 400	2 200	1 900		61,0
62,5	40,8	53,1	1 900				42,3	52,3	2 100	1 900			62,5
64,0							40,6	50,5	1 800				64,0

# MLC250 S-1






67 860 kg  
+  
0 kg





m	°	m	kg				m
			0°	1°	2°	3°	
			kg	kg	kg	kg	
16,8						16,8	
18,0						18,0	
18,3						18,3	
19,8						19,8	
20,0						20,0	
21,3	80,4	77,8	14 700			21,3	
22,0	79,9	77,6	14 500			22,0	
22,9	79,3	77,4	14 200	13 800		22,9	
24,0	78,4	77,0	13 900	13 700		24,0	
24,4	78,1	76,9	13 800	13 700	12 000	24,4	
25,9	76,9	76,4	13 500	13 400	12 000	10 700	
26,0	76,9	76,4	13 500	13 300	12 000	10 700	
28,0	75,3	75,7	13 000	12 900	11 900	10 600	
30,0	73,7	75,0	12 600	12 500	11 900	10 600	
32,0	72,2	74,1	12 200	12 100	11 900	10 600	
36,0	68,9	72,3	11 400	10 700	9 900	9 100	
40,0	65,6	70,2	9 300	8 600	8 000	7 400	
44,0	62,1	67,8	7 500	7 000	6 400	5 900	
48,0	58,5	65,0	6 000	5 600	5 200	4 700	
52,0	54,8	61,8	4 800	4 400	4 100	3 700	
56,0	50,8	58,1	3 700	3 400	3 100	2 800	
59,4	47,1	54,5	2 900	2 700	2 400	2 100	
60,0	46,5	53,9	2 800	2 500	2 300	2 000	
61,0	45,4	52,8	2 600	2 300	2 100	1 900	
62,5	43,7	50,9	2 300	2 000	1 800		
64,0							

# MLC250 S-1





	5°			15°			
	m	°	m	kg	°	m	
16,8	80,4	83,3	19 200				16,8
18,0	79,5	83,1	19 000				18,0
19,8	78,2	82,7	18 700	80,1	82,3	17 400	19,8
20,0	78,1	82,7	18 700	79,9	82,2	17 400	20,0
21,3	77,1	82,3	18 500	79,0	81,9	17 200	21,3
22,0	76,6	82,2	18 400	78,5	81,7	17 200	22,0
24,0	75,2	81,6	18 100	77,0	81,2	17 000	24,0
26,0	73,7	81,0	17 800	75,6	80,6	16 800	26,0
28,0	72,3	80,4	16 400	74,1	79,9	16 400	28,0
30,0	70,8	79,7	14 500	72,6	79,2	15 200	30,0
32,0	69,3	78,9	12 900	71,1	78,4	13 500	32,0
36,0	66,3	77,2	10 300	68,1	76,7	10 800	36,0
40,0	63,2	75,2	8 200	64,9	74,7	8 700	40,0
44,0	60,0	72,9	6 500	61,7	72,4	7 000	44,0
48,0	56,7	70,4	5 200	58,4	69,8	5 500	48,0
52,0	53,2	67,4	4 000	54,9	66,9	4 300	52,0
56,0	49,6	64,1	3 100	51,2	63,6	3 300	56,0
60,0	45,8	60,4	2 200	47,4	59,7	2 400	60,0
61,0	44,8	59,4	2 000	46,4	58,7	2 300	61,0
62,5				44,8	57,1	1 900	62,5
64,0							64,0

# MLC250 S-1




67 860 kg  
+  
0 kg



25°				
0°				
m	°	m	kg	m
16,8				16,8
18,0				18,0
19,8				19,8
20,0				20,0
21,3	80,8	80,9	14 800	21,3
22,0	80,3	80,8	14 600	22,0
24,0	78,9	80,2	14 100	24,0
26,0	77,4	79,6	13 600	26,0
28,0	75,9	78,9	13 200	28,0
30,0	74,4	78,2	12 800	30,0
32,0	72,9	77,4	12 400	32,0
36,0	69,8	75,7	11 300	36,0
40,0	66,6	73,7	9 200	40,0
44,0	63,3	71,3	7 400	44,0
48,0	59,9	68,7	5 900	48,0
52,0	56,4	65,7	4 600	52,0
56,0	52,7	62,3	3 600	56,0
60,0	48,7	58,4	2 600	60,0
61,0	47,7	57,3	2 400	61,0
62,5	46,1	55,6	2 100	62,5
64,0	44,4	53,9	1 800	64,0

REFERENCE ONLY!


# MLC250 S-1




67 860 kg  
+  
0 kg



360°



27,4 m





18,3 m



			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	80,4	47,3	17 700										10,7
12,0	78,7	47,0	17 300										12,0
12,2	78,4	46,9	17 200	14 200	12 100								12,2
13,7	76,5	46,5	16 700	13 900	11 900	10 400	80,5	46,2	15 400				13,7
14,0	76,1	46,5	16 600	13 800	11 800	10 400	80,2	46,1	15 300				14,0
15,2	74,5	46,1	16 300	13 600	11 700	10 200	78,6	45,7	15 000	12 900	11 100		15,2
16,0	73,5	45,8	16 000	13 400	11 600	10 200	77,5	45,5	14 800	12 800	11 100		16,0
16,8	72,4	45,6	15 800	13 300	11 400	10 100	76,4	45,2	14 600	12 600	11 000	9 700	16,8
18,0	70,8	45,1	15 400	13 000	11 200	9 900	74,8	44,7	14 300	12 400	10 900	9 600	18,0
18,3	70,4	45,0	15 300	13 000	11 200	9 900	74,4	44,6	14 200	12 400	10 800	9 600	18,3
19,8	68,4	44,4	14 800	12 700	11 000	9 700	72,4	44,0	13 900	12 100	10 700	9 500	19,8
20,0	68,1	44,3	14 800	12 700	11 000	9 700	72,1	43,9	13 900	12 100	10 700	9 400	20,0
22,0	65,3	43,4	14 300	12 300	10 700	9 500	69,3	43,0	13 400	11 800	10 400	9 300	22,0
24,0	62,5	42,3	13 800	12 000	10 500	9 300	66,4	41,9	12 700	11 500	10 200	9 200	24,0
26,0	59,6	41,1	13 300	11 600	10 300	9 100	63,5	40,7	11 800	11 200	10 100	9 000	26,0
28,0	56,6	39,8	12 900	11 300	10 000	9 000	60,4	39,3	11 100	10 900	9 900	8 900	28,0
30,0	53,4	38,2	12 500	11 000	9 800	8 800	57,2	37,8	10 500	10 400	9 700	8 800	30,0
32,0	50,1	36,6	11 900	10 700	9 600	8 700	53,9	36,1	9 900	9 900	9 500	8 600	32,0
36,0	43,0	32,5	10 500	10 200	9 200	8 400	46,6	32,0	9 000	8 900	8 800	8 400	36,0
39,6	35,4	27,7	9 600	9 400	8 900	8 200	38,9	27,0	8 300	8 300	8 200	8 100	39,6
40,0	34,6	27,2	9 500	9 400	8 900	8 100	38,1	26,5	8 200	8 200	8 100	8 100	40,0
42,7	27,3	22,0	8 900	8 800	8 600	8 000	31,0	21,6	7 800	7 800	7 800	7 700	42,7
44,0	23,6	19,4	8 600	8 500	8 500	8 000							44,0
44,2	22,9	18,9	8 500	8 500	8 400	8 000							44,2



# MLC250 S-1




67 860 kg  
+  
0 kg



		 25°					
		 0°    1°    2°    3°					
		 kg    kg    kg    kg					
		 m    °    m    kg    kg    kg    kg    m					
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8	80,6	44,4	12 200				16,8
18,0	78,9	43,9	11 700				18,0
18,3	78,5	43,8	11 600	11 400	10 400		18,3
19,8	76,4	43,1	11 000	10 800	10 200	9 200	19,8
20,0	76,1	43,0	10 900	10 800	10 200	9 100	20,0
22,0	73,3	42,1	10 200	10 100	9 900	9 100	22,0
24,0	70,3	41,0	9 700	9 600	9 400	9 000	24,0
26,0	67,3	39,7	9 100	9 000	8 900	8 800	26,0
28,0	64,2	38,3	8 700	8 600	8 500	8 400	28,0
30,0	60,9	36,8	8 300	8 200	8 100	8 000	30,0
32,0	57,5	35,0	8 000	7 900	7 800	7 700	32,0
36,0	49,9	30,7	7 300	7 300	7 200	7 200	36,0
39,6	41,9	25,6	6 900	6 900	6 800	6 800	39,6
40,0							40,0
42,7							42,7
44,0							44,0
44,2							44,2


# MLC250 S-1




67 860 kg  
+  
0 kg



360°





30,5 m



18,3 m


			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
10,7	81,0	50,4	17 800										10,7
12,0	79,4	50,1	17 400										12,0
12,2	79,2	50,1	17 300	14 300									12,2
13,7	77,4	49,7	16 900	14 000	11 900	10 500							13,7
14,0	77,0	49,6	16 800	13 900	11 900	10 400							14,0
15,2	75,5	49,3	16 400	13 700	11 700	10 300	79,3	48,9	15 100	12 900			15,2
16,0	74,6	49,0	16 200	13 500	11 600	10 200	78,3	48,7	14 900	12 800			16,0
16,8	73,6	48,8	16 000	13 400	11 500	10 100	77,3	48,4	14 700	12 700	11 000	9 700	16,8
18,0	72,1	48,4	15 600	13 200	11 400	10 000	75,8	48,0	14 500	12 500	10 900	9 600	18,0
18,3	71,7	48,3	15 500	13 100	11 300	10 000	75,4	47,9	14 400	12 500	10 900	9 600	18,3
19,8	69,8	47,7	15 100	12 800	11 100	9 800	73,5	47,3	14 100	12 200	10 700	9 500	19,8
20,0	69,6	47,6	15 000	12 800	11 100	9 800	73,3	47,2	14 000	12 200	10 700	9 500	20,0
22,0	67,0	46,7	14 500	12 500	10 900	9 600	70,7	46,3	13 600	11 900	10 500	9 300	22,0
24,0	64,4	45,8	14 000	12 200	10 600	9 400	68,1	45,3	13 100	11 600	10 300	9 200	24,0
26,0	61,7	44,7	13 600	11 800	10 400	9 200	65,3	44,2	12 300	11 400	10 200	9 100	26,0
28,0	58,9	43,4	13 200	11 500	10 200	9 100	62,6	43,0	11 600	11 100	10 000	9 000	28,0
30,0	56,1	42,1	12 800	11 200	10 000	8 900	59,7	41,6	11 000	10 800	9 800	8 900	30,0
32,0	53,1	40,5	12 400	11 000	9 800	8 800	56,7	40,1	10 400	10 300	9 600	8 700	32,0
36,0	46,8	37,0	11 200	10 500	9 400	8 500	50,3	36,4	9 400	9 400	9 200	8 500	36,0
40,0	39,7	32,4	10 000	10 000	9 100	8 300	43,1	31,8	8 600	8 600	8 500	8 300	40,0
41,2	37,3	30,7	9 800	9 700	9 000	8 200	40,6	30,1	8 400	8 400	8 300	8 200	41,2
44,0	31,2	26,4	9 100	9 000	8 700	8 100	34,4	25,7	8 000	8 000	7 900	7 900	44,0
44,2	30,7	26,0	9 100	9 000	8 700	8 000	33,9	25,3	8 000	7 900	7 900	7 900	44,2
47,2	22,1	19,4	8 200	8 000	7 800	7 600							47,2

# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
10,7							10,7
12,0							12,0
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	79,3	47,0	11 800	11 600			18,3
19,8	77,4	46,4	11 200	11 100	10 300	9 200	19,8
20,0	77,1	46,3	11 100	11 000	10 300	9 200	20,0
22,0	74,5	45,4	10 500	10 400	10 100	9 100	22,0
24,0	71,8	44,4	9 900	9 800	9 600	9 000	24,0
26,0	69,0	43,3	9 400	9 300	9 200	8 900	26,0
28,0	66,1	42,0	9 000	8 900	8 700	8 600	28,0
30,0	63,2	40,6	8 600	8 500	8 400	8 200	30,0
32,0	60,1	39,0	8 200	8 100	8 000	7 900	32,0
36,0	53,5	35,3	7 600	7 500	7 500	7 400	36,0
40,0	46,0	30,4	7 100	7 100	7 000	7 000	40,0
41,2	43,5	28,8	7 000	6 900	6 900	6 900	41,2
44,0							44,0
44,2							44,2
47,2							47,2

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,8	53,2	17 400	14 300									12,2
13,7	78,1	52,8	17 000	14 000									13,7
14,0	77,8	52,8	16 900	14 000	12 000								14,0
15,2	76,4	52,4	16 600	13 800	11 800	10 300	79,9	52,0	15 200	13 000			15,2
16,0	75,5	52,2	16 400	13 600	11 700	10 300	79,0	51,8	15 000	12 900			16,0
16,8	74,6	52,0	16 200	13 500	11 600	10 200	78,1	51,6	14 800	12 800	11 100		16,8
18,0	73,2	51,6	15 800	13 300	11 400	10 000	76,7	51,2	14 600	12 600	10 900		18,0
18,3	72,8	51,5	15 700	13 200	11 400	10 000	76,3	51,1	14 500	12 500	10 900	9 700	18,3
19,8	71,1	51,0	15 300	13 000	11 200	9 900	74,6	50,5	14 200	12 300	10 800	9 500	19,8
20,0	70,8	50,9	15 300	12 900	11 200	9 900	74,3	50,5	14 200	12 300	10 800	9 500	20,0
21,3	69,3	50,4	15 000	12 700	11 000	9 700	72,8	49,9	13 900	12 100	10 700	9 400	21,3
22,0	68,4	50,1	14 800	12 600	10 900	9 700	71,9	49,7	13 800	12 000	10 600	9 400	22,0
24,0	66,0	49,2	14 300	12 300	10 700	9 500	69,5	48,7	13 400	11 800	10 400	9 300	24,0
26,0	63,5	48,1	13 900	12 000	10 500	9 300	67,0	47,7	12 800	11 500	10 300	9 200	26,0
28,0	61,0	47,0	13 400	11 700	10 300	9 200	64,4	46,6	12 100	11 300	10 100	9 100	28,0
30,0	58,4	45,8	13 100	11 400	10 100	9 000	61,8	45,3	11 400	11 000	9 900	8 900	30,0
32,0	55,7	44,4	12 700	11 200	9 900	8 900	59,0	43,9	10 800	10 800	9 800	8 800	32,0
36,0	50,0	41,2	11 900	10 700	9 600	8 600	53,3	40,6	9 800	9 800	9 500	8 600	36,0
40,0	43,7	37,2	10 600	10 100	9 200	8 300	47,0	36,6	9 000	9 000	8 900	8 400	40,0
44,0	36,6	32,1	9 000	8 700	8 500	8 100	39,7	31,5	8 300	8 300	8 200	8 200	44,0
44,2	36,2	31,8	9 000	8 700	8 400	8 100	39,3	31,1	8 300	8 300	8 200	8 100	44,2
47,2	29,6	26,6	7 900	7 700	7 500	7 200	32,6	26,0	7 900	7 800	7 600	7 400	47,2
48,0	27,9	25,4	7 700	7 400	7 200	7 000							48,0
50,3	21,4	20,0	7 000	6 800	6 600	6 400							50,3

# MLC250 S-1




67 860 kg  
+  
0 kg





















		25°					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3	80,0	50,2	12 000	11 700			18,3
19,8	78,2	49,6	11 400	11 300	10 300		19,8
20,0	77,9	49,6	11 400	11 200	10 300		20,0
21,3	76,3	49,0	11 000	10 800	10 200	9 200	21,3
22,0	75,5	48,7	10 700	10 600	10 200	9 100	22,0
24,0	73,0	47,8	10 200	10 100	9 800	9 000	24,0
26,0	70,4	46,7	9 700	9 600	9 400	9 000	26,0
28,0	67,8	45,6	9 200	9 100	9 000	8 800	28,0
30,0	65,1	44,3	8 800	8 700	8 600	8 500	30,0
32,0	62,3	42,8	8 500	8 400	8 300	8 100	32,0
36,0	56,4	39,5	7 800	7 800	7 700	7 600	36,0
40,0	49,8	35,3	7 300	7 300	7 200	7 200	40,0
44,0	42,2	29,9	6 900	6 900	6 900	6 800	44,0
44,2	41,8	29,6	6 900	6 900	6 800	6 800	44,2
47,2							47,2
48,0							48,0
50,3							50,3

# MLC250 S-1






67 860 kg  
+  
0 kg




		5°						15°						
														
														
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
12,2	80,4	56,3	17 500										12,2	
13,7	78,8	56,0	17 100	14 100	12 000								13,7	
14,0	78,5	55,9	17 000	14 000	12 000								14,0	
15,2	77,2	55,6	16 700	13 800	11 800	10 400	80,5	55,2	15 300				15,2	
16,0	76,3	55,4	16 500	13 700	11 700	10 300	79,7	55,0	15 100				16,0	
16,8	75,4	55,2	16 300	13 500	11 600	10 200	78,8	54,7	14 900	12 800	11 100		16,8	
18,0	74,1	54,8	16 000	13 300	11 500	10 100	77,5	54,4	14 700	12 600	11 000		18,0	
18,3	73,8	54,7	15 900	13 300	11 400	10 000	77,1	54,3	14 600	12 600	11 000	9 700	18,3	
19,8	72,2	54,2	15 500	13 100	11 300	9 900	75,5	53,8	14 400	12 400	10 800	9 600	19,8	
20,0	71,9	54,1	15 500	13 100	11 300	9 900	75,3	53,7	14 300	12 400	10 800	9 600	20,0	
21,3	70,5	53,6	15 200	12 900	11 100	9 800	73,8	53,2	14 100	12 200	10 700	9 500	21,3	
22,0	69,7	53,4	15 000	12 800	11 000	9 700	73,0	53,0	13 900	12 100	10 700	9 400	22,0	
24,0	67,4	52,5	14 500	12 500	10 800	9 500	70,7	52,1	13 600	11 900	10 500	9 300	24,0	
26,0	65,1	51,6	14 100	12 200	10 600	9 400	68,4	51,1	13 300	11 600	10 300	9 200	26,0	
28,0	62,8	50,5	13 700	11 900	10 400	9 200	66,0	50,1	12 500	11 400	10 200	9 100	28,0	
30,0	60,3	49,4	13 300	11 600	10 200	9 100	63,6	48,9	11 900	11 200	10 000	9 000	30,0	
32,0	57,9	48,1	13 000	11 300	10 000	9 000	61,1	47,6	11 300	11 000	9 900	8 900	32,0	
36,0	52,7	45,1	12 300	10 900	9 700	8 700	55,8	44,6	10 200	10 200	9 600	8 700	36,0	
40,0	47,1	41,6	10 500	10 100	9 400	8 500	50,1	41,0	9 400	9 300	9 200	8 500	40,0	
44,0	40,9	37,2	8 900	8 500	8 200	7 900	43,8	36,6	8 700	8 700	8 400	8 100	44,0	
45,7	37,8	34,8	8 300	8 000	7 700	7 400	40,7	34,1	8 300	8 100	7 900	7 600	45,7	
48,0	33,7	31,6	7 500	7 300	7 000	6 800	36,5	30,9	7 700	7 400	7 200	6 900	48,0	
50,3	28,5	27,2	6 800	6 600	6 400	6 200	31,5	26,7	7 000	6 700	6 500	6 300	50,3	
52,0	24,7	23,9	6 300	6 200	6 000	5 800							52,0	
53,3	20,8	20,5	6 000	5 800	5 700	5 500							53,3	

# MLC250 S-1





				 25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
								 m	
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3	80,6	53,4	12 200					18,3	
19,8	78,9	52,8	11 600	11 500	10 400			19,8	
20,0	78,7	52,8	11 600	11 400	10 300			20,0	
21,3	77,2	52,3	11 200	11 000	10 300	9 100		21,3	
22,0	76,4	52,0	11 000	10 800	10 200	9 100		22,0	
24,0	74,0	51,1	10 400	10 300	10 000	9 100		24,0	
26,0	71,6	50,1	9 900	9 800	9 600	9 000		26,0	
28,0	69,2	49,1	9 500	9 400	9 200	8 900		28,0	
30,0	66,7	47,9	9 100	9 000	8 800	8 700		30,0	
32,0	64,2	46,6	8 700	8 600	8 500	8 400		32,0	
36,0	58,8	43,5	8 100	8 000	7 900	7 800		36,0	
40,0	52,9	39,8	7 600	7 500	7 400	7 300		40,0	
44,0	46,4	35,1	7 100	7 100	7 000	7 000		44,0	
45,7	43,2	32,8	7 000	6 900	6 900	6 900		45,7	
48,0								48,0	
50,3								50,3	
52,0								52,0	
53,3								53,3	

# MLC250 S-1







67 860 kg  
+  
0 kg



			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,9	59,4	17 500										12,2
13,7	79,4	59,1	17 100	14 100									13,7
14,0	79,1	59,0	17 100	14 100									14,0
15,2	77,9	58,7	16 800	13 900	11 900	10 300	81,0	58,3	15 400				15,2
16,0	77,1	58,5	16 600	13 700	11 800	10 300	80,2	58,1	15 200				16,0
16,8	76,2	58,3	16 400	13 600	11 700	10 200	79,4	57,9	15 000	12 800			16,8
18,0	75,0	58,0	16 100	13 400	11 500	10 100	78,2	57,6	14 800	12 700			18,0
18,3	74,7	57,9	16 100	13 400	11 500	10 100	77,9	57,5	14 700	12 700	11 000	9 700	18,3
19,8	73,1	57,4	15 700	13 200	11 300	10 000	76,3	57,0	14 500	12 500	10 900	9 600	19,8
20,0	72,9	57,4	15 700	13 100	11 300	9 900	76,1	56,9	14 400	12 500	10 900	9 600	20,0
21,3	71,6	56,9	15 400	12 900	11 200	9 800	74,7	56,5	14 200	12 300	10 800	9 500	21,3
22,0	70,8	56,6	15 200	12 800	11 100	9 800	74,0	56,2	14 100	12 200	10 700	9 500	22,0
24,0	68,7	55,8	14 700	12 600	10 900	9 600	71,8	55,4	13 700	12 000	10 500	9 400	24,0
26,0	66,5	55,0	14 300	12 300	10 700	9 400	69,6	54,5	13 400	11 700	10 400	9 200	26,0
28,0	64,3	54,0	13 900	12 000	10 500	9 300	67,4	53,5	12 900	11 500	10 200	9 200	28,0
30,0	62,1	52,9	13 500	11 800	10 300	9 200	65,1	52,4	12 300	11 300	10 100	9 100	30,0
32,0	59,8	51,7	13 200	11 500	10 200	9 000	62,8	51,2	11 600	11 100	10 000	8 900	32,0
36,0	55,0	49,0	12 300	11 000	9 800	8 800	58,0	48,5	10 600	10 600	9 700	8 800	36,0
40,0	49,9	45,8	10 300	9 900	9 400	8 500	52,8	45,2	9 800	9 700	9 400	8 600	40,0
44,0	44,3	41,8	8 700	8 300	8 000	7 600	47,2	41,2	8 900	8 600	8 200	7 900	44,0
48,0	38,1	37,0	7 300	7 000	6 800	6 500	40,9	36,3	7 500	7 200	7 000	6 700	48,0
48,8	36,7	35,8	7 100	6 800	6 600	6 300	39,4	35,1	7 300	7 000	6 700	6 500	48,8
52,0	30,9	30,8	6 100	5 900	5 700	5 500	33,4	30,0	6 300	6 100	5 900	5 700	52,0
53,3	27,7	27,9	5 800	5 600	5 400	5 200	30,5	27,4	5 900	5 700	5 500	5 300	53,3
56,0	21,3	22,1	5 100	5 000	4 800	4 700							56,0
56,4	20,2	21,0	5 000	4 900	4 700	4 600							56,4




# MLC250 S-1





				25°					
				0° 1° 2° 3°					
				kg					
m	°	m	kg	kg	kg	kg	m		
12,2							12,2		
13,7							13,7		
14,0							14,0		
15,2							15,2		
16,0							16,0		
16,8							16,8		
18,0							18,0		
18,3							18,3		
19,8	79,5	56,0	11 800	11 700			19,8		
20,0	79,3	56,0	11 800	11 600			20,0		
21,3	77,9	55,5	11 400	11 200	10 300	9 200	21,3		
22,0	77,1	55,2	11 200	11 000	10 200	9 200	22,0		
24,0	75,0	54,4	10 600	10 500	10 100	9 100	24,0		
26,0	72,7	53,5	10 100	10 000	9 800	9 000	26,0		
28,0	70,5	52,5	9 700	9 600	9 400	9 000	28,0		
30,0	68,1	51,4	9 300	9 200	9 000	8 800	30,0		
32,0	65,8	50,2	8 900	8 800	8 700	8 600	32,0		
36,0	60,8	47,4	8 300	8 200	8 100	8 000	36,0		
40,0	55,5	44,0	7 800	7 700	7 600	7 500	40,0		
44,0	49,7	39,9	7 300	7 300	7 200	7 200	44,0		
48,0	43,1	34,8	7 000	6 900	6 900	6 800	48,0		
48,8	41,7	33,6	6 900	6 900	6 800	6 600	48,8		
52,0							52,0		
53,3							53,3		
56,0							56,0		
56,4							56,4		

# MLC250 S-1





67 860 kg  
+  
0 kg





		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
	m	°	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	79,9	62,2	17 200	14 100									13,7	
14,0	79,6	62,1	17 100	14 100									14,0	
15,2	78,5	61,9	16 800	13 900	11 800								15,2	
16,0	77,7	61,7	16 700	13 800	11 800								16,0	
16,8	76,9	61,5	16 500	13 600	11 700	10 200	80,0	61,1	15 100				16,8	
18,0	75,8	61,2	16 300	13 500	11 500	10 100	78,8	60,7	14 900	12 700	11 000		18,0	
18,3	75,5	61,1	16 200	13 400	11 500	10 100	78,5	60,6	14 800	12 700	11 000		18,3	
19,8	74,0	60,6	15 800	13 200	11 400	10 000	77,0	60,2	14 600	12 500	10 900	9 600	19,8	
20,0	73,8	60,6	15 800	13 200	11 300	10 000	76,8	60,1	14 500	12 500	10 900	9 600	20,0	
21,3	72,5	60,1	15 500	13 000	11 200	9 900	75,5	59,7	14 300	12 400	10 800	9 500	21,3	
22,0	71,8	59,9	15 300	12 900	11 100	9 800	74,8	59,5	14 200	12 300	10 700	9 500	22,0	
22,9	70,9	59,5	15 200	12 800	11 000	9 700	73,9	59,1	14 000	12 200	10 700	9 400	22,9	
24,0	69,8	59,1	14 900	12 700	10 900	9 600	72,8	58,7	13 800	12 100	10 600	9 400	24,0	
26,0	67,8	58,3	14 500	12 400	10 800	9 500	70,7	57,9	13 600	11 800	10 400	9 300	26,0	
28,0	65,7	57,4	14 100	12 100	10 600	9 400	68,6	56,9	13 200	11 600	10 300	9 200	28,0	
30,0	63,6	56,4	13 700	11 900	10 400	9 200	66,5	55,9	12 700	11 400	10 200	9 100	30,0	
32,0	61,5	55,3	13 400	11 700	10 200	9 100	64,4	54,8	12 000	11 200	10 000	9 000	32,0	
36,0	57,0	52,7	12 200	11 200	9 900	8 800	59,9	52,2	11 000	10 900	9 800	8 800	36,0	
40,0	52,3	49,8	10 100	9 700	9 200	8 600	55,1	49,2	10 100	10 000	9 400	8 600	40,0	
44,0	47,3	46,2	8 500	8 100	7 700	7 400	50,0	45,6	8 800	8 400	8 000	7 700	44,0	
48,0	41,8	41,9	7 100	6 800	6 500	6 200	44,4	41,3	7 400	7 100	6 800	6 500	48,0	
50,3	38,2	38,9	6 500	6 200	5 900	5 700	40,8	38,2	6 700	6 400	6 100	5 900	50,3	
52,0	35,5	36,6	6 000	5 700	5 500	5 300	38,1	35,9	6 200	5 900	5 700	5 400	52,0	
54,9	30,2	31,7	5 300	5 100	4 900	4 700	32,8	31,1	5 400	5 200	5 000	4 800	54,9	
56,0	28,1	29,8	5 000	4 800	4 600	4 400							56,0	
57,9	23,7	25,6	4 600	4 400	4 200	4 100							57,9	

# MLC250 S-1




67 860 kg  
+  
0 kg





				 25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8	80,1	59,2	12 000					19,8	
20,0	79,9	59,2	11 900					20,0	
21,3	78,5	58,7	11 500	11 400	10 300			21,3	
22,0	77,8	58,5	11 300	11 200	10 300			22,0	
22,9	76,9	58,1	11 100	11 000	10 200	9 100		22,9	
24,0	75,8	57,7	10 800	10 700	10 100	9 100		24,0	
26,0	73,7	56,8	10 300	10 200	10 000	9 000		26,0	
28,0	71,6	55,9	9 900	9 800	9 600	9 000		28,0	
30,0	69,4	54,9	9 500	9 400	9 200	8 900		30,0	
32,0	67,2	53,7	9 100	9 000	8 900	8 700		32,0	
36,0	62,6	51,1	8 500	8 400	8 300	8 200		36,0	
40,0	57,7	48,0	8 000	7 900	7 800	7 700		40,0	
44,0	52,5	44,3	7 500	7 500	7 400	7 300		44,0	
48,0	46,7	39,8	7 200	7 100	6 900	6 700		48,0	
50,3	43,0	36,8	6 800	6 600	6 300	6 000		50,3	
52,0								52,0	
54,9								54,9	
56,0								56,0	
57,9								57,9	

# MLC250 S-1





67 860 kg  
+  
0 kg






			5°				15°						
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
13,7	80,4	65,3	17 200										13,7
14,0	80,1	65,3	17 100										14,0
15,2	79,0	65,0	16 900	13 900									15,2
16,0	78,3	64,8	16 700	13 800									16,0
16,8	77,6	64,6	16 600	13 700	11 700	10 200							16,8
18,0	76,5	64,3	16 300	13 500	11 600	10 100	80,5	64,2	15 200				18,0
18,3	76,2	64,2	16 300	13 400	11 500	10 100	79,3	63,9	14 900	12 700			18,3
19,8	74,8	63,8	16 000	13 300	11 400	10 000	79,1	63,8	14 900	12 500	10 900	9 600	19,8
20,0	74,6	63,8	15 900	13 200	11 400	10 000	77,6	63,4	14 600	12 500	10 900	9 600	20,0
21,3	73,4	63,3	15 600	13 100	11 200	9 900	77,5	63,3	14 600	12 500	10 900	9 600	21,3
22,0	72,7	63,1	15 500	13 000	11 200	9 800	76,2	62,9	14 400	12 400	10 800	9 500	22,0
22,9	71,9	62,8	15 300	12 900	11 100	9 700	75,6	62,7	14 300	12 300	10 700	9 500	22,9
24,0	70,8	62,4	15 100	12 700	11 000	9 700	74,7	62,3	14 100	12 200	10 700	9 400	24,0
26,0	68,9	61,6	14 700	12 500	10 800	9 500	73,7	62,0	14 000	12 100	10 600	9 400	26,0
28,0	67,0	60,7	14 300	12 200	10 600	9 400	71,7	61,2	13 700	11 900	10 500	9 300	28,0
30,0	65,0	59,8	13 900	12 000	10 500	9 300	69,8	60,3	13 400	11 700	10 300	9 200	30,0
32,0	62,9	58,8	13 600	11 800	10 300	9 100	67,8	59,3	13 000	11 500	10 200	9 100	32,0
36,0	58,8	56,4	11 900	11 100	10 000	8 900	65,7	58,3	12 400	11 300	10 100	9 000	36,0
40,0	54,4	53,6	9 900	9 300	8 900	8 400	61,5	55,9	11 300	11 000	9 800	8 800	40,0
44,0	49,8	50,3	8 200	7 800	7 400	7 000	57,1	53,1	10 300	9 700	9 200	8 600	44,0
48,0	44,8	46,5	6 900	6 500	6 200	5 900	52,4	49,8	8 500	8 100	7 700	7 300	48,0
51,8	39,6	42,0	5 800	5 500	5 200	5 000	47,4	45,9	7 100	6 800	6 500	6 200	51,8
52,0	39,3	41,8	5 700	5 400	5 200	4 900	42,0	41,3	6 000	5 700	5 400	5 200	52,0
56,0	33,0	36,1	4 700	4 500	4 300	4 100	41,8	41,1	5 900	5 700	5 400	5 100	56,0
57,9	29,4	32,4	4 300	4 100	3 900	3 800	35,4	35,3	4 900	4 700	4 500	4 300	57,9
60,0	25,3	28,5	3 900	3 700	3 500	3 400	31,9	31,8	4 400	4 200	4 100	3 900	60,0
61,0	23,1	26,2	3 700	3 500	3 400	3 200							61,0










# MLC250 S-1



67 860 kg  
+  
0 kg





25°



							
 m	 °	 m	0°  kg	1°  kg	2°  kg	3°  kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,6	62,4	12 200				19,8
20,0	80,4	62,3	12 100				20,0
21,3	79,1	61,9	11 700	11 600			21,3
22,0	78,5	61,7	11 500	11 400			22,0
22,9	77,6	61,3	11 300	11 100	10 200	9 100	22,9
24,0	76,5	60,9	11 000	10 900	10 200	9 100	24,0
26,0	74,5	60,1	10 500	10 400	10 100	9 000	26,0
28,0	72,5	59,2	10 100	10 000	9 800	9 000	28,0
30,0	70,5	58,3	9 700	9 600	9 400	8 900	30,0
32,0	68,4	57,2	9 300	9 200	9 100	8 900	32,0
36,0	64,1	54,8	8 700	8 600	8 500	8 400	36,0
40,0	59,6	51,9	8 200	8 100	8 000	7 900	40,0
44,0	54,8	48,5	7 700	7 600	7 600	7 500	44,0
48,0	49,6	44,5	7 300	7 000	6 700	6 400	48,0
51,8	44,1	39,8	6 200	5 900	5 600	5 400	51,8
52,0							52,0
56,0							56,0
57,9							57,9
60,0							60,0
61,0							61,0

LIFTING CAPACITY ONLY!

# MLC250 S-1









67 860 kg  
+  
0 kg




		5°						15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
13,7	80,9	68,4	17 200										13,7	
14,0	80,6	68,4	17 200										14,0	
15,2	79,5	68,1	16 900	13 900									15,2	
16,0	78,9	67,9	16 800	13 800									16,0	
16,8	78,1	67,8	16 600	13 700	11 700		80,9	67,3	15 200				16,8	
18,0	77,1	67,5	16 400	13 500	11 600		79,8	67,0	15 000				18,0	
18,3	76,8	67,4	16 300	13 500	11 500	10 100	79,6	66,9	14 900	12 700			18,3	
19,8	75,5	67,0	16 000	13 300	11 400	10 000	78,2	66,5	14 700	12 600	10 900		19,8	
20,0	75,3	66,9	16 000	13 300	11 400	10 000	78,1	66,5	14 700	12 500	10 900		20,0	
21,3	74,2	66,5	15 700	13 100	11 200	9 900	76,9	66,1	14 500	12 400	10 800	9 500	21,3	
22,0	73,5	66,3	15 600	13 000	11 200	9 800	76,3	65,9	14 300	12 400	10 700	9 500	22,0	
22,9	72,7	66,0	15 400	12 900	11 100	9 800	75,4	65,6	14 200	12 300	10 700	9 400	22,9	
24,0	71,7	65,6	15 200	12 800	11 000	9 700	74,4	65,2	14 100	12 200	10 600	9 400	24,0	
24,4	71,4	65,5	15 100	12 700	11 000	9 700	74,1	65,0	14 000	12 100	10 600	9 400	24,4	
26,0	69,9	64,9	14 800	12 500	10 800	9 500	72,6	64,4	13 800	11 900	10 500	9 300	26,0	
28,0	68,1	64,1	14 400	12 300	10 700	9 400	70,7	63,6	13 500	11 800	10 400	9 200	28,0	
30,0	66,2	63,2	14 100	12 100	10 500	9 300	68,9	62,7	13 300	11 600	10 300	9 100	30,0	
32,0	64,3	62,2	13 800	11 900	10 400	9 200	66,9	61,7	12 800	11 400	10 100	9 000	32,0	
36,0	60,4	60,0	11 700	11 000	10 100	8 900	63,0	59,5	11 700	11 100	9 900	8 900	36,0	
40,0	56,3	57,4	9 700	9 100	8 600	8 100	58,9	56,9	10 100	9 500	9 000	8 500	40,0	
44,0	52,0	54,4	8 000	7 600	7 200	6 800	54,5	53,8	8 400	7 900	7 500	7 100	44,0	
48,0	47,4	50,8	6 700	6 300	6 000	5 600	49,9	50,2	7 000	6 600	6 300	5 900	48,0	
52,0	42,5	46,6	5 500	5 200	5 000	4 700	44,9	46,0	5 800	5 500	5 200	4 900	52,0	
54,9	38,5	43,0	4 800	4 600	4 300	4 100	40,9	42,3	5 000	4 800	4 500	4 300	54,9	
56,0	37,0	41,6	4 500	4 300	4 100	3 900	39,3	40,8	4 700	4 500	4 300	4 000	56,0	
60,0	30,6	35,3	3 700	3 500	3 300	3 100	32,8	34,4	3 800	3 600	3 500	3 300	60,0	
61,0	28,7	33,2	3 500	3 300	3 200	3 000	31,0	32,6	3 600	3 400	3 300	3 100	61,0	
64,0	22,6	26,8	2 900	2 800	2 600	2 500							64,0	


# MLC250 S-1





m	°	m					m			
			0°	1°	2°	3°				
			kg	kg	kg	kg				
13,7								13,7		
14,0								14,0		
15,2								15,2		
16,0								16,0		
16,8								16,8		
18,0								18,0		
18,3								18,3		
19,8	81,0	65,5	12 300					19,8		
20,0	80,8	65,5	12 300					20,0		
21,3	79,7	65,1	11 900	11 600				21,3		
22,0	79,0	64,9	11 700	11 500				22,0		
22,9	78,2	64,5	11 400	11 300	10 200			22,9		
24,0	77,2	64,2	11 200	11 000	10 200			24,0		
24,4	76,8	64,0	11 100	10 900	10 200	9 100		24,4		
26,0	75,3	63,4	10 700	10 600	10 100	9 000		26,0		
28,0	73,4	62,6	10 300	10 100	9 900	9 000		28,0		
30,0	71,5	61,6	9 900	9 800	9 600	8 900		30,0		
32,0	69,5	60,6	9 500	9 400	9 200	8 900		32,0		
36,0	65,5	58,4	8 900	8 800	8 700	8 500		36,0		
40,0	61,3	55,7	8 300	8 300	8 100	8 000		40,0		
44,0	56,9	52,5	7 900	7 800	7 700	7 400		44,0		
48,0	52,1	48,9	7 200	6 900	6 500	6 200		48,0		
52,0	46,9	44,5	6 000	5 700	5 400	5 100		52,0		
54,9	42,9	40,8	5 200	4 900	4 700	4 400		54,9		
56,0								56,0		
60,0								60,0		
61,0								61,0		
64,0								64,0		



# MLC250 S-1







67 860 kg  
+  
0 kg



		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,0	71,2	16 900	13 900									15,2	
16,0	79,3	71,1	16 800	13 800									16,0	
16,8	78,7	70,9	16 600	13 700	11 700								16,8	
18,0	77,7	70,6	16 400	13 500	11 600								18,0	
18,3	77,4	70,5	16 300	13 500	11 500	10 000	80,1	70,1	15 000				18,3	
19,8	76,1	70,1	16 100	13 300	11 400	9 900	78,8	69,7	14 700	12 600	10 900		19,8	
20,0	76,0	70,1	16 000	13 300	11 400	9 900	78,6	69,6	14 700	12 600	10 900		20,0	
21,3	74,9	69,7	15 800	13 100	11 200	9 900	77,5	69,3	14 500	12 400	10 800	9 500	21,3	
22,0	74,3	69,5	15 700	13 000	11 200	9 800	76,9	69,1	14 400	12 400	10 700	9 500	22,0	
22,9	73,5	69,2	15 500	12 900	11 100	9 700	76,1	68,8	14 300	12 300	10 700	9 400	22,9	
24,0	72,6	68,9	15 300	12 800	11 000	9 700	75,2	68,4	14 100	12 200	10 600	9 400	24,0	
24,4	72,2	68,7	15 200	12 700	11 000	9 600	74,8	68,3	14 100	12 200	10 600	9 300	24,4	
26,0	70,8	68,2	14 900	12 600	10 800	9 600	73,4	67,7	13 800	12 000	10 500	9 300	26,0	
28,0	69,1	67,4	14 600	12 400	10 700	9 400	71,6	66,9	13 600	11 800	10 400	9 200	28,0	
30,0	67,3	66,5	14 200	12 200	10 500	9 300	69,8	66,1	13 300	11 600	10 300	9 100	30,0	
32,0	65,5	65,6	13 900	12 000	10 400	9 200	68,0	65,1	13 100	11 500	10 200	9 100	32,0	
36,0	61,8	63,5	11 500	10 800	10 000	9 000	64,3	63,0	11 900	11 100	10 000	8 900	36,0	
40,0	58,0	61,1	9 500	8 900	8 300	7 800	60,4	60,5	9 900	9 300	8 800	8 200	40,0	
44,0	54,0	58,2	7 800	7 300	6 900	6 500	56,4	57,7	8 200	7 700	7 300	6 800	44,0	
48,0	49,7	54,9	6 400	6 100	5 700	5 400	52,1	54,4	6 800	6 400	6 000	5 700	48,0	
52,0	45,2	51,1	5 300	5 000	4 700	4 400	47,5	50,5	5 600	5 300	4 900	4 700	52,0	
56,0	40,3	46,6	4 300	4 100	3 800	3 600	42,5	45,9	4 500	4 300	4 000	3 800	56,0	
56,4	39,7	46,0	4 200	4 000	3 700	3 500	42,0	45,3	4 400	4 200	4 000	3 700	56,4	
60,0	34,7	41,1	3 500	3 300	3 100	2 900	36,9	40,3	3 600	3 400	3 200	3 000	60,0	
62,5	30,7	36,9	3 000	2 800	2 600	2 500	32,9	36,2	3 100	3 000	2 800	2 600	62,5	
64,0	28,2	34,2	2 700	2 600	2 400	2 200							64,0	
67,1	22,0	27,3	2 200	2 100	1 900	1 800							67,1	






# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,1	68,2	12 000				21,3
22,0	79,5	68,0	11 800				22,0
22,9	78,7	67,7	11 600	11 500	10 200		22,9
24,0	77,8	67,4	11 300	11 200	10 200		24,0
24,4	77,4	67,2	11 200	11 100	10 200	9 100	24,4
26,0	76,0	66,7	10 800	10 700	10 100	9 000	26,0
28,0	74,2	65,9	10 400	10 300	10 000	9 000	28,0
30,0	72,4	65,0	10 000	9 900	9 700	8 900	30,0
32,0	70,5	64,0	9 700	9 600	9 400	8 900	32,0
36,0	66,7	61,9	9 100	9 000	8 800	8 700	36,0
40,0	62,8	59,4	8 500	8 400	8 300	8 200	40,0
44,0	58,7	56,5	8 100	8 000	7 600	7 200	44,0
48,0	54,3	53,0	7 100	6 700	6 300	5 900	48,0
52,0	49,6	49,1	5 800	5 500	5 200	4 900	52,0
56,0	44,4	44,3	4 700	4 500	4 200	4 000	56,0
56,4	43,8	43,8	4 600	4 400	4 100	3 900	56,4
60,0							60,0
62,5							62,5
64,0							64,0
67,1							67,1

# MLC250 S-1





		5°						15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,4	74,3	16 900										15,2	
16,0	79,8	74,2	16 800										16,0	
16,8	79,2	74,0	16 600	13 700									16,8	
18,0	78,2	73,7	16 400	13 500									18,0	
18,3	77,9	73,7	16 400	13 500	11 500	9 900	80,5	73,2	15 000				18,3	
19,8	76,7	73,3	16 100	13 300	11 400	9 900	79,3	72,8	14 800	12 600			19,8	
20,0	76,6	73,3	16 100	13 300	11 400	9 900	79,1	72,8	14 700	12 500			20,0	
21,3	75,5	72,9	15 800	13 100	11 200	9 800	78,0	72,4	14 600	12 400	10 700	9 500	21,3	
22,0	75,0	72,7	15 700	13 000	11 200	9 800	77,5	72,2	14 500	12 400	10 700	9 400	22,0	
22,9	74,2	72,4	15 600	12 900	11 100	9 700	76,7	72,0	14 300	12 300	10 600	9 400	22,9	
24,0	73,3	72,1	15 400	12 800	11 000	9 700	75,8	71,6	14 200	12 200	10 600	9 300	24,0	
24,4	73,0	71,9	15 300	12 800	11 000	9 600	75,5	71,5	14 100	12 200	10 600	9 300	24,4	
26,0	71,7	71,4	15 000	12 600	10 900	9 500	74,1	70,9	13 900	12 100	10 500	9 300	26,0	
28,0	70,0	70,7	14 700	12 400	10 700	9 400	72,5	70,2	13 700	11 900	10 400	9 200	28,0	
30,0	68,3	69,9	14 400	12 200	10 600	9 300	70,8	69,4	13 400	11 700	10 300	9 100	30,0	
32,0	66,6	69,0	13 900	12 000	10 400	9 200	69,0	68,5	13 200	11 500	10 200	9 100	32,0	
36,0	63,1	67,0	11 300	10 500	9 800	9 000	65,5	66,5	11 900	11 000	10 000	8 900	36,0	
40,0	59,5	64,7	9 300	8 700	8 100	7 600	61,9	64,2	9 700	9 100	8 500	8 000	40,0	
44,0	55,7	62,0	7 600	7 100	6 700	6 200	58,1	61,5	8 000	7 500	7 000	6 600	44,0	
48,0	51,8	59,0	6 200	5 900	5 500	5 100	54,1	58,4	6 600	6 200	5 800	5 400	48,0	
52,0	47,6	55,4	5 100	4 800	4 500	4 200	49,8	54,8	5 400	5 100	4 700	4 400	52,0	
56,0	43,1	51,3	4 100	3 900	3 600	3 300	45,3	50,6	4 400	4 100	3 800	3 600	56,0	
59,4	38,8	47,1	3 400	3 200	2 900	2 700	41,0	46,4	3 600	3 400	3 100	2 900	59,4	
60,0	38,1	46,4	3 300	3 100	2 800	2 600	40,3	45,7	3 500	3 300	3 000	2 800	60,0	
64,0	32,5	40,5	2 500	2 400	2 200	2 000	34,6	39,6	2 700	2 500	2 300	2 100	64,0	
65,5	30,0	37,6	2 300	2 100	1 900	1 800	32,1	36,9	2 400	2 200	2 100	1 900	65,5	
67,1	27,4	34,7	2 000	1 900									67,1	
68,0	25,8	33,0	1 900										68,0	
68,6	24,7	31,7	1 800										68,6	

# MLC250 S-1







67 860 kg  
+  
0 kg







		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,6	71,4	12 100				21,3
22,0	80,0	71,2	11 900				22,0
22,9	79,2	70,9	11 700	11 500			22,9
24,0	78,3	70,6	11 500	11 300			24,0
24,4	78,0	70,4	11 400	11 200	10 100	9 100	24,4
26,0	76,6	69,9	11 000	10 900	10 100	9 000	26,0
28,0	74,9	69,1	10 600	10 500	10 000	8 900	28,0
30,0	73,2	68,3	10 200	10 100	9 900	8 900	30,0
32,0	71,4	67,4	9 900	9 700	9 600	8 900	32,0
36,0	67,8	65,4	9 200	9 100	9 000	8 800	36,0
40,0	64,1	63,0	8 700	8 600	8 500	8 300	40,0
44,0	60,3	60,3	8 200	7 900	7 400	7 000	44,0
48,0	56,2	57,1	6 900	6 500	6 100	5 700	48,0
52,0	51,8	53,4	5 700	5 300	5 000	4 700	52,0
56,0	47,1	49,1	4 600	4 300	4 000	3 800	56,0
59,4	42,7	44,8	3 800	3 500	3 300	3 100	59,4
60,0							60,0
64,0							64,0
65,5							65,5
67,1							67,1
68,0							68,0
68,6							68,6

# MLC250 S-1






		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
15,2	80,8	77,4	16 900										15,2	
16,0	80,2	77,3	16 700										16,0	
16,8	79,6	77,1	16 600	13 600									16,8	
18,0	78,7	76,9	16 400	13 500									18,0	
18,3	78,4	76,8	16 400	13 400	11 500		80,9	76,3	15 000				18,3	
19,8	77,3	76,4	16 100	13 300	11 300	9 800	79,7	76,0	14 800	12 500			19,8	
20,0	77,1	76,4	16 100	13 200	11 300	9 800	79,5	75,9	14 800	12 500			20,0	
21,3	76,1	76,0	15 900	13 100	11 200	9 800	78,5	75,6	14 600	12 400	10 700		21,3	
22,0	75,6	75,9	15 700	13 000	11 200	9 800	78,0	75,4	14 500	12 400	10 700		22,0	
22,9	74,9	75,6	15 600	12 900	11 100	9 700	77,3	75,1	14 400	12 300	10 600	9 400	22,9	
24,0	74,0	75,3	15 400	12 800	11 000	9 700	76,4	74,8	14 200	12 200	10 600	9 300	24,0	
24,4	73,7	75,1	15 400	12 800	11 000	9 600	76,1	74,7	14 200	12 200	10 600	9 300	24,4	
25,9	72,5	74,7	15 100	12 600	10 900	9 500	74,9	74,2	14 000	12 000	10 500	9 200	25,9	
26,0	72,4	74,6	15 100	12 600	10 900	9 500	74,8	74,2	14 000	12 000	10 500	9 200	26,0	
28,0	70,8	73,9	14 800	12 400	10 700	9 400	73,2	73,4	13 700	11 900	10 400	9 200	28,0	
30,0	69,2	73,1	14 500	12 200	10 600	9 300	71,6	72,7	13 500	11 700	10 300	9 100	30,0	
32,0	67,6	72,3	13 700	12 100	10 400	9 200	69,9	71,8	13 300	11 600	10 200	9 000	32,0	
36,0	64,3	70,4	11 100	10 300	9 500	8 800	66,6	69,9	11 600	10 800	9 900	8 900	36,0	
40,0	60,8	68,2	9 000	8 400	7 800	7 200	63,1	67,7	9 500	8 900	8 300	7 700	40,0	
44,0	57,3	65,7	7 300	6 800	6 400	5 900	59,5	65,2	7 800	7 300	6 800	6 300	44,0	
48,0	53,6	62,8	6 000	5 600	5 200	4 800	55,8	62,3	6 400	5 900	5 500	5 100	48,0	
52,0	49,7	59,5	4 800	4 500	4 200	3 800	51,9	58,9	5 100	4 800	4 500	4 100	52,0	
56,0	45,5	55,7	3 900	3 600	3 300	3 000	47,7	55,1	4 100	3 800	3 500	3 300	56,0	
60,0	41,0	51,3	3 000	2 800	2 500	2 300	43,1	50,6	3 200	3 000	2 800	2 500	60,0	
61,0	39,8	50,1	2 800	2 600	2 400	2 200	41,9	49,3	3 000	2 800	2 600	2 400	61,0	
62,5	37,9	48,1	2 500	2 300	2 100	1 900	40,0	47,3	2 700	2 500	2 300	2 100	62,5	
64,0	36,1	46,1	2 300	2 100	1 900		38,1	45,3	2 400	2 200	2 000	1 900	64,0	
65,5	34,0	43,8	2 000	1 800			35,9	42,9	2 200	2 000	1 800		65,5	
67,1							33,7	40,4	1 900				67,1	

# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
		0° 1° 2° 3°					
		kg					
m	°	m	kg	kg	kg	kg	m
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,9	74,5	12 300				21,3
22,0	80,4	74,4	12 100				22,0
22,9	79,7	74,1	11 900	11 500			22,9
24,0	78,8	73,8	11 600	11 400			24,0
24,4	78,5	73,6	11 500	11 300	10 100		24,4
25,9	77,3	73,1	11 200	11 000	10 100	9 000	25,9
26,0	77,2	73,1	11 200	11 000	10 100	9 000	26,0
28,0	75,6	72,4	10 700	10 600	10 000	8 900	28,0
30,0	73,9	71,6	10 400	10 300	9 900	8 900	30,0
32,0	72,2	70,7	10 000	9 900	9 700	8 900	32,0
36,0	68,8	68,8	9 400	9 300	9 100	8 800	36,0
40,0	65,3	66,6	8 900	8 800	8 600	8 100	40,0
44,0	61,7	64,0	8 200	7 700	7 200	6 700	44,0
48,0	57,9	61,0	6 700	6 300	5 900	5 500	48,0
52,0	53,8	57,6	5 400	5 100	4 700	4 400	52,0
56,0	49,5	53,6	4 400	4 100	3 800	3 500	56,0
60,0	44,8	49,0	3 400	3 200	2 900	2 700	60,0
61,0	43,6	47,8	3 200	3 000	2 700	2 500	61,0
62,5							62,5
64,0							64,0
65,5							65,5
67,1							67,1

# MLC250 S-1




		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
	m	°	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
16,8	80,0	80,2	16 600										16,8	
18,0	79,1	80,0	16 400										18,0	
18,3	78,9	79,9	16 300	13 400	11 400								18,3	
19,8	77,8	79,6	16 100	13 200	11 300	9 700	80,1	79,1	14 800				19,8	
20,0	77,6	79,5	16 000	13 200	11 300	9 700	80,0	79,1	14 800				20,0	
21,3	76,7	79,2	15 900	13 100	11 200	9 700	79,0	78,7	14 600	12 400	10 700		21,3	
22,0	76,1	79,0	15 700	13 000	11 100	9 700	78,5	78,6	14 500	12 300	10 600		22,0	
22,9	75,5	78,8	15 600	12 900	11 100	9 700	77,8	78,3	14 400	12 300	10 600	9 300	22,9	
24,0	74,6	78,5	15 500	12 800	11 000	9 600	76,9	78,0	14 300	12 200	10 500	9 300	24,0	
24,4	74,3	78,3	15 400	12 800	11 000	9 600	76,6	77,9	14 200	12 200	10 500	9 300	24,4	
25,9	73,2	77,9	15 200	12 600	10 800	9 500	75,5	77,4	14 000	12 100	10 400	9 200	25,9	
26,0	73,1	77,8	15 200	12 600	10 800	9 500	75,4	77,4	14 000	12 100	10 400	9 200	26,0	
28,0	71,6	77,2	14 900	12 400	10 700	9 400	73,9	76,7	13 800	11 900	10 400	9 200	28,0	
30,0	70,1	76,4	14 600	12 200	10 600	9 300	72,3	75,9	13 600	11 700	10 300	9 100	30,0	
32,0	68,5	75,6	13 500	12 100	10 400	9 200	70,8	75,1	13 400	11 600	10 200	9 000	32,0	
36,0	65,3	73,8	10 900	10 000	9 300	8 600	67,6	73,3	11 500	10 600	9 700	8 900	36,0	
40,0	62,1	71,7	8 800	8 100	7 500	7 000	64,3	71,2	9 300	8 700	8 000	7 400	40,0	
44,0	58,7	69,4	7 100	6 600	6 100	5 600	60,9	68,8	7 600	7 000	6 500	6 000	44,0	
48,0	55,2	66,7	5 800	5 300	4 900	4 500	57,4	66,1	6 200	5 700	5 300	4 900	48,0	
52,0	51,5	63,6	4 600	4 300	3 900	3 600	53,7	63,0	5 000	4 600	4 200	3 900	52,0	
56,0	47,7	60,0	3 600	3 300	3 100	2 800	49,8	59,4	3 900	3 600	3 300	3 000	56,0	
60,0	43,6	55,9	2 800	2 600	2 300	2 100	45,6	55,3	3 100	2 800	2 500	2 300	60,0	
61,0	42,5	54,8	2 600	2 400	2 100	1 900	44,5	54,1	2 900	2 600	2 400	2 100	61,0	
62,5	40,8	53,0	2 300	2 100	1 900		42,8	52,3	2 600	2 300	2 100	1 900	62,5	
64,0	39,1	51,2	2 100	1 900			41,0	50,5	2 300	2 100	1 800		64,0	
65,5	37,2	49,2	1 800				39,2	48,4	2 000	1 800			65,5	

# MLC250 S-1



134  
+  
B10



67 860 kg  
+  
0 kg







61,0 m

18,3 m

		25°					
		0°	1°	2°	3°		
m		m		kg		kg	
°							
m						m	
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,2	77,3	12 000				22,9
24,0	79,3	76,9	11 700				24,0
24,4	79,0	76,8	11 600	11 400	10 100		24,4
25,9	77,8	76,3	11 300	11 200	10 100	8 900	25,9
26,0	77,7	76,3	11 300	11 200	10 100	8 900	26,0
28,0	76,2	75,6	10 900	10 800	10 000	8 900	28,0
30,0	74,6	74,8	10 500	10 400	9 900	8 900	30,0
32,0	73,0	74,0	10 200	10 100	9 800	8 800	32,0
36,0	69,8	72,2	9 600	9 400	9 300	8 800	36,0
40,0	66,4	70,1	9 000	8 900	8 500	7 900	40,0
44,0	63,0	67,6	8 000	7 500	7 000	6 500	44,0
48,0	59,4	64,8	6 500	6 100	5 700	5 200	48,0
52,0	55,6	61,6	5 300	4 900	4 500	4 200	52,0
56,0	51,6	58,0	4 200	3 900	3 600	3 300	56,0
60,0	47,3	53,7	3 300	3 000	2 700	2 500	60,0
61,0	46,2	52,5	3 100	2 800	2 600	2 300	61,0
62,5	44,4	50,7	2 800	2 500	2 300	2 100	62,5
64,0	42,6	48,8	2 400	2 200	2 000	1 800	64,0
65,5							65,5



# MLC250 S-1





	5°			15°			
	m	°	m	kg	°	m	
16,8	80,4	83,3	16 500				16,8
18,0	79,5	83,1	16 300				18,0
19,8	78,2	82,7	16 100	80,5	82,2	14 800	19,8
20,0	78,1	82,7	16 000	80,3	82,2	14 800	20,0
22,0	76,7	82,2	15 700	78,9	81,7	14 500	22,0
22,9	76,0	81,9	15 600	78,2	81,5	14 400	22,9
24,0	75,2	81,6	15 500	77,4	81,2	14 300	24,0
26,0	73,8	81,0	15 200	76,0	80,6	14 000	26,0
28,0	72,3	80,4	14 900	74,5	79,9	13 800	28,0
30,0	70,8	79,7	14 500	73,0	79,2	13 600	30,0
32,0	69,3	78,9	13 200	71,5	78,4	13 400	32,0
36,0	66,3	77,2	10 600	68,5	76,7	11 300	36,0
40,0	63,2	75,2	8 600	65,3	74,7	9 100	40,0
44,0	60,0	73,0	6 900	62,1	72,4	7 400	44,0
48,0	56,7	70,4	5 500	58,8	69,8	6 000	48,0
52,0	53,2	67,5	4 400	55,3	66,9	4 800	52,0
56,0	49,6	64,1	3 400	51,6	63,5	3 700	56,0
60,0	45,8	60,4	2 600	47,8	59,7	2 800	60,0
64,0	41,7	56,0	1 800	43,6	55,3	2 100	64,0
65,5				41,9	53,4	1 800	65,5



# MLC250 S-1




67 860 kg  
+  
0 kg




		25°			
				0°	
m	°	m	kg	m	
16,8				16,8	
18,0				18,0	
19,8				19,8	
20,0				20,0	
22,0				22,0	
22,9	80,5	80,4	12 100	22,9	
24,0	79,7	80,1	11 900	24,0	
26,0	78,2	79,5	11 400	26,0	
28,0	76,7	78,8	11 000	28,0	
30,0	75,2	78,1	10 700	30,0	
32,0	73,7	77,3	10 300	32,0	
36,0	70,6	75,6	9 700	36,0	
40,0	67,4	73,5	9 200	40,0	
44,0	64,1	71,2	7 900	44,0	
48,0	60,7	68,6	6 400	48,0	
52,0	57,2	65,6	5 100	52,0	
56,0	53,4	62,2	4 000	56,0	
60,0	49,5	58,2	3 100	60,0	
64,0	45,2	53,7	2 300	64,0	
65,5	43,4	51,8	2 000	65,5	

# MLC250 S-1





67 860 kg  
+  
0 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,3	50,1	13 300	11 300									12,2
13,7	77,5	49,8	13 300	11 200									13,7
14,0	77,1	49,7	13 300	11 200	9 000	7 500							14,0
15,2	75,7	49,4	13 000	11 000	9 000	7 500	80,1	49,0	12 000				15,2
16,0	74,7	49,2	12 800	10 900	9 000	7 500	79,1	48,8	11 900				16,0
16,8	73,7	48,9	12 600	10 700	9 000	7 500	78,1	48,5	11 700	10 100	8 900		16,8
18,0	72,2	48,5	12 300	10 500	8 900	7 400	76,6	48,1	11 500	9 900	8 800		18,0
18,3	71,8	48,4	12 200	10 500	8 900	7 400	76,3	48,0	11 400	9 900	8 700	7 500	18,3
19,8	70,0	47,8	11 900	10 200	8 900	7 400	74,4	47,4	11 100	9 700	8 600	7 500	19,8
20,0	69,7	47,7	11 900	10 200	8 900	7 400	74,1	47,4	11 100	9 600	8 500	7 500	20,0
21,3	68,0	47,2	11 600	10 000	8 800	7 400	72,4	46,8	10 900	9 500	8 400	7 500	21,3
22,0	67,2	46,9	11 400	9 900	8 700	7 400	71,5	46,5	10 800	9 400	8 300	7 500	22,0
24,0	64,5	45,9	11 000	9 500	8 400	7 300	68,9	45,5	10 400	9 100	8 100	7 300	24,0
26,0	61,9	44,8	10 700	9 300	8 200	7 300	66,2	44,4	10 100	8 900	7 900	7 200	26,0
28,0	59,1	43,6	10 300	9 000	8 000	7 200	63,4	43,2	9 800	8 700	7 800	7 000	28,0
30,0	56,3	42,3	9 900	8 800	7 800	7 100	60,6	41,9	9 500	8 500	7 600	6 900	30,0
32,0	53,4	40,8	9 600	8 500	7 600	6 900	57,6	40,4	9 200	8 300	7 500	6 800	32,0
36,0	47,1	37,3	9 000	8 100	7 300	6 600	51,3	36,8	8 400	7 900	7 200	6 600	36,0
40,0	40,1	32,8	8 500	7 700	6 900	6 300	44,1	32,3	7 500	7 500	6 900	6 400	40,0
42,7	34,5	28,9	8 100	7 400	6 800	6 200	38,4	28,2	7 100	7 100	6 800	6 300	42,7
44,0	31,7	26,9	7 900	7 300	6 700	6 100	35,6	26,3	6 900	6 900	6 800	6 200	44,0
45,7	27,0	23,4	7 600	7 200	6 600	6 100	31,1	22,9	6 700	6 600	6 600	6 200	45,7
47,2	22,9	20,2	7 300	7 100	6 500	6 000							47,2

# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
		0° 1° 2° 3°					
		kg					
		m					
		°					
		m					
12,2						12,2	
13,7						13,7	
14,0						14,0	
15,2						15,2	
16,0						16,0	
16,8						16,8	
18,0						18,0	
18,3	80,9	47,2	10 500			18,3	
19,8	78,9	46,6	10 300	9 100	8 100	19,8	
20,0	78,7	46,5	10 300	9 100	8 100	20,0	
21,3	77,0	45,9	9 900	8 900	8 000	7 200	
22,0	76,0	45,6	9 700	8 900	7 900	7 200	
24,0	73,3	44,6	9 100	8 700	7 800	7 100	
26,0	70,6	43,5	8 500	8 400	7 700	6 900	
28,0	67,8	42,2	8 100	7 900	7 500	6 800	
30,0	64,8	40,9	7 600	7 500	7 400	6 700	
32,0	61,8	39,3	7 300	7 200	7 100	6 700	
36,0	55,2	35,6	6 600	6 600	6 500	6 400	
40,0	47,8	30,9	6 100	6 100	6 000	6 000	
42,7	42,0	26,9	5 900	5 800	5 800	5 800	
44,0						44,0	
45,7						45,7	
47,2						47,2	


# MLC250 S-1




67 860 kg  
+  
0 kg



360°






30,5 m



21,3 m


			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,9	53,3	13 300	11 300									12,2
13,7	78,2	52,9	13 300	11 200									13,7
14,0	77,9	52,9	13 300	11 200	9 000								14,0
15,2	76,5	52,5	13 100	11 100	9 000	7 500	80,7	52,2	12 100				15,2
16,0	75,6	52,3	13 000	11 000	9 000	7 500	79,8	52,0	12 000				16,0
16,8	74,7	52,1	12 800	10 900	8 900	7 400	78,9	51,7	11 800	10 200	8 900		16,8
18,0	73,3	51,7	12 500	10 600	8 900	7 400	77,5	51,3	11 600	10 000	8 800		18,0
18,3	72,9	51,6	12 400	10 600	8 900	7 400	77,1	51,2	11 600	9 900	8 800	7 500	18,3
19,8	71,2	51,1	12 100	10 300	8 900	7 400	75,3	50,7	11 300	9 800	8 600	7 500	19,8
20,0	71,0	51,0	12 100	10 300	8 900	7 400	75,1	50,6	11 200	9 700	8 600	7 500	20,0
21,3	69,4	50,5	11 800	10 100	8 800	7 400	73,6	50,1	11 000	9 600	8 500	7 500	21,3
22,0	68,6	50,2	11 600	10 000	8 800	7 400	72,7	49,8	10 900	9 500	8 400	7 500	22,0
24,0	66,2	49,3	11 300	9 700	8 600	7 300	70,3	48,9	10 600	9 200	8 200	7 400	24,0
26,0	63,7	48,3	10 900	9 400	8 400	7 300	67,8	47,9	10 300	9 000	8 100	7 300	26,0
28,0	61,1	47,2	10 500	9 200	8 100	7 300	65,2	46,8	10 000	8 800	7 900	7 100	28,0
30,0	58,6	46,0	10 200	8 900	7 900	7 200	62,6	45,5	9 700	8 600	7 700	7 000	30,0
32,0	55,9	44,6	9 900	8 700	7 800	7 000	59,9	44,2	9 400	8 400	7 600	6 900	32,0
36,0	50,2	41,4	9 300	8 200	7 400	6 700	54,2	40,9	8 800	8 000	7 300	6 600	36,0
40,0	44,0	37,5	8 800	7 900	7 100	6 500	47,9	37,0	7 900	7 700	7 100	6 500	40,0
44,0	37,0	32,6	8 300	7 500	6 800	6 200	40,7	31,9	7 300	7 200	6 800	6 300	44,0
44,2	36,6	32,2	8 300	7 500	6 800	6 200	40,3	31,6	7 200	7 200	6 800	6 300	44,2
48,0	28,4	26,0	7 700	7 200	6 600	6 100	32,0	25,2	6 700	6 700	6 600	6 200	48,0
48,8	26,3	24,2	7 500	7 200	6 600	6 000	29,9	23,5	6 600	6 600	6 600	6 200	48,8
50,3	22,2	20,8	7 300	7 100	6 500	6 000							50,3

# MLC250 S-1





				 25°					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
				kg	kg	kg	kg		
m	°	m						m	
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8	79,6	49,8	10 400	9 100				19,8	
20,0	79,4	49,7	10 300	9 100				20,0	
21,3	77,8	49,2	10 100	9 000	8 000	7 200		21,3	
22,0	77,0	48,9	9 900	8 900	8 000	7 200		22,0	
24,0	74,5	48,0	9 300	8 700	7 800	7 100		24,0	
26,0	71,9	46,9	8 800	8 600	7 700	7 000		26,0	
28,0	69,3	45,8	8 300	8 200	7 600	6 900		28,0	
30,0	66,6	44,5	7 900	7 800	7 500	6 800		30,0	
32,0	63,8	43,1	7 500	7 400	7 300	6 700		32,0	
36,0	58,0	39,8	6 900	6 800	6 700	6 600		36,0	
40,0	51,5	35,7	6 400	6 300	6 200	6 200		40,0	
44,0	44,0	30,4	5 900	5 900	5 900	5 800		44,0	
44,2	43,6	30,1	5 900	5 900	5 800	5 800		44,2	
48,0								48,0	
48,8								48,8	
50,3								50,3	

# MLC250 S-1





67 860 kg  
+  
0 kg




		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,5	56,4	13 300	11 200	9 000								12,2
13,7	78,9	56,0	13 300	11 200	9 000								13,7
14,0	78,6	56,0	13 300	11 200	9 000								14,0
15,2	77,3	55,7	13 200	11 100	8 900	7 400							15,2
16,0	76,4	55,5	13 100	11 000	8 900	7 400							16,0
16,8	75,6	55,3	12 900	10 900	8 900	7 400	79,6	54,9	11 900	10 200			16,8
18,0	74,3	54,9	12 700	10 700	8 900	7 400	78,2	54,5	11 700	10 000			18,0
18,3	73,9	54,8	12 600	10 700	8 900	7 400	77,9	54,4	11 600	10 000	8 800	7 500	18,3
19,8	72,3	54,3	12 300	10 500	8 800	7 400	76,2	53,9	11 400	9 800	8 700	7 500	19,8
20,0	72,1	54,3	12 200	10 400	8 800	7 400	76,0	53,9	11 300	9 800	8 700	7 500	20,0
21,3	70,6	53,8	12 000	10 200	8 800	7 400	74,5	53,4	11 100	9 700	8 500	7 500	21,3
22,0	69,8	53,5	11 800	10 100	8 800	7 300	73,7	53,1	11 000	9 600	8 500	7 500	22,0
22,9	68,8	53,1	11 700	10 000	8 700	7 300	72,7	52,7	10 900	9 500	8 400	7 500	22,9
24,0	67,6	52,7	11 500	9 900	8 700	7 300	71,5	52,3	10 700	9 400	8 300	7 400	24,0
26,0	65,3	51,7	11 100	9 600	8 500	7 300	69,1	51,3	10 400	9 100	8 100	7 300	26,0
28,0	62,9	50,7	10 800	9 300	8 300	7 300	66,8	50,3	10 100	8 900	8 000	7 200	28,0
30,0	60,5	49,6	10 400	9 100	8 100	7 200	64,3	49,1	9 800	8 700	7 800	7 100	30,0
32,0	58,0	48,3	10 100	8 900	7 900	7 100	61,8	47,9	9 600	8 500	7 700	6 900	32,0
36,0	52,9	45,4	9 500	8 400	7 600	6 800	56,6	44,9	9 100	8 200	7 400	6 700	36,0
40,0	47,3	41,9	9 000	8 000	7 200	6 600	51,0	41,4	8 300	7 900	7 100	6 500	40,0
44,0	41,2	37,6	8 600	7 700	7 000	6 400	44,7	37,0	7 600	7 500	6 900	6 400	44,0
47,2	35,4	33,1	8 000	7 400	6 800	6 200	38,9	32,5	7 100	7 100	6 800	6 300	47,2
48,0	34,1	32,1	7 900	7 400	6 700	6 200	37,5	31,4	7 000	7 000	6 800	6 300	48,0
50,3	29,0	27,8	7 300	6 900	6 500	6 100	32,6	27,4	6 800	6 700	6 700	6 200	50,3
52,0	25,2	24,6	6 800	6 600	6 400	6 000							52,0
53,3	21,5	21,3	6 400	6 200	6 100	5 900							53,3

# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
		0°					
		1°					
		2°					
		3°					
		kg					
m	°	m	kg	kg	kg	kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,3	53,0	10 400				19,8
20,0	80,0	52,9	10 400				20,0
21,3	78,5	52,4	10 200	9 000	8 000		21,3
22,0	77,7	52,1	10 100	9 000	8 000		22,0
22,9	76,7	51,8	9 800	8 900	7 900	7 200	22,9
24,0	75,4	51,3	9 500	8 800	7 900	7 100	24,0
26,0	73,0	50,3	9 000	8 600	7 800	7 000	26,0
28,0	70,6	49,3	8 600	8 400	7 600	6 900	28,0
30,0	68,1	48,1	8 100	8 000	7 500	6 900	30,0
32,0	65,6	46,8	7 700	7 600	7 400	6 800	32,0
36,0	60,2	43,8	7 100	7 000	6 900	6 600	36,0
40,0	54,4	40,1	6 600	6 500	6 400	6 400	40,0
44,0	48,0	35,5	6 100	6 100	6 000	6 000	44,0
47,2	41,9	30,9	5 900	5 800	5 800	5 700	47,2
48,0							48,0
50,3							50,3
52,0							52,0
53,3							53,3


# MLC250 S-1




67 860 kg  
+  
0 kg



360°



36,6 m





21,3 m

			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	81,0	59,5	13 300	11 100									12,2
13,7	79,5	59,2	13 300	11 100									13,7
14,0	79,2	59,1	13 300	11 100									14,0
15,2	78,0	58,8	13 200	11 100	8 900	7 400							15,2
16,0	77,2	58,6	13 200	11 000	8 900	7 400							16,0
16,8	76,4	58,4	13 000	11 000	8 900	7 400	80,1	58,0	12 000				16,8
18,0	75,1	58,1	12 800	10 800	8 800	7 400	78,9	57,7	11 800				18,0
18,3	74,8	58,0	12 700	10 800	8 800	7 400	78,5	57,6	11 700	10 100	8 900		18,3
19,8	73,2	57,5	12 400	10 600	8 800	7 300	77,0	57,1	11 500	9 900	8 700	7 400	19,8
20,0	73,0	57,5	12 400	10 500	8 800	7 300	76,8	57,1	11 500	9 900	8 700	7 400	20,0
21,3	71,7	57,0	12 100	10 400	8 800	7 300	75,4	56,6	11 300	9 700	8 600	7 400	21,3
22,0	71,0	56,8	12 000	10 300	8 800	7 300	74,7	56,4	11 100	9 600	8 500	7 400	22,0
22,9	70,0	56,4	11 800	10 100	8 700	7 300	73,7	56,0	11 000	9 600	8 400	7 400	22,9
24,0	68,8	56,0	11 600	10 000	8 700	7 300	72,5	55,6	10 800	9 400	8 400	7 400	24,0
26,0	66,7	55,1	11 300	9 700	8 600	7 300	70,3	54,7	10 600	9 200	8 200	7 400	26,0
28,0	64,5	54,1	11 000	9 500	8 400	7 200	68,1	53,7	10 300	9 000	8 000	7 200	28,0
30,0	62,2	53,1	10 600	9 200	8 200	7 200	65,9	52,6	10 000	8 800	7 900	7 100	30,0
32,0	59,9	51,9	10 300	9 000	8 000	7 200	63,5	51,5	9 800	8 700	7 800	7 000	32,0
36,0	55,2	49,2	9 800	8 600	7 700	6 900	58,7	48,8	9 300	8 300	7 500	6 800	36,0
40,0	50,1	46,0	9 200	8 200	7 400	6 700	53,6	45,5	8 700	8 000	7 200	6 600	40,0
44,0	44,6	42,2	8 800	7 800	7 100	6 500	48,0	41,6	7 900	7 700	7 000	6 400	44,0
48,0	38,4	37,4	7 800	7 400	6 800	6 300	41,8	36,8	7 300	7 300	6 900	6 300	48,0
48,8	37,1	36,2	7 500	7 200	6 700	6 200	40,4	35,6	7 200	7 100	6 800	6 300	48,8
52,0	31,3	31,4	6 600	6 400	6 200	6 000	34,4	30,6	6 800	6 600	6 300	6 100	52,0
53,3	28,2	28,5	6 300	6 100	5 900	5 700	31,6	28,1	6 400	6 200	6 000	5 800	53,3
56,0	22,0	22,9	5 600	5 400	5 300	5 100							56,0
56,4	20,9	21,8	5 500	5 400	5 200	5 100							56,4




# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
m	°	m	0° kg	1° kg	2° kg	3° kg	m
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8	80,8	56,2	10 500				19,8
20,0	80,6	56,1	10 500				20,0
21,3	79,2	55,6	10 300	9 100			21,3
22,0	78,4	55,4	10 200	9 000			22,0
22,9	77,5	55,0	10 000	8 900	8 000	7 200	22,9
24,0	76,3	54,6	9 800	8 900	7 900	7 200	24,0
26,0	74,0	53,7	9 200	8 700	7 800	7 100	26,0
28,0	71,8	52,7	8 800	8 500	7 700	7 000	28,0
30,0	69,5	51,6	8 300	8 200	7 600	6 900	30,0
32,0	67,1	50,4	8 000	7 800	7 500	6 800	32,0
36,0	62,2	47,6	7 300	7 200	7 100	6 700	36,0
40,0	56,9	44,3	6 800	6 700	6 600	6 500	40,0
44,0	51,2	40,2	6 300	6 300	6 200	6 100	44,0
48,0	44,7	35,2	6 000	5 900	5 900	5 800	48,0
48,8	43,3	34,1	5 900	5 900	5 800	5 800	48,8
52,0							52,0
53,3							53,3
56,0							56,0
56,4							56,4


# MLC250 S-1




67 860 kg  
+  
0 kg



360°





39,6 m





21,3 m











			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,0	62,3	13 300										13,7
14,0	79,7	62,2	13 300										14,0
15,2	78,6	61,9	13 300	11 000	8 900								15,2
16,0	77,8	61,8	13 200	11 000	8 800								16,0
16,8	77,0	61,6	13 100	11 000	8 800	7 300	80,6	61,2	12 000				16,8
18,0	75,9	61,3	12 900	10 900	8 800	7 300	79,4	60,9	11 800				18,0
18,3	75,6	61,2	12 800	10 900	8 800	7 300	79,1	60,8	11 800	10 100			18,3
19,8	74,1	60,7	12 500	10 600	8 800	7 300	77,6	60,3	11 600	9 900	8 800	7 400	19,8
20,0	73,9	60,7	12 500	10 600	8 800	7 300	77,5	60,3	11 500	9 900	8 800	7 400	20,0
21,3	72,6	60,2	12 300	10 400	8 700	7 300	76,2	59,8	11 300	9 800	8 600	7 400	21,3
22,0	71,9	60,0	12 100	10 300	8 700	7 300	75,5	59,6	11 200	9 700	8 600	7 400	22,0
22,9	71,0	59,7	12 000	10 200	8 700	7 300	74,6	59,3	11 100	9 600	8 500	7 400	22,9
24,0	69,9	59,3	11 800	10 100	8 700	7 300	73,4	58,8	10 900	9 500	8 400	7 400	24,0
24,4	69,5	59,1	11 700	10 000	8 700	7 300	73,0	58,7	10 900	9 500	8 400	7 400	24,4
26,0	67,9	58,4	11 400	9 800	8 600	7 200	71,4	58,0	10 700	9 300	8 300	7 400	26,0
28,0	65,8	57,5	11 100	9 600	8 500	7 200	69,3	57,1	10 400	9 100	8 100	7 300	28,0
30,0	63,7	56,5	10 800	9 300	8 300	7 200	67,2	56,1	10 200	9 000	8 000	7 200	30,0
32,0	61,6	55,4	10 500	9 100	8 100	7 200	65,0	55,0	9 900	8 800	7 800	7 100	32,0
36,0	57,2	53,0	9 900	8 700	7 800	7 000	60,6	52,5	9 400	8 400	7 600	6 900	36,0
40,0	52,5	50,0	9 500	8 300	7 500	6 800	55,8	49,5	9 000	8 100	7 400	6 700	40,0
44,0	47,5	46,5	8 900	8 000	7 200	6 500	50,8	45,9	8 300	7 800	7 100	6 500	44,0
48,0	42,0	42,3	7 500	7 200	6 900	6 300	45,2	41,7	7 600	7 500	7 000	6 400	48,0
51,8	36,1	37,3	6 400	6 200	6 000	5 700	39,2	36,6	6 700	6 400	6 200	5 900	51,8
52,0	35,9	37,1	6 400	6 100	5 900	5 700	39,0	36,4	6 600	6 400	6 100	5 900	52,0
56,0	28,5	30,4	5 400	5 200	5 000	4 800	31,5	29,5	5 600	5 400	5 200	5 000	56,0
56,4	27,6	29,5	5 300	5 100	5 000	4 800	30,6	28,7	5 500	5 300	5 100	4 900	56,4
59,4	20,3	22,4	4 700	4 500	4 400	4 200							59,4

# MLC250 S-1




67 860 kg  
+  
0 kg





							
							
 m	 °	 m	0°  kg	1°  kg	2°  kg	3°  kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	79,8	58,8	10 400	9 100			21,3
22,0	79,1	58,6	10 300	9 100			22,0
22,9	78,1	58,2	10 100	9 000	8 000		22,9
24,0	77,0	57,8	9 900	8 900	7 900		24,0
24,4	76,6	57,7	9 800	8 900	7 900	7 200	24,4
26,0	74,9	57,0	9 400	8 800	7 800	7 100	26,0
28,0	72,8	56,0	9 000	8 600	7 700	7 000	28,0
30,0	70,6	55,0	8 600	8 400	7 600	6 900	30,0
32,0	68,4	53,9	8 200	8 000	7 500	6 900	32,0
36,0	63,9	51,3	7 500	7 400	7 300	6 700	36,0
40,0	59,0	48,3	7 000	6 900	6 800	6 600	40,0
44,0	53,8	44,6	6 500	6 400	6 400	6 300	44,0
48,0	48,1	40,2	6 100	6 100	6 000	6 000	48,0
51,8	41,8	34,9	5 800	5 800	5 800	5 700	51,8
52,0							52,0
56,0							56,0
56,4							56,4
59,4							59,4

# MLC250 S-1





67 860 kg  
+  
0 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,5	65,4	13 300										13,7
14,0	80,2	65,3	13 300										14,0
15,2	79,1	65,1	13 300	11 000									15,2
16,0	78,4	64,9	13 300	10 900									16,0
16,8	77,7	64,7	13 200	10 900	8 800	7 300							16,8
18,0	76,6	64,4	13 000	10 900	8 800	7 300							18,0
18,3	76,3	64,3	12 900	10 800	8 800	7 300	79,7	63,9	11 800	10 100			18,3
19,8	74,9	63,9	12 700	10 700	8 700	7 300	78,3	63,5	11 600	10 000	8 800		19,8
20,0	74,7	63,9	12 600	10 700	8 700	7 300	78,1	63,4	11 600	10 000	8 800		20,0
21,3	73,5	63,4	12 400	10 500	8 700	7 300	76,9	63,0	11 400	9 800	8 700	7 400	21,3
22,0	72,8	63,2	12 300	10 400	8 700	7 300	76,2	62,8	11 300	9 800	8 600	7 400	22,0
22,9	72,0	62,9	12 100	10 300	8 700	7 200	75,3	62,5	11 200	9 700	8 500	7 400	22,9
24,0	70,9	62,5	11 900	10 200	8 600	7 200	74,3	62,1	11 100	9 600	8 400	7 400	24,0
24,4	70,5	62,4	11 800	10 100	8 600	7 200	73,9	61,9	11 000	9 500	8 400	7 400	24,4
26,0	69,0	61,7	11 600	9 900	8 600	7 200	72,3	61,3	10 800	9 400	8 300	7 400	26,0
28,0	67,1	60,9	11 300	9 700	8 500	7 200	70,4	60,4	10 500	9 200	8 200	7 400	28,0
30,0	65,1	60,0	11 000	9 500	8 400	7 100	68,4	59,5	10 300	9 000	8 000	7 200	30,0
32,0	63,1	58,9	10 700	9 300	8 200	7 100	66,4	58,5	10 000	8 900	7 900	7 100	32,0
36,0	58,9	56,6	10 100	8 900	7 900	7 100	62,2	56,1	9 600	8 500	7 700	7 000	36,0
40,0	54,6	53,9	9 700	8 500	7 600	6 900	57,8	53,3	9 200	8 200	7 400	6 700	40,0
44,0	50,0	50,6	8 700	8 100	7 300	6 600	53,1	50,1	8 600	8 000	7 200	6 600	44,0
48,0	45,0	46,8	7 400	7 000	6 700	6 300	48,1	46,2	7 700	7 300	6 900	6 400	48,0
52,0	39,6	42,2	6 200	5 900	5 700	5 400	42,6	41,5	6 500	6 200	5 900	5 700	52,0
53,3	37,5	40,3	5 900	5 600	5 400	5 200	40,5	39,6	6 100	5 900	5 600	5 400	53,3
56,0	33,4	36,5	5 200	5 000	4 800	4 600	36,3	35,8	5 400	5 200	5 000	4 800	56,0
59,4	26,9	30,2	4 500	4 300	4 200	4 000	29,7	29,4	4 600	4 500	4 300	4 100	59,4
60,0	25,8	29,1	4 400	4 200	4 100	3 900							60,0
62,5	19,8	22,9	3 900	3 800	3 600	3 500							62,5

# MLC250 S-1



		25°							
m ° m		0°	1°	2°	3°				
		kg	kg	kg	kg	m			
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8								19,8	
20,0								20,0	
21,3	80,3	62,0	10 400					21,3	
22,0	79,6	61,8	10 300					22,0	
22,9	78,8	61,4	10 200	9 000	8 000			22,9	
24,0	77,7	61,1	10 100	8 900	8 000			24,0	
24,4	77,3	60,9	10 000	8 900	7 900	7 200		24,4	
26,0	75,7	60,3	9 600	8 800	7 900	7 100		26,0	
28,0	73,7	59,4	9 200	8 700	7 800	7 000		28,0	
30,0	71,7	58,4	8 700	8 500	7 700	7 000		30,0	
32,0	69,6	57,4	8 400	8 200	7 600	6 900		32,0	
36,0	65,4	55,0	7 700	7 600	7 400	6 800		36,0	
40,0	60,9	52,1	7 200	7 100	7 000	6 700		40,0	
44,0	56,1	48,8	6 700	6 600	6 500	6 500		44,0	
48,0	50,9	44,8	6 300	6 300	6 200	6 100		48,0	
52,0	45,2	39,9	6 000	5 900	5 900	5 800		52,0	
53,3	43,1	38,1	5 900	5 900	5 800	5 500		53,3	
56,0								56,0	
59,4								59,4	
60,0								60,0	
62,5								62,5	


# MLC250 S-1




67 860 kg  
+  
0 kg



360°





45,7 m



21,3 m



			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,9	68,5	13 300										13,7
14,0	80,7	68,4	13 300										14,0
15,2	79,6	68,2	13 300	10 900									15,2
16,0	79,0	68,0	13 300	10 900									16,0
16,8	78,2	67,8	13 200	10 800	8 700								16,8
18,0	77,2	67,6	13 100	10 800	8 700								18,0
18,3	76,9	67,5	13 000	10 800	8 700	7 200	80,2	67,1	11 900				18,3
19,8	75,6	67,1	12 700	10 700	8 700	7 200	78,8	66,7	11 700	10 000	8 800		19,8
20,0	75,4	67,0	12 700	10 700	8 700	7 200	78,6	66,6	11 700	10 000	8 800		20,0
21,3	74,3	66,6	12 500	10 600	8 600	7 200	77,5	66,2	11 500	9 900	8 700	7 300	21,3
22,0	73,6	66,4	12 400	10 500	8 600	7 200	76,8	66,0	11 400	9 800	8 600	7 300	22,0
22,9	72,8	66,1	12 200	10 400	8 600	7 200	76,0	65,7	11 300	9 700	8 600	7 300	22,9
24,0	71,8	65,8	12 000	10 200	8 600	7 200	75,0	65,3	11 100	9 600	8 500	7 300	24,0
24,4	71,5	65,6	12 000	10 200	8 600	7 200	74,7	65,2	11 100	9 600	8 500	7 300	24,4
26,0	70,0	65,0	11 700	10 000	8 600	7 200	73,2	64,6	10 900	9 400	8 400	7 300	26,0
28,0	68,2	64,2	11 400	9 800	8 500	7 100	71,3	63,8	10 600	9 300	8 200	7 300	28,0
30,0	66,3	63,3	11 100	9 600	8 400	7 100	69,5	62,9	10 400	9 100	8 100	7 300	30,0
32,0	64,4	62,4	10 800	9 300	8 300	7 100	67,5	61,9	10 200	8 900	8 000	7 200	32,0
36,0	60,5	60,2	10 300	9 000	8 000	7 100	63,6	59,7	9 700	8 600	7 700	7 000	36,0
40,0	56,4	57,6	9 800	8 600	7 700	6 900	59,5	57,1	9 400	8 300	7 500	6 800	40,0
44,0	52,2	54,6	8 400	8 000	7 400	6 700	55,2	54,1	8 800	8 100	7 300	6 600	44,0
48,0	47,6	51,1	7 100	6 700	6 400	6 100	50,6	50,5	7 400	7 100	6 700	6 300	48,0
52,0	42,7	46,9	5 900	5 600	5 400	5 100	45,6	46,3	6 200	5 900	5 600	5 400	52,0
56,0	37,2	42,0	5 000	4 700	4 500	4 300	40,1	41,3	5 200	4 900	4 700	4 500	56,0
56,4	36,6	41,4	4 900	4 600	4 400	4 200	39,4	40,6	5 100	4 900	4 600	4 400	56,4
60,0	31,0	35,8	4 100	3 900	3 700	3 600	33,6	35,0	4 300	4 100	3 900	3 700	60,0
61,0	29,1	33,8	3 900	3 700	3 600	3 400	31,9	33,2	4 100	3 900	3 700	3 500	61,0
64,0	23,1	27,5	3 400	3 200	3 100	2 900							64,0
65,5	19,3	23,3	3 100	3 000	2 800	2 700							65,5

# MLC250 S-1



				25°					
				67 860 kg + 0 kg					
				0°	1°	2°	3°		
				kg	kg	kg	kg		
m	°	m						m	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8								19,8	
20,0								20,0	
21,3	80,8	65,2		10 500				21,3	
22,0	80,1	65,0		10 400				22,0	
22,9	79,3	64,6		10 300	9 000			22,9	
24,0	78,3	64,3		10 200	9 000			24,0	
24,4	77,9	64,1		10 100	9 000	8 000	7 200	24,4	
26,0	76,4	63,5		9 800	8 900	7 900	7 100	26,0	
28,0	74,5	62,7		9 300	8 700	7 800	7 000	28,0	
30,0	72,6	61,8		8 900	8 600	7 700	7 000	30,0	
32,0	70,7	60,8		8 600	8 400	7 600	6 900	32,0	
36,0	66,7	58,5		7 900	7 800	7 500	6 800	36,0	
40,0	62,5	55,9		7 400	7 200	7 100	6 700	40,0	
44,0	58,1	52,8		6 900	6 800	6 700	6 600	44,0	
48,0	53,3	49,1		6 500	6 400	6 300	6 300	48,0	
52,0	48,2	44,8		6 100	6 100	5 900	5 600	52,0	
56,0	42,4	39,5		5 400	5 100	4 900	4 700	56,0	
56,4	41,8	39,0		5 300	5 000	4 800	4 600	56,4	
60,0								60,0	
61,0								61,0	
64,0								64,0	
65,5								65,5	

# MLC250 S-1




		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,1	71,3	13 300										15,2
16,0	79,4	71,1	13 300										16,0
16,8	78,8	71,0	13 200	10 800	8 700								16,8
18,0	77,8	70,7	13 100	10 800	8 700								18,0
18,3	77,5	70,6	13 100	10 700	8 700	7 200	80,6	70,2	11 900				18,3
19,8	76,2	70,2	12 800	10 700	8 600	7 200	79,3	69,8	11 700	10 000			19,8
20,0	76,1	70,2	12 800	10 700	8 600	7 200	79,2	69,8	11 700	10 000			20,0
21,3	75,0	69,8	12 600	10 600	8 600	7 200	78,0	69,4	11 600	9 900	8 700		21,3
22,0	74,4	69,6	12 400	10 600	8 600	7 200	77,4	69,2	11 500	9 800	8 700		22,0
22,9	73,6	69,3	12 300	10 500	8 600	7 200	76,7	68,9	11 300	9 700	8 600	7 300	22,9
24,0	72,7	69,0	12 100	10 300	8 600	7 100	75,7	68,5	11 200	9 600	8 500	7 300	24,0
24,4	72,3	68,8	12 100	10 300	8 600	7 100	75,4	68,4	11 200	9 600	8 500	7 300	24,4
25,9	71,0	68,3	11 800	10 100	8 500	7 100	74,1	67,9	11 000	9 500	8 400	7 300	25,9
26,0	70,9	68,3	11 800	10 100	8 500	7 100	74,0	67,8	11 000	9 500	8 400	7 300	26,0
28,0	69,2	67,5	11 500	9 900	8 500	7 100	72,2	67,1	10 700	9 300	8 300	7 300	28,0
30,0	67,4	66,7	11 200	9 700	8 400	7 100	70,4	66,2	10 500	9 200	8 100	7 300	30,0
32,0	65,6	65,8	11 000	9 500	8 300	7 100	68,6	65,3	10 300	9 000	8 000	7 200	32,0
36,0	61,9	63,7	10 500	9 100	8 000	7 000	64,9	63,2	9 900	8 700	7 800	7 000	36,0
40,0	58,1	61,3	9 900	8 700	7 700	7 000	61,1	60,8	9 500	8 400	7 600	6 800	40,0
44,0	54,1	58,5	8 200	7 800	7 300	6 800	57,0	57,9	8 700	8 100	7 400	6 700	44,0
48,0	49,9	55,2	6 900	6 500	6 100	5 800	52,8	54,7	7 200	6 900	6 500	6 100	48,0
52,0	45,4	51,4	5 700	5 400	5 100	4 800	48,2	50,8	6 000	5 700	5 400	5 100	52,0
56,0	40,5	47,0	4 800	4 500	4 300	4 000	43,2	46,3	5 000	4 800	4 500	4 300	56,0
59,4	35,8	42,3	4 000	3 800	3 600	3 400	38,4	41,6	4 200	4 000	3 800	3 600	59,4
60,0	35,0	41,6	3 900	3 700	3 500	3 300	37,7	40,8	4 100	3 900	3 700	3 500	60,0
64,0	28,6	34,8	3 200	3 000	2 800	2 700	31,1	33,9	3 300	3 200	3 000	2 800	64,0
68,0	20,3	25,6	2 500	2 400	2 300	2 100							68,0
68,6	18,8	23,8	2 400	2 300	2 200	2 100							68,6



# MLC250 S-1



134  
+  
B10



67 860 kg  
+  
0 kg


360°

48,8 m

21,3 m

		25°						
		67 860 kg + 0 kg						
	m	°	m	0° kg	1° kg	2° kg	3° kg	m
15,2								15,2
16,0								16,0
16,8								16,8
18,0								18,0
18,3								18,3
19,8								19,8
20,0								20,0
21,3								21,3
22,0								22,0
22,9	79,8	67,8		10 300	9 100			22,9
24,0	78,8	67,5		10 200	9 000			24,0
24,4	78,5	67,3		10 200	9 000	8 000		24,4
25,9	77,1	66,8		10 000	8 900	7 900	7 100	25,9
26,0	77,1	66,8		9 900	8 900	7 900	7 100	26,0
28,0	75,3	66,0		9 500	8 700	7 800	7 100	28,0
30,0	73,5	65,1		9 100	8 600	7 700	7 000	30,0
32,0	71,6	64,2		8 700	8 500	7 600	6 900	32,0
36,0	67,8	62,0		8 100	7 900	7 500	6 800	36,0
40,0	63,9	59,6		7 500	7 400	7 300	6 700	40,0
44,0	59,8	56,7		7 100	7 000	6 900	6 600	44,0
48,0	55,4	53,3		6 600	6 600	6 500	6 400	48,0
52,0	50,7	49,3		6 300	6 000	5 700	5 400	52,0
56,0	45,6	44,7		5 200	5 000	4 700	4 500	56,0
59,4	40,6	39,8		4 400	4 200	4 000	3 800	59,4
60,0								60,0
64,0								64,0
68,0								68,0
68,6								68,6


# MLC250 S-1



67 860 kg  
+  
0 kg



360°






51,8 m











21,3 m

			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,5	74,4	13 300										15,2
16,0	79,9	74,3	13 300										16,0
16,8	79,2	74,1	13 300	10 700									16,8
18,0	78,3	73,8	13 200	10 700									18,0
18,3	78,0	73,7	13 100	10 700	8 600		81,0	73,3	12 000				18,3
19,8	76,8	73,4	12 900	10 600	8 600	7 100	79,8	72,9	11 800	10 000			19,8
20,0	76,7	73,3	12 900	10 600	8 600	7 100	79,6	72,9	11 700	10 000			20,0
21,3	75,6	73,0	12 600	10 600	8 500	7 100	78,6	72,5	11 600	9 900	8 700		21,3
22,0	75,0	72,8	12 500	10 500	8 500	7 100	78,0	72,4	11 500	9 900	8 700		22,0
22,9	74,3	72,5	12 400	10 500	8 500	7 100	77,2	72,1	11 400	9 800	8 600	7 200	22,9
24,0	73,4	72,2	12 200	10 400	8 500	7 100	76,3	71,7	11 300	9 700	8 500	7 200	24,0
24,4	73,1	72,1	12 100	10 300	8 500	7 100	76,0	71,6	11 200	9 600	8 500	7 200	24,4
25,9	71,8	71,6	11 900	10 200	8 500	7 100	74,8	71,1	11 100	9 500	8 400	7 200	25,9
26,0	71,8	71,5	11 900	10 200	8 500	7 100	74,7	71,1	11 000	9 500	8 400	7 200	26,0
28,0	70,1	70,8	11 600	9 900	8 400	7 100	73,0	70,3	10 800	9 400	8 300	7 200	28,0
30,0	68,4	70,0	11 300	9 700	8 400	7 100	71,3	69,5	10 600	9 200	8 200	7 200	30,0
32,0	66,7	69,1	11 100	9 500	8 400	7 000	69,6	68,6	10 400	9 100	8 100	7 200	32,0
36,0	63,2	67,2	10 600	9 200	8 100	7 000	66,1	66,7	10 000	8 800	7 800	7 100	36,0
40,0	59,6	64,9	9 700	8 800	7 800	7 000	62,4	64,4	9 600	8 500	7 600	6 900	40,0
44,0	55,8	62,2	8 000	7 500	7 100	6 600	58,6	61,7	8 500	8 000	7 400	6 700	44,0
48,0	51,9	59,2	6 700	6 300	5 900	5 500	54,7	58,7	7 000	6 600	6 300	5 900	48,0
52,0	47,7	55,7	5 500	5 200	4 900	4 600	50,5	55,1	5 800	5 500	5 200	4 900	52,0
56,0	43,3	51,6	4 500	4 300	4 000	3 800	45,9	51,0	4 800	4 500	4 300	4 000	56,0
60,0	38,4	46,8	3 700	3 500	3 300	3 000	41,0	46,1	3 900	3 700	3 500	3 300	60,0
61,0	37,0	45,4	3 500	3 300	3 100	2 900	39,6	44,7	3 700	3 500	3 300	3 100	61,0
64,0	32,8	41,0	3 000	2 800	2 600	2 400	35,3	40,2	3 100	2 900	2 800	2 600	64,0
67,1	27,8	35,3	2 500	2 300	2 100	2 000	30,3	34,6	2 600	2 400	2 300	2 100	67,1
68,0	26,3	33,6	2 300	2 200	2 000	1 900							68,0
68,6	25,1	32,2	2 200	2 100	1 900	1 800							68,6
70,1	22,0	28,7	2 000	1 800									70,1


# MLC250 S-1



		25°							
									
 m		 °		 m					
				0°	1°	2°	3°		
				 kg	 kg	 kg	 kg		
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8								19,8	
20,0								20,0	
21,3								21,3	
22,0								22,0	
22,9	80,3	71,0		10 400				22,9	
24,0	79,3	70,7		10 300				24,0	
24,4	79,0	70,5		10 200	9 000			24,4	
25,9	77,7	70,0		10 100	8 900	7 900	7 100	25,9	
26,0	77,6	70,0		10 100	8 900	7 900	7 100	26,0	
28,0	75,9	69,2		9 700	8 800	7 800	7 100	28,0	
30,0	74,2	68,4		9 300	8 700	7 800	7 000	30,0	
32,0	72,5	67,5		8 900	8 600	7 700	6 900	32,0	
36,0	68,9	65,5		8 200	8 100	7 500	6 800	36,0	
40,0	65,2	63,2		7 700	7 600	7 400	6 700	40,0	
44,0	61,3	60,4		7 200	7 100	7 000	6 700	44,0	
48,0	57,2	57,3		6 800	6 700	6 500	6 200	48,0	
52,0	52,9	53,7		6 200	5 800	5 500	5 200	52,0	
56,0	48,3	49,4		5 100	4 800	4 500	4 300	56,0	
60,0	43,1	44,4		4 100	3 900	3 700	3 400	60,0	
61,0	41,8	43,0		3 900	3 700	3 500	3 300	61,0	
64,0								64,0	
67,1								67,1	
68,0								68,0	
68,6								68,6	
70,1								70,1	

PRELIMINARY ONLY!


# MLC250 S-1



67 860 kg  
+  
0 kg



360°



54,9 m




21,3 m



			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,9	77,5	13 300										15,2
16,0	80,3	77,4	13 300										16,0
16,8	79,7	77,2	13 300	10 600									16,8
18,0	78,8	76,9	13 200	10 600									18,0
18,3	78,5	76,9	13 200	10 600	8 500								18,3
19,8	77,4	76,5	12 900	10 600	8 500	7 100	80,2	76,1	11 800				19,8
20,0	77,2	76,5	12 900	10 600	8 500	7 100	80,1	76,0	11 800				20,0
21,3	76,2	76,1	12 700	10 500	8 500	7 100	79,0	75,7	11 600	9 900			21,3
22,0	75,7	76,0	12 600	10 500	8 500	7 100	78,5	75,5	11 500	9 900			22,0
22,9	75,0	75,7	12 400	10 400	8 500	7 100	77,8	75,2	11 400	9 800	8 600	7 200	22,9
24,0	74,1	75,4	12 300	10 400	8 500	7 100	76,9	74,9	11 300	9 700	8 500	7 200	24,0
24,4	73,8	75,3	12 200	10 300	8 400	7 100	76,6	74,8	11 300	9 700	8 500	7 200	24,4
25,9	72,6	74,8	12 000	10 200	8 400	7 000	75,4	74,3	11 100	9 600	8 400	7 200	25,9
26,0	72,5	74,7	12 000	10 200	8 400	7 000	75,3	74,3	11 100	9 600	8 400	7 200	26,0
27,4	71,4	74,3	11 800	10 000	8 400	7 000	74,2	73,8	10 900	9 400	8 300	7 200	27,4
28,0	70,9	74,0	11 700	10 000	8 400	7 000	73,7	73,6	10 900	9 400	8 300	7 200	28,0
30,0	69,3	73,3	11 500	9 800	8 300	7 000	72,1	72,8	10 700	9 200	8 200	7 200	30,0
32,0	67,7	72,4	11 200	9 600	8 300	7 000	70,5	72,0	10 500	9 100	8 100	7 200	32,0
36,0	64,4	70,6	10 700	9 200	8 100	6 900	67,1	70,1	10 100	8 800	7 900	7 100	36,0
40,0	60,9	68,4	9 500	8 800	7 900	6 900	63,7	67,9	9 700	8 600	7 700	6 900	40,0
44,0	57,4	65,9	7 800	7 300	6 800	6 400	60,1	65,4	8 300	7 800	7 300	6 800	44,0
48,0	53,7	63,1	6 500	6 000	5 600	5 300	56,4	62,5	6 900	6 400	6 000	5 600	48,0
52,0	49,8	59,8	5 300	5 000	4 600	4 300	52,5	59,2	5 700	5 300	5 000	4 600	52,0
56,0	45,7	56,1	4 300	4 100	3 800	3 500	48,3	55,4	4 600	4 300	4 100	3 800	56,0
60,0	41,2	51,7	3 500	3 300	3 000	2 800	43,8	51,0	3 800	3 500	3 300	3 000	60,0
64,0	36,3	46,5	2 800	2 600	2 400	2 200	38,8	45,7	3 000	2 800	2 600	2 400	64,0
65,5	34,2	44,1	2 500	2 300	2 100	2 000	36,6	43,3	2 700	2 500	2 300	2 100	65,5
67,1	32,0	41,7	2 300	2 100	1 900		34,4	40,8	2 400	2 300	2 100	1 900	67,1
68,0	30,7	40,2	2 100	1 900			33,0	39,3	2 300	2 100	1 900		68,0
68,6	29,8	39,1	2 000	1 900			32,1	38,2	2 200	2 000	1 800		68,6
70,1	27,3	36,3	1 800				29,6	35,3	1 900	1 800			70,1



# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
 m	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 °	 m	 0° kg	 1° kg	 2° kg	 3° kg	 m
16,8	80,1	80,3	13 300										16,8
18,0	79,2	80,1	13 200										18,0
18,3	79,0	80,0	13 200	10 500	8 500								18,3
19,8	77,9	79,7	12 900	10 500	8 400	7 100	80,6	79,2	11 800				19,8
20,0	77,7	79,6	12 900	10 500	8 400	7 000	80,4	79,2	11 800				20,0
21,3	76,7	79,3	12 700	10 400	8 400	7 000	79,5	78,8	11 700	9 900			21,3
22,0	76,2	79,1	12 600	10 400	8 400	7 000	78,9	78,7	11 600	9 900			22,0
22,9	75,5	78,9	12 500	10 400	8 400	7 000	78,3	78,4	11 500	9 800	8 500		22,9
24,0	74,7	78,6	12 300	10 400	8 400	7 000	77,4	78,1	11 300	9 700	8 500		24,0
24,4	74,4	78,4	12 300	10 300	8 400	7 000	77,1	78,0	11 300	9 700	8 500	7 100	24,4
25,9	73,3	78,0	12 100	10 200	8 400	7 000	76,0	77,5	11 200	9 600	8 400	7 100	25,9
26,0	73,2	78,0	12 000	10 200	8 400	7 000	75,9	77,5	11 200	9 600	8 400	7 100	26,0
27,4	72,1	77,5	11 900	10 100	8 300	7 000	74,8	77,0	11 000	9 500	8 400	7 100	27,4
28,0	71,7	77,3	11 800	10 000	8 300	7 000	74,4	76,8	10 900	9 400	8 300	7 100	28,0
30,0	70,1	76,6	11 500	9 800	8 300	6 900	72,8	76,1	10 700	9 300	8 200	7 100	30,0
32,0	68,6	75,8	11 300	9 600	8 200	6 900	71,3	75,3	10 500	9 100	8 100	7 100	32,0
36,0	65,4	74,0	10 800	9 300	8 200	6 900	68,1	73,5	10 200	8 900	7 900	7 100	36,0
40,0	62,2	71,9	9 200	8 600	7 900	6 900	64,8	71,4	9 700	8 600	7 700	6 900	40,0
44,0	58,8	69,6	7 500	7 000	6 500	6 000	61,4	69,0	8 100	7 500	7 000	6 500	44,0
48,0	55,3	66,9	6 200	5 800	5 300	4 900	57,9	66,3	6 600	6 200	5 800	5 300	48,0
52,0	51,7	63,8	5 000	4 700	4 300	4 000	54,2	63,2	5 400	5 100	4 700	4 400	52,0
56,0	47,8	60,3	4 100	3 800	3 500	3 200	50,3	59,7	4 400	4 100	3 800	3 500	56,0
60,0	43,7	56,3	3 200	3 000	2 700	2 500	46,2	55,6	3 500	3 200	3 000	2 700	60,0
64,0	39,3	51,6	2 500	2 300	2 100	1 900	41,7	50,9	2 700	2 500	2 300	2 100	64,0
65,5	37,4	49,5	2 200	2 000	1 800		39,7	48,7	2 500	2 200	2 000	1 800	65,5
67,1	35,6	47,5	2 000	1 800			37,8	46,6	2 200	2 000	1 800		67,1
68,0							36,7	45,2	2 000				68,0
68,6							35,9	44,3	1 900				68,6

# MLC250 S-1



		25°							
		21,3 m							
		134 + B10							
		67 860 kg + 0 kg							
	m	°	m	0° kg	1° kg	2° kg	3° kg	m	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8								19,8	
20,0								20,0	
21,3								21,3	
22,0								22,0	
22,9								22,9	
24,0								24,0	
24,4	79,9	76,9	10 300	9 000				24,4	
25,9	78,7	76,4	10 200	8 900	7 900			25,9	
26,0	78,7	76,4	10 200	8 900	7 900			26,0	
27,4	77,6	75,9	10 000	8 800	7 900	7 100		27,4	
28,0	77,1	75,7	9 900	8 800	7 800	7 100		28,0	
30,0	75,5	74,9	9 600	8 700	7 800	7 000		30,0	
32,0	73,9	74,1	9 200	8 600	7 700	7 000		32,0	
36,0	70,7	72,3	8 600	8 400	7 600	6 900		36,0	
40,0	67,4	70,2	8 000	7 900	7 500	6 800		40,0	
44,0	63,9	67,8	7 500	7 400	7 300	6 700		44,0	
48,0	60,3	65,0	7 000	6 600	6 200	5 700		48,0	
52,0	56,6	61,9	5 800	5 400	5 000	4 700		52,0	
56,0	52,6	58,2	4 700	4 400	4 100	3 800		56,0	
60,0	48,3	54,0	3 800	3 500	3 200	3 000		60,0	
64,0	43,7	49,1	2 900	2 700	2 500	2 300		64,0	
65,5	41,7	47,0	2 600	2 400	2 200	2 000		65,5	
67,1								67,1	
68,0								68,0	
68,6								68,6	



# MLC250 S-1



		5°						15°						
			0°	1°	2°	3°			0°	1°	2°	3°		
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m	
16,8	80,5	83,4	13 300										16,8	
18,0	79,6	83,2	13 200										18,0	
18,3	79,4	83,1	13 200	10 400									18,3	
19,8	78,3	82,8	13 000	10 400	8 400		80,9	82,3	11 800				19,8	
20,0	78,2	82,7	13 000	10 400	8 400		80,8	82,3	11 800				20,0	
21,3	77,2	82,4	12 800	10 400	8 400	7 000	79,9	82,0	11 700	9 900			21,3	
22,0	76,7	82,3	12 700	10 300	8 300	7 000	79,4	81,8	11 600	9 900			22,0	
22,9	76,1	82,0	12 500	10 300	8 300	7 000	78,7	81,6	11 500	9 800	8 500		22,9	
24,0	75,3	81,7	12 400	10 300	8 300	6 900	77,9	81,3	11 400	9 700	8 500		24,0	
24,4	75,0	81,6	12 300	10 300	8 300	6 900	77,6	81,1	11 300	9 700	8 500	7 100	24,4	
25,9	73,9	81,2	12 100	10 200	8 300	6 900	76,5	80,7	11 200	9 600	8 400	7 100	25,9	
26,0	73,9	81,1	12 100	10 200	8 300	6 900	76,5	80,7	11 200	9 600	8 400	7 100	26,0	
27,4	72,8	80,7	11 900	10 100	8 300	6 900	75,4	80,2	11 000	9 500	8 400	7 100	27,4	
28,0	72,4	80,5	11 800	10 100	8 300	6 900	75,0	80,0	11 000	9 400	8 300	7 100	28,0	
29,0	71,7	80,2	11 700	10 000	8 200	6 900	74,2	79,7	10 900	9 400	8 300	7 100	29,0	
30,0	70,9	79,8	11 600	9 900	8 200	6 900	73,5	79,3	10 800	9 300	8 200	7 100	30,0	
32,0	69,4	79,0	11 400	9 700	8 200	6 900	72,0	78,6	10 600	9 200	8 100	7 100	32,0	
36,0	66,4	77,3	10 800	9 400	8 100	6 900	69,0	76,8	10 200	8 900	7 900	7 100	36,0	
40,0	63,3	75,4	9 000	8 300	7 700	6 800	65,8	74,9	9 600	8 700	7 700	7 000	40,0	
44,0	60,1	73,1	7 300	6 800	6 300	5 800	62,6	72,6	7 900	7 300	6 800	6 300	44,0	
48,0	56,8	70,6	6 000	5 500	5 100	4 700	59,3	70,0	6 500	6 000	5 500	5 100	48,0	
52,0	53,4	67,7	4 800	4 500	4 100	3 700	55,8	67,1	5 200	4 900	4 500	4 100	52,0	
56,0	49,8	64,4	3 900	3 500	3 200	2 900	52,2	63,8	4 200	3 900	3 600	3 300	56,0	
60,0	45,9	60,7	3 000	2 800	2 500	2 200	48,3	60,0	3 300	3 000	2 800	2 500	60,0	
62,5	43,4	58,0	2 600	2 300	2 100	1 800	45,8	57,3	2 800	2 600	2 300	2 100	62,5	
64,0	41,9	56,4	2 300	2 100	1 800		44,2	55,7	2 500	2 300	2 100	1 900	64,0	
65,5	40,2	54,5	2 000	1 800			42,5	53,8	2 300	2 100	1 800		65,5	
67,1	38,5	52,6	1 800				40,8	51,9	2 000	1 800			67,1	
68,0													68,0	
68,6													68,6	




# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,3	80,0	10 300				24,4
25,9	79,2	79,6	10 200	8 900			25,9
26,0	79,1	79,5	10 200	8 900			26,0
27,4	78,1	79,1	10 100	8 800	7 900		27,4
28,0	77,6	78,9	10 000	8 800	7 800		28,0
29,0	76,9	78,5	9 900	8 800	7 800	7 000	29,0
30,0	76,1	78,2	9 700	8 700	7 800	7 000	30,0
32,0	74,6	77,4	9 400	8 600	7 700	6 900	32,0
36,0	71,5	75,7	8 700	8 500	7 600	6 900	36,0
40,0	68,3	73,7	8 200	8 000	7 500	6 800	40,0
44,0	65,0	71,4	7 700	7 500	7 200	6 700	44,0
48,0	61,7	68,7	6 900	6 400	6 000	5 500	48,0
52,0	58,1	65,8	5 600	5 200	4 800	4 500	52,0
56,0	54,4	62,4	4 600	4 200	3 900	3 600	56,0
60,0	50,4	58,5	3 600	3 300	3 000	2 800	60,0
62,5	47,8	55,7	3 100	2 800	2 600	2 300	62,5
64,0	46,2	54,0	2 800	2 500	2 300	2 100	64,0
65,5	44,4	52,0	2 500	2 300	2 000	1 800	65,5
67,1	42,6	50,0	2 200	2 000	1 800		67,1
68,0	41,5	48,8	2 000				68,0
68,6	40,8	47,9	1 900				68,6

# MLC250 S-1





	5°			15°			
	m	°	m	kg	m	kg	
16,8	80,8	86,5	13 300				16,8
18,0	80,0	86,3	13 200				18,0
20,0	78,6	85,9	13 000				20,0
21,3	77,7	85,6	12 800	80,2	85,1	11 700	21,3
22,0	77,2	85,4	12 700	79,8	84,9	11 600	22,0
24,0	75,8	84,9	12 400	78,4	84,4	11 400	24,0
24,4	75,6	84,8	12 400	78,1	84,3	11 400	24,4
26,0	74,5	84,3	12 100	77,0	83,9	11 200	26,0
28,0	73,0	83,7	11 900	75,5	83,2	11 000	28,0
30,0	71,6	83,0	11 600	74,1	82,6	10 800	30,0
32,0	70,2	82,3	11 400	72,7	81,8	10 700	32,0
36,0	67,3	80,7	10 700	69,8	80,2	10 300	36,0
40,0	64,3	78,8	8 800	66,8	78,3	9 400	40,0
44,0	61,3	76,7	7 100	63,7	76,1	7 700	44,0
48,0	58,1	74,2	5 800	60,6	73,7	6 200	48,0
52,0	54,9	71,5	4 600	57,3	70,9	5 000	52,0
56,0	51,5	68,4	3 600	53,8	67,8	4 000	56,0
60,0	47,9	64,9	2 800	50,2	64,3	3 100	60,0
64,0	44,1	60,9	2 100	46,4	60,3	2 300	64,0
65,5	42,6	59,2	1 800	44,8	58,5	2 100	65,5
67,1				43,3	56,8	1 800	67,1

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°			
				0°	
m	°	m	kg	m	
16,8				16,8	
18,0				18,0	
20,0				20,0	
21,3				21,3	
22,0				22,0	
24,0				24,0	
24,4	80,7	83,2	10 300	24,4	
26,0	79,5	82,7	10 200	26,0	
28,0	78,1	82,1	10 100	28,0	
30,0	76,6	81,4	9 800	30,0	
32,0	75,2	80,7	9 500	32,0	
36,0	72,2	79,0	8 900	36,0	
40,0	69,2	77,1	8 300	40,0	
44,0	66,1	74,9	7 800	44,0	
48,0	62,8	72,4	6 700	48,0	
52,0	59,5	69,6	5 500	52,0	
56,0	56,0	66,4	4 400	56,0	
60,0	52,3	62,8	3 400	60,0	
64,0	48,4	58,6	2 600	64,0	
65,5	46,8	56,9	2 300	65,5	
67,1	45,2	55,1	2 000	67,1	

# MLC250 S-1








67 860 kg  
+  
0 kg




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	79,5	53,3	11 200	8 500									12,2
13,7	77,8	52,9	11 000	8 500									13,7
14,0	77,5	52,9	11 000	8 400	6 800	5 600							14,0
15,2	76,1	52,6	10 800	8 400	6 700	5 600	80,9	52,2	10 400				15,2
16,0	75,2	52,3	10 700	8 300	6 700	5 500	80,0	52,0	10 300				16,0
16,8	74,3	52,1	10 600	8 300	6 700	5 500	79,1	51,8	10 100	8 400			16,8
18,0	72,9	51,7	10 400	8 300	6 600	5 500	77,7	51,4	9 900	8 400			18,0
18,3	72,5	51,6	10 300	8 300	6 600	5 500	77,3	51,3	9 800	8 300	6 700	5 500	18,3
19,8	70,8	51,1	10 100	8 200	6 600	5 500	75,6	50,8	9 500	8 300	6 700	5 500	19,8
20,0	70,5	51,0	10 100	8 200	6 600	5 500	75,3	50,7	9 500	8 300	6 700	5 500	20,0
21,3	69,0	50,5	9 900	8 100	6 600	5 500	73,8	50,2	9 300	8 100	6 700	5 500	21,3
22,0	68,1	50,2	9 700	8 100	6 600	5 400	72,9	49,9	9 200	8 000	6 700	5 500	22,0
22,9	67,1	49,8	9 600	8 100	6 500	5 400	71,8	49,5	9 000	7 900	6 700	5 500	22,9
24,0	65,7	49,3	9 400	8 000	6 500	5 400	70,5	49,0	8 800	7 800	6 600	5 500	24,0
26,0	63,3	48,3	9 100	7 900	6 500	5 400	68,0	48,0	8 500	7 500	6 600	5 500	26,0
28,0	60,7	47,2	8 800	7 600	6 400	5 400	65,4	46,9	8 200	7 300	6 600	5 500	28,0
30,0	58,1	46,0	8 400	7 400	6 400	5 300	62,8	45,6	8 000	7 100	6 400	5 500	30,0
32,0	55,4	44,6	8 100	7 100	6 300	5 300	60,1	44,2	7 700	6 900	6 200	5 500	32,0
36,0	49,8	41,4	7 500	6 700	6 000	5 300	54,4	41,0	7 200	6 500	5 900	5 400	36,0
40,0	43,6	37,5	7 000	6 300	5 700	5 200	48,2	37,1	6 800	6 200	5 700	5 200	40,0
44,0	36,6	32,6	6 600	6 000	5 400	5 000	41,0	32,1	6 200	5 900	5 400	5 000	44,0
45,7	32,9	29,8	6 400	5 800	5 300	4 900	37,3	29,1	6 000	5 800	5 400	5 000	45,7
48,0	28,0	26,0	6 200	5 700	5 200	4 800	32,3	25,3	5 700	5 600	5 300	4 900	48,0
48,8	25,9	24,2	6 200	5 600	5 200	4 800	30,3	23,7	5 600	5 600	5 200	4 900	48,8
50,3	21,8	20,8	6 100	5 500	5 100	4 700							50,3

# MLC250 S-1



				0°	1°	2°	3°		
				kg	kg	kg	kg		
m	°	m		kg	kg	kg	kg	m	
12,2								12,2	
13,7								13,7	
14,0								14,0	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8	80,5	49,9		8 800				19,8	
20,0	80,3	49,8		8 800				20,0	
21,3	78,7	49,3		8 600	7 500	6 700		21,3	
22,0	77,9	49,0		8 500	7 500	6 700		22,0	
22,9	76,7	48,6		8 400	7 400	6 600	5 600	22,9	
24,0	75,4	48,1		8 200	7 300	6 600	5 600	24,0	
26,0	72,8	47,0		7 800	7 100	6 400	5 600	26,0	
28,0	70,2	45,9		7 300	6 900	6 300	5 600	28,0	
30,0	67,6	44,6		6 900	6 700	6 100	5 600	30,0	
32,0	64,8	43,2		6 600	6 400	6 000	5 500	32,0	
36,0	58,9	39,9		5 900	5 800	5 700	5 300	36,0	
40,0	52,5	35,8		5 400	5 400	5 300	5 200	40,0	
44,0	45,0	30,6		5 000	5 000	4 900	4 900	44,0	
45,7	41,3	27,8		4 900	4 800	4 800	4 800	45,7	
48,0								48,0	
48,8								48,8	
50,3								50,3	


# MLC250 S-1




67 860 kg  
+  
0 kg



360°








30,5 m



24,4 m


			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,1	56,4	11 200										12,2
13,7	78,5	56,1	11 100	8 500	6 800								13,7
14,0	78,2	56,0	11 000	8 400	6 700								14,0
15,2	76,9	55,7	10 900	8 400	6 700	5 600							15,2
16,0	76,0	55,5	10 700	8 400	6 700	5 500							16,0
16,8	75,2	55,3	10 600	8 300	6 700	5 500	79,8	55,0	10 200	8 400			16,8
18,0	73,9	54,9	10 400	8 300	6 600	5 500	78,4	54,6	10 000	8 300			18,0
18,3	73,5	54,8	10 400	8 300	6 600	5 500	78,1	54,5	9 900	8 300	6 700		18,3
19,8	71,9	54,3	10 200	8 200	6 600	5 500	76,4	54,0	9 700	8 300	6 700	5 500	19,8
20,0	71,7	54,3	10 100	8 200	6 600	5 500	76,2	53,9	9 600	8 300	6 700	5 500	20,0
21,3	70,2	53,8	9 900	8 100	6 600	5 400	74,7	53,4	9 400	8 200	6 700	5 500	21,3
22,0	69,4	53,5	9 800	8 100	6 600	5 400	73,9	53,2	9 300	8 100	6 700	5 500	22,0
22,9	68,4	53,1	9 700	8 100	6 500	5 400	72,9	52,8	9 200	8 000	6 600	5 500	22,9
24,0	67,2	52,7	9 500	8 100	6 500	5 400	71,7	52,3	9 000	7 900	6 600	5 500	24,0
26,0	64,9	51,8	9 300	8 000	6 500	5 400	69,3	51,4	8 700	7 600	6 600	5 500	26,0
28,0	62,5	50,7	9 000	7 800	6 400	5 400	67,0	50,3	8 400	7 400	6 600	5 500	28,0
30,0	60,1	49,6	8 600	7 600	6 400	5 300	64,5	49,2	8 100	7 200	6 500	5 500	30,0
32,0	57,6	48,3	8 300	7 300	6 300	5 300	62,1	47,9	7 900	7 000	6 300	5 500	32,0
36,0	52,5	45,4	7 800	6 900	6 200	5 300	56,9	45,0	7 400	6 700	6 000	5 500	36,0
40,0	46,9	41,9	7 300	6 500	5 900	5 200	51,2	41,4	7 000	6 300	5 800	5 300	40,0
44,0	40,8	37,6	6 800	6 100	5 600	5 100	45,0	37,1	6 500	6 000	5 600	5 100	44,0
48,0	33,7	32,1	6 400	5 800	5 300	4 900	37,8	31,5	6 000	5 800	5 300	4 900	48,0
48,8	32,0	30,7	6 400	5 800	5 300	4 900	36,1	30,1	5 900	5 800	5 300	4 900	48,8
51,8	25,3	25,0	6 100	5 600	5 100	4 700	29,2	24,3	5 500	5 500	5 200	4 900	51,8
52,0	24,9	24,7	6 100	5 600	5 100	4 700							52,0
53,3	21,1	21,4	6 000	5 500	5 100	4 700							53,3

# MLC250 S-1





m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	79,4	52,5	8 600	7 600			21,3
22,0	78,6	52,2	8 600	7 500			22,0
22,9	77,6	51,9	8 400	7 500	6 700	5 500	22,9
24,0	76,3	51,4	8 300	7 400	6 600	5 500	24,0
26,0	73,9	50,4	8 000	7 200	6 500	5 500	26,0
28,0	71,5	49,4	7 500	7 000	6 300	5 500	28,0
30,0	69,0	48,2	7 100	6 800	6 200	5 500	30,0
32,0	66,5	46,9	6 800	6 600	6 100	5 500	32,0
36,0	61,1	43,9	6 100	6 000	5 900	5 400	36,0
40,0	55,4	40,2	5 600	5 600	5 500	5 200	40,0
44,0	48,9	35,7	5 200	5 200	5 100	5 100	44,0
48,0	41,3	29,9	4 900	4 800	4 800	4 800	48,0
48,8	39,7	28,5	4 800	4 800	4 800	4 700	48,8
51,8							51,8
52,0							52,0
53,3							53,3

# MLC250 S-1





67 860 kg  
+  
0 kg



			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
12,2	80,6	59,5	11 200	8 400									12,2
13,7	79,1	59,2	11 100	8 400									13,7
14,0	78,8	59,1	11 000	8 400									14,0
15,2	77,6	58,8	10 900	8 400	6 700	5 500							15,2
16,0	76,8	58,7	10 800	8 300	6 700	5 500							16,0
16,8	76,0	58,4	10 600	8 300	6 700	5 500	80,3	58,1	10 300				16,8
18,0	74,7	58,1	10 500	8 300	6 600	5 500	79,0	57,8	10 100				18,0
18,3	74,4	58,0	10 400	8 200	6 600	5 500	78,7	57,7	10 000	8 300	6 600		18,3
19,8	72,9	57,5	10 200	8 200	6 600	5 500	77,2	57,2	9 800	8 300	6 600	5 500	19,8
20,0	72,7	57,5	10 200	8 200	6 600	5 500	77,0	57,1	9 800	8 300	6 600	5 500	20,0
21,3	71,3	57,0	10 000	8 100	6 600	5 400	75,6	56,7	9 500	8 200	6 600	5 500	21,3
22,0	70,6	56,8	9 900	8 100	6 500	5 400	74,8	56,4	9 400	8 200	6 600	5 500	22,0
22,9	69,6	56,4	9 800	8 100	6 500	5 400	73,9	56,1	9 300	8 100	6 600	5 500	22,9
24,0	68,4	56,0	9 600	8 000	6 500	5 400	72,7	55,6	9 100	8 000	6 600	5 500	24,0
24,4	68,0	55,8	9 600	8 000	6 500	5 400	72,3	55,5	9 100	7 900	6 600	5 500	24,4
26,0	66,3	55,1	9 400	8 000	6 500	5 400	70,5	54,8	8 900	7 800	6 600	5 500	26,0
28,0	64,1	54,2	9 100	7 900	6 400	5 300	68,3	53,8	8 600	7 500	6 600	5 500	28,0
30,0	61,8	53,1	8 800	7 700	6 400	5 300	66,1	52,7	8 300	7 300	6 600	5 500	30,0
32,0	59,5	51,9	8 500	7 500	6 300	5 300	63,7	51,5	8 100	7 200	6 400	5 500	32,0
36,0	54,8	49,3	8 000	7 000	6 300	5 200	58,9	48,8	7 600	6 800	6 100	5 500	36,0
40,0	49,7	46,0	7 500	6 700	6 000	5 200	53,8	45,6	7 200	6 500	5 900	5 400	40,0
44,0	44,2	42,2	7 000	6 300	5 700	5 200	48,3	41,7	6 800	6 200	5 700	5 200	44,0
48,0	38,1	37,4	6 600	6 000	5 500	5 000	42,0	36,9	6 200	5 900	5 400	5 000	48,0
50,3	34,0	34,0	6 400	5 800	5 300	4 900	37,8	33,3	6 000	5 800	5 300	4 900	50,3
52,0	30,9	31,4	6 300	5 700	5 300	4 800	34,7	30,7	5 800	5 700	5 300	4 900	52,0
54,9	24,3	25,4	6 000	5 600	5 100	4 700	28,2	24,9	5 500	5 500	5 200	4 800	54,9
56,0	21,6	22,9	5 900	5 500	5 100	4 700							56,0
56,4	20,5	21,9	5 800	5 500	5 100	4 700							56,4




# MLC250 S-1



		25°					
		67 860 kg + 0 kg					
		0° 1° 2° 3°					
		kg					
		m					
		°					
		m					
		kg					
		m					
12,2							12,2
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,0	55,7	8 700	7 600			21,3
22,0	79,3	55,5	8 600	7 600			22,0
22,9	78,3	55,1	8 500	7 500	6 700		22,9
24,0	77,1	54,7	8 400	7 400	6 600		24,0
24,4	76,6	54,5	8 300	7 400	6 600	5 600	24,4
26,0	74,9	53,8	8 100	7 300	6 500	5 600	26,0
28,0	72,6	52,8	7 800	7 100	6 400	5 600	28,0
30,0	70,3	51,7	7 300	6 900	6 300	5 600	30,0
32,0	67,9	50,5	7 000	6 800	6 200	5 600	32,0
36,0	63,0	47,7	6 400	6 200	5 900	5 400	36,0
40,0	57,8	44,4	5 800	5 700	5 700	5 300	40,0
44,0	52,0	40,4	5 400	5 300	5 300	5 200	44,0
48,0	45,6	35,4	5 000	5 000	5 000	4 900	48,0
50,3	41,3	31,9	4 900	4 800	4 800	4 800	50,3
52,0							52,0
54,9							54,9
56,0							56,0
56,4							56,4


# MLC250 S-1




67 860 kg  
+  
0 kg



360°







36,6 m



24,4 m


		5°					15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	79,7	62,3	11 100	8 400									13,7
14,0	79,4	62,2	11 000	8 400									14,0
15,2	78,2	62,0	10 900	8 300	6 700								15,2
16,0	77,5	61,8	10 800	8 300	6 600								16,0
16,8	76,7	61,6	10 700	8 300	6 600	5 500	80,8	61,2	10 400				16,8
18,0	75,5	61,3	10 500	8 200	6 600	5 500	79,6	60,9	10 100				18,0
18,3	75,2	61,2	10 500	8 200	6 600	5 500	79,3	60,8	10 100	8 300			18,3
19,8	73,7	60,7	10 300	8 200	6 600	5 400	77,8	60,4	9 900	8 300	6 600	5 500	19,8
20,0	73,6	60,7	10 200	8 200	6 600	5 400	77,6	60,3	9 800	8 300	6 600	5 500	20,0
21,3	72,3	60,3	10 100	8 100	6 500	5 400	76,3	59,9	9 600	8 200	6 600	5 500	21,3
22,0	71,6	60,0	10 000	8 100	6 500	5 400	75,6	59,7	9 500	8 200	6 600	5 500	22,0
22,9	70,7	59,7	9 800	8 100	6 500	5 400	74,7	59,3	9 400	8 100	6 600	5 500	22,9
24,0	69,6	59,3	9 700	8 000	6 500	5 400	73,6	58,9	9 200	8 100	6 600	5 500	24,0
24,4	69,2	59,1	9 600	8 000	6 500	5 400	73,2	58,7	9 200	8 000	6 600	5 500	24,4
26,0	67,5	58,5	9 400	8 000	6 400	5 400	71,6	58,1	9 000	7 800	6 600	5 500	26,0
28,0	65,5	57,6	9 200	7 900	6 400	5 300	69,5	57,2	8 700	7 600	6 600	5 500	28,0
30,0	63,4	56,6	8 900	7 800	6 400	5 300	67,4	56,2	8 400	7 500	6 600	5 400	30,0
32,0	61,2	55,5	8 700	7 600	6 300	5 300	65,2	55,1	8 200	7 300	6 500	5 400	32,0
36,0	56,8	53,0	8 200	7 200	6 300	5 200	60,8	52,6	7 800	6 900	6 200	5 400	36,0
40,0	52,1	50,0	7 700	6 800	6 200	5 200	56,0	49,6	7 300	6 600	6 000	5 400	40,0
44,0	47,1	46,5	7 300	6 500	5 900	5 200	51,0	46,0	7 000	6 300	5 800	5 300	44,0
48,0	41,7	42,3	6 800	6 200	5 600	5 100	45,5	41,8	6 500	6 100	5 600	5 100	48,0
52,0	35,5	37,1	6 500	5 900	5 400	4 900	39,2	36,5	6 000	5 800	5 400	5 000	52,0
53,3	33,1	34,9	6 200	5 800	5 300	4 900	36,7	34,2	5 900	5 800	5 300	4 900	53,3
56,0	28,2	30,4	5 800	5 500	5 200	4 800	31,7	29,7	5 700	5 600	5 200	4 900	56,0
56,4	27,3	29,5	5 700	5 500	5 100	4 700	30,9	28,9	5 600	5 600	5 200	4 800	56,4
59,4	20,0	22,4	5 000	4 900	4 700	4 600							59,4

# MLC250 S-1



		 25°					
		 0°    1°    2°    3°					
 m	 °	 m	 kg	 kg	 kg	 kg	 m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3	80,5	58,9	8 800				21,3
22,0	79,8	58,7	8 700				22,0
22,9	78,9	58,3	8 600	7 600	6 700		22,9
24,0	77,8	57,9	8 500	7 500	6 700		24,0
24,4	77,4	57,7	8 400	7 400	6 600	5 500	24,4
26,0	75,7	57,1	8 200	7 300	6 600	5 500	26,0
28,0	73,6	56,1	7 900	7 200	6 400	5 500	28,0
30,0	71,4	55,1	7 500	7 000	6 300	5 500	30,0
32,0	69,2	54,0	7 200	6 900	6 200	5 500	32,0
36,0	64,7	51,4	6 500	6 400	6 000	5 500	36,0
40,0	59,8	48,4	6 000	5 900	5 800	5 300	40,0
44,0	54,6	44,7	5 600	5 500	5 400	5 200	44,0
48,0	48,9	40,3	5 200	5 200	5 100	5 100	48,0
52,0	42,4	34,8	4 900	4 900	4 800	4 800	52,0
53,3	39,9	32,6	4 800	4 800	4 800	4 700	53,3
56,0							56,0
56,4							56,4
59,4							59,4


# MLC250 S-1




67 860 kg  
+  
0 kg



360°






39,6 m



24,4 m

			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	80,2	65,4	11 000										13,7
14,0	79,9	65,3	11 000										14,0
15,2	78,8	65,1	10 900	8 300	6 600								15,2
16,0	78,1	64,9	10 800	8 300	6 600								16,0
16,8	77,3	64,7	10 700	8 300	6 600	5 500							16,8
18,0	76,2	64,4	10 500	8 200	6 600	5 500							18,0
18,3	75,9	64,3	10 500	8 200	6 600	5 400	79,9	64,0	10 200	8 300			18,3
19,8	74,5	63,9	10 300	8 200	6 600	5 400	78,4	63,5	9 900	8 200	6 600		19,8
20,0	74,4	63,9	10 200	8 100	6 600	5 400	78,2	63,5	9 900	8 200	6 600		20,0
21,3	73,1	63,5	10 100	8 100	6 500	5 400	77,0	63,1	9 700	8 200	6 600	5 400	21,3
22,0	72,5	63,2	10 000	8 100	6 500	5 400	76,4	62,9	9 600	8 200	6 600	5 400	22,0
22,9	71,6	62,9	9 900	8 100	6 500	5 400	75,5	62,5	9 500	8 200	6 600	5 400	22,9
24,0	70,6	62,5	9 700	8 000	6 500	5 400	74,5	62,2	9 300	8 100	6 600	5 400	24,0
24,4	70,2	62,4	9 700	8 000	6 500	5 400	74,1	62,0	9 300	8 100	6 600	5 400	24,4
25,9	68,8	61,8	9 500	7 900	6 400	5 300	72,6	61,4	9 100	7 900	6 600	5 400	25,9
26,0	68,7	61,8	9 500	7 900	6 400	5 300	72,5	61,4	9 100	7 900	6 600	5 400	26,0
28,0	66,7	60,9	9 200	7 900	6 400	5 300	70,6	60,5	8 800	7 700	6 500	5 400	28,0
30,0	64,7	60,0	9 000	7 800	6 300	5 300	68,6	59,6	8 600	7 500	6 500	5 400	30,0
32,0	62,7	58,9	8 800	7 800	6 300	5 300	66,5	58,5	8 400	7 400	6 500	5 400	32,0
36,0	58,6	56,6	8 300	7 300	6 200	5 200	62,4	56,2	7 900	7 000	6 300	5 400	36,0
40,0	54,2	53,9	7 900	7 000	6 200	5 200	58,0	53,4	7 500	6 700	6 100	5 400	40,0
44,0	49,6	50,6	7 400	6 600	6 000	5 100	53,3	50,2	7 100	6 400	5 800	5 400	44,0
48,0	44,7	46,8	7 000	6 300	5 700	5 100	48,3	46,3	6 800	6 200	5 600	5 200	48,0
52,0	39,2	42,2	6 500	6 000	5 500	5 000	42,8	41,6	6 300	6 000	5 500	5 000	52,0
54,9	34,8	38,2	5 800	5 500	5 200	4 900	38,3	37,5	5 900	5 700	5 300	4 900	54,9
56,0	33,0	36,6	5 500	5 300	5 100	4 800	36,5	35,9	5 700	5 500	5 300	4 900	56,0
59,4	26,6	30,2	4 800	4 600	4 500	4 300	30,0	29,5	5 000	4 800	4 600	4 400	59,4
60,0	25,5	29,2	4 700	4 500	4 400	4 200							60,0
62,5	19,5	22,9	4 200	4 100	3 900	3 800							62,5


# MLC250 S-1





		25°						
m	°	m	0°	1°	2°	3°	m	
			kg	kg	kg	kg		
13,7							13,7	
14,0							14,0	
15,2							15,2	
16,0							16,0	
16,8							16,8	
18,0							18,0	
18,3							18,3	
19,8							19,8	
20,0							20,0	
21,3	81,0	62,1	8 800				21,3	
22,0	80,4	61,9	8 700				22,0	
22,9	79,5	61,5	8 600	7 600			22,9	
24,0	78,4	61,1	8 500	7 500			24,0	
24,4	78,0	61,0	8 500	7 500	6 600		24,4	
25,9	76,5	60,4	8 300	7 400	6 600	5 500	25,9	
26,0	76,5	60,3	8 300	7 400	6 600	5 500	26,0	
28,0	74,5	59,5	8 100	7 200	6 500	5 500	28,0	
30,0	72,4	58,5	7 700	7 100	6 400	5 500	30,0	
32,0	70,4	57,4	7 400	6 900	6 300	5 500	32,0	
36,0	66,1	55,0	6 700	6 600	6 100	5 500	36,0	
40,0	61,6	52,2	6 200	6 100	5 900	5 400	40,0	
44,0	56,9	48,9	5 800	5 700	5 600	5 300	44,0	
48,0	51,7	44,9	5 400	5 300	5 300	5 200	48,0	
52,0	46,0	40,1	5 100	5 000	5 000	4 900	52,0	
54,9	41,3	35,9	4 900	4 800	4 800	4 800	54,9	
56,0							56,0	
59,4							59,4	
60,0							60,0	
62,5							62,5	

















ORIGINAL SOURCE ONLY!

# MLC250 S-1





67 860 kg  
+  
0 kg





			5°				15°						
													
 m	 °	 m	 kg	 kg	 kg	 kg	 °	 m	 kg	 kg	 kg	 kg	 m
13,7	80,6	68,5	11 000										13,7
14,0	80,4	68,4	11 000										14,0
15,2	79,3	68,2	10 800	8 300									15,2
16,0	78,6	68,0	10 800	8 300									16,0
16,8	77,9	67,9	10 700	8 200	6 600	5 400							16,8
18,0	76,9	67,6	10 500	8 200	6 600	5 400							18,0
18,3	76,6	67,5	10 500	8 200	6 600	5 400	80,3	67,1	10 200				18,3
19,8	75,3	67,1	10 300	8 100	6 500	5 400	79,0	66,7	10 000	8 200	6 600		19,8
20,0	75,1	67,0	10 300	8 100	6 500	5 400	78,8	66,7	10 000	8 200	6 600		20,0
21,3	73,9	66,7	10 100	8 100	6 500	5 400	77,6	66,3	9 800	8 200	6 600	5 500	21,3
22,0	73,3	66,5	10 000	8 100	6 500	5 400	77,0	66,1	9 700	8 200	6 600	5 400	22,0
22,9	72,5	66,1	9 900	8 000	6 500	5 400	76,2	65,8	9 600	8 200	6 600	5 400	22,9
24,0	71,5	65,8	9 800	8 000	6 500	5 400	75,2	65,4	9 400	8 100	6 500	5 400	24,0
24,4	71,1	65,6	9 700	8 000	6 400	5 300	74,8	65,2	9 400	8 100	6 500	5 400	24,4
25,9	69,8	65,1	9 500	7 900	6 400	5 300	73,5	64,7	9 200	8 000	6 500	5 400	25,9
26,0	69,7	65,0	9 500	7 900	6 400	5 300	73,4	64,6	9 200	8 000	6 500	5 400	26,0
28,0	67,8	64,2	9 300	7 900	6 400	5 300	71,5	63,8	8 900	7 800	6 500	5 400	28,0
30,0	66,0	63,3	9 000	7 800	6 300	5 300	69,6	62,9	8 700	7 600	6 500	5 400	30,0
32,0	64,1	62,4	8 800	7 800	6 300	5 200	67,7	62,0	8 500	7 500	6 500	5 400	32,0
36,0	60,2	60,2	8 400	7 500	6 200	5 200	63,8	59,8	8 000	7 100	6 400	5 400	36,0
40,0	56,1	57,6	8 100	7 100	6 200	5 200	59,7	57,2	7 600	6 800	6 200	5 400	40,0
44,0	51,9	54,6	7 600	6 700	6 100	5 100	55,4	54,1	7 300	6 600	5 900	5 400	44,0
48,0	47,3	51,1	7 200	6 400	5 800	5 100	50,8	50,6	7 000	6 300	5 700	5 300	48,0
52,0	42,4	47,0	6 300	6 000	5 600	5 100	45,8	46,4	6 600	6 100	5 500	5 100	52,0
56,0	36,9	42,0	5 400	5 100	4 900	4 700	40,3	41,4	5 600	5 400	5 100	4 900	56,0
57,9	33,9	39,1	4 900	4 700	4 500	4 300	37,2	38,4	5 200	5 000	4 700	4 500	57,9
60,0	30,6	35,8	4 500	4 300	4 100	4 000	33,9	35,1	4 700	4 500	4 300	4 100	60,0
62,5	25,8	30,7	4 000	3 900	3 700	3 600	29,2	30,2	4 200	4 000	3 900	3 700	62,5
64,0	22,8	27,6	3 800	3 600	3 500	3 300							64,0
65,5	19,0	23,4	3 500	3 400	3 200	3 100							65,5

# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		0°					
		1°					
		2°					
		3°					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,0	64,7	8 700				22,9
24,0	79,0	64,3	8 600				24,0
24,4	78,6	64,2	8 500	7 500	6 600		24,4
25,9	77,2	63,6	8 400	7 400	6 600	5 500	25,9
26,0	77,1	63,6	8 400	7 400	6 600	5 500	26,0
28,0	75,2	62,8	8 200	7 300	6 500	5 500	28,0
30,0	73,3	61,8	7 900	7 100	6 400	5 500	30,0
32,0	71,4	60,9	7 500	7 000	6 300	5 500	32,0
36,0	67,4	58,6	6 900	6 700	6 100	5 500	36,0
40,0	63,2	56,0	6 400	6 300	5 900	5 500	40,0
44,0	58,8	52,9	5 900	5 800	5 700	5 300	44,0
48,0	54,1	49,2	5 500	5 500	5 400	5 200	48,0
52,0	48,9	44,9	5 200	5 200	5 100	5 100	52,0
56,0	43,2	39,6	4 900	4 900	4 900	4 800	56,0
57,9	40,1	36,7	4 800	4 800	4 800	4 700	57,9
60,0							60,0
62,5							62,5
64,0							64,0
65,5							65,5

REFERENCE ONLY!

# MLC250 S-1






67 860 kg  
+  
0 kg



			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
13,7	81,0	71,6	11 000										13,7
14,0	80,8	71,5	10 900										14,0
15,2	79,8	71,3	10 800	8 200									15,2
16,0	79,1	71,2	10 800	8 200									16,0
16,8	78,4	71,0	10 700	8 200	6 600								16,8
18,0	77,4	70,7	10 500	8 200	6 500								18,0
18,3	77,2	70,6	10 500	8 200	6 500	5 400	80,8	70,3	10 300				18,3
19,8	75,9	70,3	10 300	8 100	6 500	5 400	79,5	69,9	10 100	8 200			19,8
20,0	75,8	70,2	10 300	8 100	6 500	5 400	79,3	69,8	10 000	8 200			20,0
21,3	74,6	69,8	10 100	8 100	6 500	5 400	78,2	69,4	9 900	8 200	6 500		21,3
22,0	74,1	69,6	10 100	8 000	6 500	5 300	77,6	69,2	9 800	8 100	6 500		22,0
22,9	73,3	69,4	9 900	8 000	6 400	5 300	76,8	69,0	9 700	8 100	6 500	5 400	22,9
24,0	72,3	69,0	9 800	8 000	6 400	5 300	75,9	68,6	9 500	8 100	6 500	5 400	24,0
24,4	72,0	68,9	9 800	8 000	6 400	5 300	75,5	68,5	9 500	8 100	6 500	5 400	24,4
25,9	70,7	68,3	9 600	7 900	6 400	5 300	74,2	67,9	9 300	8 100	6 500	5 400	25,9
26,0	70,6	68,3	9 600	7 900	6 400	5 300	74,1	67,9	9 300	8 000	6 500	5 400	26,0
28,0	68,9	67,5	9 300	7 900	6 300	5 300	72,4	67,1	9 000	7 900	6 500	5 400	28,0
30,0	67,1	66,7	9 100	7 800	6 300	5 300	70,6	66,3	8 800	7 700	6 500	5 400	30,0
32,0	65,3	65,8	8 900	7 700	6 300	5 200	68,8	65,4	8 600	7 500	6 500	5 400	32,0
36,0	61,6	63,7	8 500	7 600	6 200	5 200	65,1	63,3	8 200	7 200	6 500	5 400	36,0
40,0	57,8	61,3	8 100	7 200	6 200	5 200	61,2	60,8	7 800	6 900	6 200	5 400	40,0
44,0	53,8	58,5	7 800	6 900	6 100	5 100	57,2	58,0	7 400	6 700	6 000	5 400	44,0
48,0	49,6	55,2	7 200	6 600	5 900	5 100	52,9	54,7	7 100	6 400	5 800	5 300	48,0
52,0	45,1	51,5	6 000	5 700	5 400	5 000	48,4	50,9	6 400	6 100	5 600	5 200	52,0
56,0	40,2	47,0	5 100	4 800	4 600	4 300	43,4	46,4	5 400	5 100	4 800	4 600	56,0
59,4	35,5	42,4	4 300	4 100	3 900	3 700	38,6	41,7	4 600	4 400	4 200	3 900	59,4
60,0	34,7	41,6	4 200	4 000	3 800	3 600	37,9	40,9	4 500	4 200	4 000	3 800	60,0
64,0	28,3	34,9	3 500	3 300	3 200	3 000	31,3	34,0	3 700	3 500	3 300	3 200	64,0
65,5	25,1	31,3	3 200	3 100	2 900	2 800	28,4	30,8	3 400	3 200	3 100	2 900	65,5
68,0	20,0	25,6	2 800	2 700	2 600	2 500							68,0
68,6	18,6	23,9	2 700	2 600	2 500	2 400							68,6




# MLC250 S-1





		25°					
		67 860 kg + 0 kg					
		0° 1° 2° 3°					
		kg					
m	°	m	kg	kg	kg	kg	m
13,7							13,7
14,0							14,0
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9	80,5	67,9	8 700				22,9
24,0	79,5	67,5	8 600				24,0
24,4	79,1	67,4	8 600	7 500			24,4
25,9	77,8	66,8	8 400	7 400	6 600	5 500	25,9
26,0	77,7	66,8	8 400	7 400	6 600	5 500	26,0
28,0	75,9	66,0	8 300	7 300	6 500	5 500	28,0
30,0	74,1	65,2	8 000	7 200	6 500	5 500	30,0
32,0	72,3	64,2	7 700	7 100	6 300	5 500	32,0
36,0	68,5	62,1	7 100	6 800	6 200	5 500	36,0
40,0	64,6	59,6	6 500	6 400	6 000	5 500	40,0
44,0	60,5	56,7	6 100	6 000	5 800	5 400	44,0
48,0	56,1	53,4	5 700	5 600	5 500	5 200	48,0
52,0	51,4	49,4	5 400	5 300	5 200	5 200	52,0
56,0	46,3	44,8	5 100	5 000	5 000	4 800	56,0
59,4	41,4	39,9	4 800	4 600	4 300	4 100	59,4
60,0							60,0
64,0							64,0
65,5							65,5
68,0							68,0
68,6							68,6

# MLC250 S-1



67 860 kg  
+  
0 kg




		5°					15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,2	74,4	10 800										15,2
16,0	79,6	74,3	10 700										16,0
16,8	78,9	74,1	10 700	8 200	6 500								16,8
18,0	78,0	73,8	10 600	8 100	6 500								18,0
18,3	77,7	73,8	10 500	8 100	6 500	5 400							18,3
19,8	76,5	73,4	10 300	8 100	6 500	5 400	79,9	73,0	10 100	8 100			19,8
20,0	76,4	73,4	10 300	8 100	6 500	5 400	79,8	73,0	10 100	8 100			20,0
21,3	75,3	73,0	10 200	8 000	6 400	5 300	78,7	72,6	9 900	8 100	6 500		21,3
22,0	74,7	72,8	10 100	8 000	6 400	5 300	78,1	72,4	9 800	8 100	6 500		22,0
22,9	74,0	72,5	10 000	8 000	6 400	5 300	77,4	72,1	9 700	8 100	6 500	5 400	22,9
24,0	73,1	72,2	9 800	8 000	6 400	5 300	76,5	71,8	9 600	8 100	6 500	5 400	24,0
24,4	72,8	72,1	9 800	7 900	6 400	5 300	76,1	71,7	9 500	8 100	6 500	5 400	24,4
25,9	71,5	71,6	9 600	7 900	6 400	5 300	74,9	71,2	9 400	8 000	6 500	5 400	25,9
26,0	71,5	71,5	9 600	7 900	6 400	5 300	74,8	71,1	9 300	8 000	6 500	5 400	26,0
27,4	70,3	71,0	9 400	7 800	6 300	5 300	73,6	70,6	9 200	8 000	6 500	5 400	27,4
28,0	69,8	70,8	9 400	7 800	6 300	5 200	73,1	70,4	9 100	7 900	6 500	5 400	28,0
30,0	68,1	70,0	9 100	7 800	6 300	5 200	71,5	69,6	8 900	7 800	6 500	5 400	30,0
32,0	66,4	69,1	8 900	7 700	6 300	5 200	69,7	68,7	8 700	7 600	6 400	5 400	32,0
36,0	62,9	67,2	8 500	7 600	6 200	5 200	66,2	66,7	8 300	7 300	6 400	5 400	36,0
40,0	59,3	64,9	8 200	7 300	6 100	5 100	62,6	64,4	7 900	7 000	6 300	5 400	40,0
44,0	55,5	62,3	7 800	7 000	6 100	5 100	58,8	61,8	7 500	6 700	6 100	5 400	44,0
48,0	51,6	59,2	7 000	6 600	6 000	5 100	54,8	58,7	7 200	6 500	5 900	5 400	48,0
52,0	47,4	55,7	5 800	5 500	5 200	4 900	50,6	55,2	6 200	5 900	5 500	5 200	52,0
56,0	43,0	51,6	4 900	4 600	4 300	4 100	46,1	51,1	5 200	4 900	4 600	4 400	56,0
60,0	38,1	46,8	4 000	3 800	3 600	3 400	41,1	46,2	4 300	4 100	3 800	3 600	60,0
62,5	34,6	43,2	3 600	3 400	3 200	3 000	37,7	42,5	3 800	3 600	3 400	3 200	62,5
64,0	32,5	41,0	3 300	3 100	2 900	2 800	35,5	40,3	3 500	3 300	3 100	2 900	64,0
67,1	27,5	35,4	2 800	2 600	2 500	2 300	30,5	34,7	3 000	2 800	2 600	2 500	67,1
68,0	26,0	33,7	2 600	2 500	2 400	2 200							68,0
71,6	18,1	24,3	2 100	2 000	1 900	1 800							71,6

# MLC250 S-1



134  
+  
B10



67 860 kg  
+  
0 kg




48,8 m

24,4 m

				 25°					
				0°	1°	2°	3°		
m	°	m		kg	kg	kg	kg	m	
15,2								15,2	
16,0								16,0	
16,8								16,8	
18,0								18,0	
18,3								18,3	
19,8								19,8	
20,0								20,0	
21,3								21,3	
22,0								22,0	
22,9	80,9	71,1	8 800					22,9	
24,0	80,0	70,7	8 700					24,0	
24,4	79,6	70,6	8 600	7 600				24,4	
25,9	78,4	70,1	8 500	7 500	6 600			25,9	
26,0	78,3	70,0	8 500	7 500	6 600			26,0	
27,4	77,1	69,5	8 300	7 400	6 600	5 500		27,4	
28,0	76,6	69,3	8 300	7 300	6 600	5 500		28,0	
30,0	74,9	68,5	8 100	7 200	6 500	5 500		30,0	
32,0	73,1	67,6	7 800	7 100	6 400	5 500		32,0	
36,0	69,5	65,6	7 200	6 900	6 200	5 500		36,0	
40,0	65,8	63,2	6 700	6 600	6 000	5 500		40,0	
44,0	62,0	60,5	6 200	6 100	5 900	5 400		44,0	
48,0	57,9	57,4	5 800	5 800	5 700	5 300		48,0	
52,0	53,6	53,7	5 500	5 400	5 400	5 200		52,0	
56,0	48,9	49,5	5 200	5 100	4 900	4 600		56,0	
60,0	43,8	44,4	4 500	4 300	4 100	3 800		60,0	
62,5	40,2	40,8	4 000	3 800	3 600	3 400		62,5	
64,0								64,0	
67,1								67,1	
68,0								68,0	
71,6								71,6	


# MLC250 S-1




67 860 kg  
+  
0 kg



360°









51,8 m



24,4 m




			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,6	77,5	10 700										15,2
16,0	80,0	77,4	10 700										16,0
16,8	79,4	77,2	10 600	8 100									16,8
18,0	78,5	77,0	10 500	8 100									18,0
18,3	78,2	76,9	10 500	8 100	6 500								18,3
19,8	77,1	76,5	10 300	8 000	6 400	5 300	80,3	76,1	10 200				19,8
20,0	76,9	76,5	10 300	8 000	6 400	5 300	80,2	76,1	10 100				20,0
21,3	75,9	76,2	10 200	8 000	6 400	5 300	79,2	75,7	10 000	8 000			21,3
22,0	75,4	76,0	10 100	8 000	6 400	5 300	78,6	75,6	9 900	8 000			22,0
22,9	74,7	75,7	10 000	7 900	6 400	5 300	77,9	75,3	9 800	8 000	6 500	5 300	22,9
24,0	73,8	75,4	9 800	7 900	6 300	5 300	77,1	75,0	9 600	8 000	6 400	5 300	24,0
24,4	73,5	75,3	9 800	7 900	6 300	5 300	76,7	74,9	9 600	8 000	6 400	5 300	24,4
25,9	72,3	74,8	9 600	7 800	6 300	5 200	75,5	74,4	9 400	8 000	6 400	5 300	25,9
26,0	72,2	74,8	9 600	7 800	6 300	5 200	75,5	74,3	9 400	8 000	6 400	5 300	26,0
27,4	71,1	74,3	9 400	7 800	6 300	5 200	74,3	73,8	9 300	8 000	6 400	5 300	27,4
28,0	70,6	74,1	9 400	7 800	6 300	5 200	73,9	73,6	9 200	8 000	6 400	5 300	28,0
30,0	69,0	73,3	9 200	7 800	6 300	5 200	72,2	72,9	9 000	7 800	6 400	5 300	30,0
32,0	67,4	72,5	8 900	7 700	6 200	5 200	70,6	72,0	8 800	7 700	6 400	5 300	32,0
36,0	64,1	70,6	8 500	7 600	6 200	5 100	67,3	70,2	8 400	7 400	6 400	5 300	36,0
40,0	60,7	68,4	8 200	7 400	6 100	5 100	63,8	68,0	8 000	7 100	6 400	5 300	40,0
44,0	57,1	66,0	7 800	7 100	6 000	5 100	60,3	65,5	7 600	6 800	6 100	5 300	44,0
48,0	53,4	63,1	6 700	6 300	5 900	5 000	56,5	62,6	7 200	6 600	5 900	5 300	48,0
52,0	49,5	59,8	5 600	5 300	4 900	4 600	52,6	59,3	6 000	5 600	5 300	5 000	52,0
56,0	45,4	56,1	4 600	4 400	4 100	3 800	48,4	55,5	5 000	4 700	4 400	4 100	56,0
60,0	41,0	51,7	3 800	3 600	3 300	3 100	43,9	51,1	4 100	3 800	3 600	3 400	60,0
64,0	36,0	46,5	3 100	2 900	2 700	2 500	39,0	45,8	3 300	3 100	2 900	2 700	64,0
65,5	33,9	44,1	2 800	2 600	2 500	2 300	36,8	43,4	3 000	2 800	2 700	2 500	65,5
68,0	30,4	40,3	2 400	2 300	2 100	1 900	33,3	39,5	2 600	2 400	2 300	2 100	68,0
68,6	29,5	39,1	2 300	2 200	2 000	1 900	32,3	38,3	2 500	2 300	2 200	2 000	68,6
70,1	26,9	36,1	2 100	2 000	1 800		29,8	35,4	2 300	2 100	2 000	1 800	70,1
71,6	24,4	33,0	1 900										71,6

# MLC250 S-1




	m	°	m	0° kg	1° kg	2° kg		3° kg
15,2								15,2
16,0								16,0
16,8								16,8
18,0								18,0
18,3								18,3
19,8								19,8
20,0								20,0
21,3								21,3
22,0								22,0
22,9								22,9
24,0								24,0
24,4	80,1	73,8	8 700					24,4
25,9	78,9	73,3	8 500	7 500	6 500			25,9
26,0	78,8	73,2	8 500	7 500	6 500			26,0
27,4	77,6	72,7	8 400	7 400	6 500	5 400		27,4
28,0	77,2	72,5	8 300	7 400	6 500	5 400		28,0
30,0	75,5	71,7	8 200	7 300	6 500	5 400		30,0
32,0	73,8	70,9	8 000	7 100	6 400	5 400		32,0
36,0	70,4	69,0	7 400	6 900	6 300	5 400		36,0
40,0	66,9	66,8	6 800	6 700	6 100	5 400		40,0
44,0	63,3	64,2	6 400	6 300	5 900	5 400		44,0
48,0	59,5	61,3	6 000	5 900	5 800	5 300		48,0
52,0	55,5	57,9	5 600	5 600	5 500	5 200		52,0
56,0	51,2	54,0	5 300	5 000	4 700	4 400		56,0
60,0	46,6	49,4	4 300	4 100	3 900	3 600		60,0
64,0	41,4	44,0	3 500	3 300	3 100	2 900		64,0
65,5	39,2	41,6	3 200	3 000	2 800	2 600		65,5
68,0								68,0
68,6								68,6
70,1								70,1
71,6								71,6

# MLC250 S-1







			5°				15°						
			0°	1°	2°	3°			0°	1°	2°	3°	
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
15,2	80,9	80,6	10 700										15,2
16,0	80,4	80,5	10 700										16,0
16,8	79,8	80,3	10 600	8 100									16,8
18,0	78,9	80,1	10 500	8 000									18,0
18,3	78,7	80,0	10 500	8 000	6 400								18,3
19,8	77,6	79,7	10 300	8 000	6 400	5 300	80,7	79,3	10 200				19,8
20,0	77,4	79,6	10 300	8 000	6 400	5 300	80,6	79,2	10 100				20,0
21,3	76,5	79,3	10 200	7 900	6 400	5 300	79,6	78,9	10 000	8 000			21,3
22,0	75,9	79,1	10 100	7 900	6 400	5 300	79,1	78,7	9 900	8 000			22,0
22,9	75,3	78,9	10 000	7 900	6 300	5 200	78,4	78,5	9 800	8 000	6 400		22,9
24,0	74,4	78,6	9 900	7 900	6 300	5 200	77,6	78,2	9 700	8 000	6 400		24,0
24,4	74,1	78,5	9 800	7 900	6 300	5 200	77,3	78,0	9 600	8 000	6 400	5 300	24,4
25,9	73,0	78,0	9 600	7 800	6 300	5 200	76,1	77,6	9 500	8 000	6 400	5 300	25,9
26,0	72,9	78,0	9 600	7 800	6 300	5 200	76,0	77,5	9 500	8 000	6 400	5 300	26,0
27,4	71,9	77,5	9 500	7 800	6 300	5 200	75,0	77,1	9 300	8 000	6 400	5 300	27,4
28,0	71,4	77,3	9 400	7 800	6 200	5 200	74,5	76,9	9 200	8 000	6 400	5 300	28,0
29,0	70,6	76,9	9 300	7 700	6 200	5 200	73,7	76,5	9 100	7 900	6 400	5 300	29,0
30,0	69,9	76,6	9 200	7 700	6 200	5 200	73,0	76,1	9 000	7 900	6 400	5 300	30,0
32,0	68,3	75,8	9 000	7 600	6 200	5 200	71,4	75,3	8 800	7 700	6 400	5 300	32,0
36,0	65,1	74,0	8 600	7 600	6 100	5 100	68,2	73,5	8 500	7 400	6 400	5 300	36,0
40,0	61,9	71,9	8 200	7 500	6 100	5 100	64,9	71,5	8 100	7 100	6 400	5 300	40,0
44,0	58,5	69,6	7 800	7 200	6 000	5 100	61,6	69,1	7 800	6 900	6 200	5 300	44,0
48,0	55,1	66,9	6 500	6 100	5 700	5 000	58,1	66,4	7 000	6 500	6 000	5 300	48,0
52,0	51,4	63,8	5 400	5 000	4 700	4 400	54,4	63,3	5 800	5 400	5 100	4 700	52,0
56,0	47,6	60,3	4 400	4 100	3 800	3 600	50,5	59,8	4 800	4 500	4 200	3 900	56,0
60,0	43,5	56,3	3 600	3 300	3 100	2 900	46,4	55,7	3 900	3 600	3 400	3 100	60,0
64,0	39,0	51,6	2 900	2 700	2 400	2 200	41,9	51,0	3 100	2 900	2 700	2 500	64,0
67,1	35,2	47,4	2 400	2 200	2 000	1 800	38,0	46,7	2 600	2 400	2 200	2 000	67,1
68,0	34,1	46,1	2 200	2 000	1 900		36,8	45,3	2 400	2 300	2 100	1 900	68,0
68,6	33,3	45,1	2 100	2 000	1 800		36,0	44,3	2 300	2 200	2 000	1 800	68,6
70,1	31,2	42,7	1 900				33,8	41,7	2 100	1 900	1 800		70,1
71,6							31,6	39,1	1 900				71,6

# MLC250 S-1




67 860 kg  
+  
0 kg



m	°	m	kg				m
			0°	1°	2°	3°	
15,2							15,2
16,0							16,0
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,5	76,9	8 700				24,4
25,9	79,3	76,4	8 600	7 500			25,9
26,0	79,2	76,4	8 500	7 500			26,0
27,4	78,1	75,9	8 400	7 400	6 500		27,4
28,0	77,7	75,7	8 400	7 400	6 500		28,0
29,0	76,9	75,4	8 300	7 300	6 500	5 400	29,0
30,0	76,1	75,0	8 200	7 300	6 500	5 400	30,0
32,0	74,5	74,2	8 100	7 200	6 400	5 400	32,0
36,0	71,3	72,4	7 500	7 000	6 300	5 400	36,0
40,0	68,0	70,3	7 000	6 800	6 100	5 400	40,0
44,0	64,5	67,8	6 500	6 400	6 000	5 400	44,0
48,0	60,9	65,1	6 100	6 000	5 800	5 400	48,0
52,0	57,2	61,9	5 800	5 700	5 500	5 100	52,0
56,0	53,2	58,3	5 100	4 800	4 500	4 200	56,0
60,0	48,9	54,1	4 200	3 900	3 700	3 400	60,0
64,0	44,3	49,2	3 400	3 100	2 900	2 700	64,0
67,1	40,3	44,8	2 800	2 600	2 400	2 200	67,1
68,0							68,0
68,6							68,6
70,1							70,1
71,6							71,6


# MLC250 S-1




67 860 kg  
+  
0 kg



360°



57,9 m





24,4 m



			5°				15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	80,2	83,4	10 500										16,8
18,0	79,3	83,2	10 400										18,0
18,3	79,1	83,1	10 400	8 000									18,3
19,8	78,0	82,8	10 400	7 900	6 400								19,8
20,0	77,9	82,8	10 400	7 900	6 400								20,0
21,3	77,0	82,4	10 200	7 900	6 300	5 200	80,0	82,0	10 000	8 000			21,3
22,0	76,5	82,3	10 100	7 900	6 300	5 200	79,5	81,9	10 000	8 000			22,0
22,9	75,8	82,0	10 000	7 900	6 300	5 200	78,8	81,6	9 900	7 900	6 400		22,9
24,0	75,0	81,8	9 900	7 800	6 300	5 200	78,1	81,3	9 700	7 900	6 400		24,0
24,4	74,7	81,6	9 800	7 800	6 300	5 200	77,8	81,2	9 700	7 900	6 400	5 300	24,4
25,9	73,7	81,2	9 700	7 800	6 200	5 200	76,7	80,8	9 500	7 900	6 400	5 300	25,9
26,0	73,6	81,2	9 600	7 800	6 200	5 200	76,6	80,7	9 500	7 900	6 400	5 300	26,0
27,4	72,6	80,7	9 500	7 700	6 200	5 200	75,6	80,3	9 400	7 900	6 400	5 300	27,4
28,0	72,1	80,5	9 400	7 700	6 200	5 200	75,1	80,1	9 300	7 900	6 300	5 300	28,0
29,0	71,4	80,2	9 300	7 700	6 200	5 200	74,4	79,7	9 200	7 900	6 300	5 300	29,0
30,0	70,6	79,8	9 200	7 700	6 200	5 200	73,6	79,4	9 100	7 900	6 300	5 300	30,0
32,0	69,2	79,1	9 000	7 600	6 200	5 100	72,1	78,6	8 900	7 800	6 300	5 300	32,0
36,0	66,1	77,4	8 600	7 500	6 100	5 100	69,1	76,9	8 600	7 500	6 300	5 300	36,0
40,0	63,0	75,4	8 300	7 400	6 100	5 100	66,0	74,9	8 200	7 200	6 300	5 300	40,0
44,0	59,8	73,2	7 600	7 000	6 000	5 000	62,8	72,7	7 900	7 000	6 300	5 300	44,0
48,0	56,5	70,6	6 300	5 800	5 400	4 900	59,4	70,1	6 800	6 300	5 900	5 200	48,0
52,0	53,1	67,7	5 100	4 700	4 400	4 000	56,0	67,2	5 600	5 200	4 800	4 500	52,0
56,0	49,5	64,4	4 200	3 800	3 500	3 200	52,3	63,9	4 600	4 200	3 900	3 600	56,0
60,0	45,7	60,7	3 300	3 100	2 800	2 500	48,5	60,1	3 700	3 400	3 100	2 900	60,0
64,0	41,6	56,4	2 600	2 400	2 100	1 900	44,4	55,8	2 900	2 600	2 400	2 200	64,0
65,5	39,9	54,5	2 300	2 100	1 900		42,6	53,8	2 600	2 400	2 200	2 000	65,5
67,1	38,2	52,6	2 100	1 900			40,9	51,9	2 400	2 100	1 900		67,1
68,0	37,1	51,4	2 000				39,8	50,7	2 200	2 000			68,0
68,6	36,5	50,6	1 900				39,1	49,9	2 100	1 900			68,6
70,1							37,3	47,7	1 900				70,1



# MLC250 S-1




67 860 kg  
+  
0 kg





		25°					
		67 860 kg + 0 kg					
m	°	m	0°	1°	2°	3°	m
			kg	kg	kg	kg	
16,8							16,8
18,0							18,0
18,3							18,3
19,8							19,8
20,0							20,0
21,3							21,3
22,0							22,0
22,9							22,9
24,0							24,0
24,4	80,9	80,1	8 700				24,4
25,9	79,7	79,6	8 600	7 500			25,9
26,0	79,7	79,6	8 600	7 500			26,0
27,4	78,6	79,1	8 500	7 400	6 500		27,4
28,0	78,2	78,9	8 400	7 400	6 500		28,0
29,0	77,4	78,6	8 300	7 400	6 500	5 400	29,0
30,0	76,7	78,2	8 300	7 300	6 500	5 400	30,0
32,0	75,2	77,4	8 100	7 200	6 400	5 400	32,0
36,0	72,1	75,7	7 600	7 000	6 300	5 400	36,0
40,0	68,9	73,7	7 100	6 800	6 200	5 400	40,0
44,0	65,6	71,4	6 700	6 500	6 000	5 400	44,0
48,0	62,2	68,8	6 300	6 200	5 900	5 400	48,0
52,0	58,7	65,8	5 900	5 600	5 200	4 900	52,0
56,0	55,0	62,4	4 900	4 600	4 300	4 000	56,0
60,0	51,0	58,6	4 000	3 700	3 400	3 200	60,0
64,0	46,8	54,1	3 200	2 900	2 700	2 400	64,0
65,5	45,0	52,1	2 900	2 600	2 400	2 200	65,5
67,1	43,2	50,1	2 600	2 400	2 200	2 000	67,1
68,0	42,1	48,8	2 400	2 200	2 000		68,0
68,6	41,3	48,0	2 300	2 100	1 900		68,6
70,1	39,4	45,7	2 000	1 900			70,1

# MLC250 S-1







67 860 kg  
+  
0 kg





		5°					15°						
m	°	m	kg	kg	kg	kg	°	m	kg	kg	kg	kg	m
16,8	80,6	86,5	10 500										16,8
18,0	79,7	86,3	10 400										18,0
18,3	79,5	86,2	10 400	7 900									18,3
19,8	78,5	85,9	10 300	7 900	6 300								19,8
20,0	78,3	85,9	10 200	7 900	6 300								20,0
21,3	77,4	85,6	10 100	7 800	6 300	5 200	80,3	85,2	10 000				21,3
22,0	77,0	85,4	10 100	7 800	6 300	5 200	79,9	85,0	10 000				22,0
22,9	76,3	85,2	10 000	7 800	6 200	5 200	79,3	84,8	9 900	7 900			22,9
24,0	75,6	84,9	9 900	7 800	6 200	5 200	78,5	84,5	9 800	7 900			24,0
24,4	75,3	84,8	9 800	7 800	6 200	5 200	78,2	84,4	9 700	7 900	6 300		24,4
25,9	74,3	84,4	9 700	7 700	6 200	5 100	77,2	83,9	9 500	7 900	6 300	5 200	25,9
26,0	74,2	84,3	9 700	7 700	6 200	5 100	77,1	83,9	9 500	7 900	6 300	5 200	26,0
27,4	73,2	83,9	9 500	7 700	6 200	5 100	76,1	83,5	9 400	7 900	6 300	5 200	27,4
28,0	72,8	83,7	9 400	7 700	6 200	5 100	75,7	83,3	9 400	7 900	6 300	5 200	28,0
29,0	72,1	83,4	9 300	7 700	6 200	5 100	75,0	83,0	9 300	7 900	6 300	5 200	29,0
30,0	71,4	83,1	9 200	7 600	6 100	5 100	74,3	82,6	9 200	7 800	6 300	5 200	30,0
32,0	69,9	82,3	9 000	7 600	6 100	5 100	72,8	81,9	9 000	7 800	6 300	5 200	32,0
36,0	67,0	80,7	8 700	7 500	6 100	5 000	69,9	80,2	8 600	7 500	6 300	5 200	36,0
40,0	64,1	78,8	8 300	7 400	6 000	5 000	66,9	78,4	8 300	7 300	6 300	5 200	40,0
44,0	61,0	76,7	7 400	6 800	6 000	5 000	63,9	76,2	8 000	7 000	6 300	5 200	44,0
48,0	57,9	74,3	6 100	5 600	5 100	4 700	60,7	73,8	6 600	6 100	5 600	5 100	48,0
52,0	54,6	71,5	4 900	4 500	4 100	3 800	57,4	71,0	5 400	5 000	4 600	4 200	52,0
56,0	51,2	68,4	3 900	3 600	3 300	3 000	54,0	67,9	4 400	4 000	3 700	3 400	56,0
60,0	47,7	64,9	3 100	2 800	2 600	2 300	50,4	64,4	3 500	3 200	2 900	2 600	60,0
62,5	45,3	62,5	2 700	2 400	2 200	1 900	48,0	61,9	3 000	2 700	2 500	2 200	62,5
64,0	43,9	61,0	2 400	2 100	1 900		46,6	60,3	2 700	2 400	2 200	2 000	64,0
65,5	42,3	59,2	2 100	1 900			45,0	58,6	2 400	2 200	2 000		65,5
67,1	40,8	57,5	1 900				43,4	56,8	2 200	1 900			67,1
68,0							42,4	55,7	2 000				68,0
68,6							41,8	55,0	1 900				68,6
70,1													70,1

# MLC250 S-1





m		25°				m	
		kg					
		0°	1°	2°	3°		
kg	kg	kg	kg	kg	kg	kg	
16,8						16,8	
18,0						18,0	
18,3						18,3	
19,8						19,8	
20,0						20,0	
21,3						21,3	
22,0						22,0	
22,9						22,9	
24,0						24,0	
24,4						24,4	
25,9	80,1	82,8	8 600			25,9	
26,0	80,1	82,8	8 600			26,0	
27,4	79,1	82,3	8 500	7 500		27,4	
28,0	78,6	82,1	8 500	7 400		28,0	
29,0	77,9	81,8	8 400	7 400	6 400	5 300	29,0
30,0	77,2	81,4	8 300	7 300	6 400	5 300	30,0
32,0	75,7	80,7	8 200	7 200	6 400	5 300	32,0
36,0	72,8	79,0	7 800	7 000	6 300	5 300	36,0
40,0	69,7	77,1	7 200	6 800	6 200	5 300	40,0
44,0	66,6	74,9	6 800	6 600	6 000	5 300	44,0
48,0	63,4	72,4	6 400	6 300	5 900	5 300	48,0
52,0	60,1	69,6	5 900	5 400	5 000	4 600	52,0
56,0	56,6	66,4	4 800	4 400	4 100	3 700	56,0
60,0	52,9	62,8	3 800	3 500	3 200	2 900	60,0
62,5	50,4	60,3	3 300	3 000	2 800	2 500	62,5
64,0	48,9	58,7	3 000	2 700	2 500	2 200	64,0
65,5	47,3	56,9	2 700	2 500	2 200	2 000	65,5
67,1	45,7	55,0	2 400	2 200	2 000		67,1
68,0	44,7	53,9	2 300	2 000			68,0
68,6	44,0	53,1	2 200	1 900			68,6
70,1	42,3	51,1	1 900				70,1

# MLC250 S-1





67 860 kg  
+  
0 kg





	5°			15°			
	m	°	m	kg	°	m	
16,8	80,9	89,6	10 500				16,8
18,0	80,1	89,4	10 300				18,0
20,0	78,8	89,0	10 200				20,0
21,3	77,9	88,7	10 100	80,7	88,3	10 100	21,3
22,0	77,4	88,6	10 000	80,2	88,1	10 000	22,0
24,0	76,1	88,1	9 800	78,9	87,6	9 800	24,0
25,9	74,8	87,5	9 600	77,6	87,1	9 600	25,9
26,0	74,7	87,5	9 600	77,6	87,1	9 600	26,0
28,0	73,4	86,9	9 400	76,2	86,5	9 400	28,0
30,0	72,0	86,3	9 200	74,8	85,8	9 200	30,0
32,0	70,7	85,6	9 000	73,4	85,1	9 000	32,0
36,0	67,9	84,0	8 700	70,6	83,6	8 700	36,0
40,0	65,0	82,2	8 300	67,8	81,8	8 300	40,0
44,0	62,1	80,2	7 200	64,9	79,7	7 800	44,0
48,0	59,1	77,9	5 800	61,8	77,4	6 400	48,0
52,0	56,0	75,3	4 700	58,7	74,7	5 200	52,0
56,0	52,8	72,3	3 700	55,5	71,8	4 200	56,0
60,0	49,5	69,0	2 900	52,1	68,5	3 300	60,0
64,0	45,9	65,3	2 100	48,5	64,7	2 500	64,0
65,5	44,5	63,8	1 900	47,1	63,1	2 200	65,5
67,1				45,6	61,5	2 000	67,1
68,0							68,0
68,6							68,6

# MLC250 S-1



67 860 kg  
+  
0 kg



25°				
0°				
m	°	m	kg	m
16,8				16,8
18,0				18,0
20,0				20,0
21,3				21,3
22,0				22,0
24,0				24,0
25,9	80,5	85,9	8 600	25,9
26,0	80,4	85,9	8 600	26,0
28,0	79,0	85,3	8 500	28,0
30,0	77,7	84,6	8 300	30,0
32,0	76,3	83,9	8 200	32,0
36,0	73,4	82,3	7 900	36,0
40,0	70,5	80,5	7 400	40,0
44,0	67,5	78,4	6 900	44,0
48,0	64,5	76,0	6 500	48,0
52,0	61,3	73,4	5 700	52,0
56,0	58,0	70,4	4 600	56,0
60,0	54,5	67,0	3 600	60,0
64,0	50,9	63,1	2 800	64,0
65,5	49,4	61,4	2 500	65,5
67,1	47,9	59,8	2 200	67,1
68,0	46,9	58,7	2 100	68,0
68,6	46,3	58,0	2 000	68,6